One Does Not Simply Iterate over Mordor

miki (atebeka

CEO






Effective Go Recipes Fast Solutions to Common Tasks

The Pragmatic Programmers



Go Brain Teasers





Python Brain Teasers





Pandas Brain Teasers







Range Over Function

Go 1.23, August 2024

Generators

Python 2.3, July 2003

tick/tick.go

Range-Over Functions in Go ArdanLab Blog



Load logs from compressed JSON file.

```
$ zcat logs.json.gz| wc -1
5350200 16045852 770589508
$ zcat logs.json.gz| head -1
{"host":"199.72.81.55","time":
"1995-07-01T00:00:01Z", "reques
t": "GET /history/apollo/
HTTP/1.0", "status":200, "bytes"
:6245}
```

log/log.go

slice/slice.go

load

Map

lower: ["Suite", "Up"] -> ["suite", "up"]

Filter

 \geq 0: [2, -1, 3, 4] -> [2, 3, 4]

Reduce

sum: $[1, 2, 3, 4] \rightarrow 10$



```
reduce
                 map
SELECT SUM(amount * price)
FROM sales
WHERE date = '2025-05-25';
          filter
```

lazy/lazy.go

push/push.go

pull/pull.go



fibs/fibs.go

order/order.go

leak/leak.go

range/range.go



Questions?



github.com/tebeka/talks/tree/main/gcil-2025