Q1 - UNION

```
SELECT account_id,
       account_holder,
       'Sandton' AS city
FROM branch_sandton_accounts

UNION

SELECT account_id,
       account_holder,
       'Rosebank' AS city
FROM branch_rosebank_accounts;
```

Q2 - UNION

```
SELECT product_code,
       product_name,
       'savings' AS product_type
FROM savings_products

UNION

SELECT product_code,
       product_name
       'Current' AS product_type
FROM current_products;
```

Q3 - UNION

```
SELECT staff_id,
       staff_name,
       'retail@nexbank.co.za' AS email
FROM retail_banking_staff
```

```
6 UNION
7
8 SELECT staff_id,
9        staff_name,
10       'corporate@nexbank.co.za' AS email
11 FROM corporate_banking_staff;
```

Q4 - UNION

```
1 SELECT city_code,
2        city_name,
3        'Mobile branch' AS region
4 FROM mobile_branch_cities
5
6 UNION
7
8 SELECT city_code,
9        city_name,
10       'Digital Branch' AS region
11 FROM digital_branch_cities;
```

Q5 - UNION

```
1 SELECT customer_id,
2        customer_name,
3        'Push notification' AS segment
4 FROM push_notification_targets
5
6 UNION
7
8 SELECT customer_id,
9        Customer_name,
10       'In-App Banner' AS segment
11 FROM inapp_banner_targets;
```

Q6- UNION ALL

```
SELECT txn_id AS transaction_id,
       account_id,
       amount,
       CURRENT_DATE AS transaction_date
FROM atm01_transactions

UNION ALL

SELECT txn_id AS transaction_id,
       account_id,
       amount,
       CURRENT_DATE AS transaction_date
FROM atm02_transactions;
```

Q7

```
SELECT app_id AS application_id,
       customer_id,
       loan_type,
       0 AS amount_requested
FROM gauteng_loan_applications

UNION ALL

SELECT app_id AS application_id,
       customer_id,
       loan_type,
       0 AS amount_requested
FROM western_cape_loan_applications;
```

Q8 - UNION ALL

```
SELECT complaint_id,
       customer_id,
       'Email' AS category
       CURRENT DATE AS logged_date
FROM email_complaints

UNION ALL

SELECT complaint_id,
       customer_id,
       'App' AS category,
       CURRENT_DATE AS logged_date
FROM app_complaints;
```

Q8 UNION ALL

```
SELECT payment_id,
       account_id,
       amount,
       '2025-04-01' AS payment_date
FROM april_payments

UNION ALL

SELECT payment_id,
       account_id,
       amount,
       '2025-05-01' AS payment_date
FROM may_payments;
```

Q10- UNION ALL

```
SELECT entry_id,
       account_id,
       entry_type,
       0 AS amount,
       CURRENT_DATE AS entry_date
FROM debit_entries

UNION ALL

SELECT entry_id,
       account_id,
       entry_type,
       0 AS amount,
       CURRENT_DATE AS entry_date
FROM credit_entries;
```

Bonus 1

Use UNION.

A fraud analyst needs a unique list of customers from both watch lists. If a customer appears in both January and February, they should only appear once. UNION removes duplicate records automatically.

Bonus 2

Use UNION ALL.

The auditing team wants to count every transaction that occured, Even if the same transaction appears in multiple systems, it must still be counted. UNION ALL keeps all rows, including duplicates

Bonus 3

The query fails because the first SELECT returns 2 columns (account_id, account_holder) while the second SELECT returns 3 columns (account_id, account_holder, city).

for a UNION, both SELECT statement must return the same number of columns and compatible data types

Corrected query

```
1 SELECT account_id,
2        account_holder,
3        city
4 FROM branch_sandton_accounts
5
6 UNION
7
8 SELECT account_id,
9        account_holder,
10       city
11 FROM branch_rosebank_accounts;
```