EduPortal Detailed Working Report

Date: 2026-05-02
Project: EduPortal Ecosystem
Developed and managed by: Tecbunny Solutions Private Limited
Project handled by: Co-founder Shubham Bhisaji
Email: shubham@tecbunny.com
Mobile: +91 7387375651

1. Purpose of This Report

This document explains the end-to-end working of the EduPortal ecosystem from account creation to login, daily school operation, live test deployment, student test submission, grading, progress cards, and reports for every major user role.

The report is written as an operational flow document. It covers how each user enters the system, what data they create, how that data moves across the platform, and which reports become available after test completion and school activity.

2. Ecosystem Summary

EduPortal is a multi-tenant school operating system. It connects central administration, school leadership, teachers, students, auditors, AI assessment tools, and EduOS hardware devices into one connected workflow.

The system has three major layers:

Layer	Surface	Purpose
Central Cloud Layer	Admin dashboard	Tenant onboarding, school lifecycle, subscriptions, fleet, analytics, logs, support, and global settings.
School Operations Layer	Staff Station	Principal/HOD, teacher, moderator, alumni, and school operations workflows.
Classroom Edge Layer	Student Hub and Class Station	Student learning desk, QR identity, face verification, live tests, offline material cache, and classroom telemetry.

3. User Roles Covered

User Role	Main Entry	Core Responsibility
Admin	`/admin`	Creates and manages schools, monitors platform health, controls global settings, reviews requests and analytics.
Principal / HOD	`/school/staff` then dashboard	Manages school operations, staff accounts, attendance policy, compliance, timetable, promotions, announcements, and reports.
Teacher	`/school/staff` then dashboard	Runs classroom activity, deploys tests, scans worksheets, grades submissions, views class analytics, and updates HPC data.
Moderator	`/school/staff` then dashboard	Uploads syllabus, manages learning material, prepares AI context, and controls content quality.
Student	`/school/student` or Student Hub	Uses Student Desk, views timetable/materials, receives live tests, submits answers, and views HPC progress.
Auditor	`/auditor`	Views compliance health, engagement reports, institutional analytics, and signed reports.
Alumni	`/school/dashboard/alumni`	Accesses alumni-facing school workspace where enabled.
Hardware Node	API + EduOS	Sends heartbeat, receives updates, binds to tenant, supports Student Hub and Class Station workflows.

4. High-Level End-to-End Flow

```
flowchart TD
  A[Admin creates school tenant] --> B[Principal account generated]
  B --> C[Principal logs in with school code and password]
  C --> D[Principal creates teacher and moderator accounts]
  D --> E[Moderator uploads syllabus and material]
  E --> F[Teacher prepares class workflow and test]
  F --> G[Student Hub displays QR session]
  G --> H[Class Station scans student face]
  H --> I[Class Station scans Student Hub QR]
  I --> J[Student session is verified]
  J --> K[Teacher deploys live test]
  K --> L[Student submits test from Student Hub]
  L --> M[Teacher grades manually or with AI assistance]
  M --> N[Marks and competencies update HPC]
  N --> O[Principal, teacher, student, auditor and admin reports update]
```

5. Account Creation Lifecycle

5.1 Admin Account

The Admin is the platform-level user. Admin access is used to manage the overall EduPortal ecosystem. Admin login happens through the central admin portal.

Admin responsibilities:

- Login to the Central Intelligence dashboard.
- Review school registration requests.
- Provision new schools.
- Configure global platform settings.
- Monitor subscriptions and tenant status.

- Review global analytics.
- Monitor hardware fleet, logs, nodes, and releases.
- Control global promotion window and platform-level policies.

Admin authentication:

Field	Description
System Identifier	Admin user code, such as `ADXXXXX`.
Security Key	Admin password.
Allowed Role	Only `admin`.
Destination After Login	`/admin/dashboard`.

5.2 School / Tenant Creation

School creation is performed by the Admin through the provisioning workflow.

Technical route:

`POST /api/school/provision`

Required data:

Field	Purpose
U-DISE code	11-digit school identifier used to create a school tenant.
Principal name	Name of the first school administrator.
Initial password	Strong password for the principal account.

Provisioning steps:

1. Admin submits U-DISE code, principal name, and password.
2. System validates that the U-DISE code is 11 digits.
3. System checks whether the school is already provisioned.
4. System creates a new record in the `schools` table.
5. System creates a principal user in Supabase Auth using a generated internal email.
6. System creates a matching `profiles` record with role `principal`.
7. System returns the generated principal login code.

Generated principal example:

Item	Example Pattern
School code	`SCHXXXX`
Principal code	`PRXXXX01`
Role	`principal`
School binding	Principal profile is linked to the school tenant ID.

Failure handling:

- If Auth user creation fails, the school record is rolled back.
- If profile creation fails, the Auth user and school record are rolled back.
- This prevents half-created tenants.

5.3 Principal / HOD Account

The Principal/HOD account is created during school provisioning. It is the first school-level account and controls staff creation and school operations.

Principal account data:

Field	Source
Full name	Provided by Admin during school provisioning.
User code	Generated by provisioning API.
Password	Initial password set during provisioning.
Role	`principal`.
School ID	Linked to the created school tenant.

Principal can:

- Create teacher accounts.
- Create moderator accounts.
- Configure attendance mode.
- View school analytics.
- Manage announcements.
- Manage support tickets.
- Generate compliance reports.
- Run promotion workflow when global window is open.
- View HOD snapshots.

5.4 Teacher and Moderator Account Creation

Teacher and Moderator accounts are created by the Principal/HOD from the staff management interface.

Technical route:

`POST /api/school/staff/create`

Allowed requester:

Only a logged-in `principal`.

Allowed created roles:

Role	Allowed
Teacher	Yes
Moderator	Yes
Student	No, not through this route
Admin	No
Auditor	No

Staff creation steps:

1. Principal opens Add Staff.
2. Principal enters staff full legal name.
3. Principal selects role: Teacher or Moderator.
4. System verifies principal session and school tenant.

5. System generates a unique login ID.
6. System generates a temporary password.
7. System creates Auth user silently on the backend.
8. System creates the staff profile.
9. System binds the staff member to the principal's school.
10. System returns the login ID and temporary password.

Generated staff login pattern:

Role	Login ID Pattern
Teacher	`TCH-{school-prefix}-{random}`
Moderator	`MOD-{school-prefix}-{random}`

Returned credential details:

Field	Description
Staff Member	Full name entered by principal.
Login ID	Generated staff code.
Role	Teacher or Moderator.
Temporary Password	Auto-generated secure password.

Security behavior:

- Staff account creation uses the service role only on the server.
- The principal never creates Auth users directly from the browser.
- Staff accounts are bound to the same `school_id` as the principal.
- If profile creation fails, the generated Auth user is deleted.

5.5 Student Account Creation

Student accounts exist as `profiles` with role `student` and are bound to:

- A school tenant.
- A class.
- Student identity information.
- Attendance records.
- HPC grades.
- Competency metrics.
- Student Hub sessions.

The current application provides the Student Hub and student dashboard surfaces. In a full deployment, student accounts can be created through one of the following controlled flows:

Flow	Description
Bulk import	School uploads student roster and system creates student profiles.
Admin / principal provisioning	School leadership creates students during onboarding.
SIS migration	Student records migrate from an existing school ERP.
Device-bound activation	Student profile is linked to Student Hub during first session.

Recommended production behavior:

- Generate student login codes similar to staff codes.
- Bind every student to `school_id`, `class_id`, and optionally `student_roll_no`.
- Require principal-approved roster import.
- Avoid open public self-registration for students.

5.6 Auditor Account

Auditor accounts are used for external or internal compliance review.

Auditor can:

- Access auditor dashboard.
- View compliance health map.
- Generate signed reports.
- Review engagement, attendance, HPC, and institutional health summaries.

Auditor should not:

- Modify grades.
- Create staff.
- Change school settings.
- Trigger promotions.
- Change hardware configuration.

6. Login and Access Control Flow

6.1 Code-Based Login

EduPortal uses a code-based login pattern for users.

Technical route:

`POST /api/auth/code-login`

Login body:

Field	Description
`code`	User code such as admin code, principal code, teacher code, moderator code, or student code.
`password`	Security key / password.
`allowedRoles`	Optional role filter used by the portal.
`schoolCode`	Optional school binding check for school users.

Login steps:

1. User enters system identifier and security key.
2. System normalizes the user code to uppercase.
3. System checks rate limit for login attempts.
4. Service client looks up the user profile by `user_code`.
5. System validates role against the requested login portal.
6. If school code is supplied, system verifies the user's school.
7. System fetches the internal Auth email for the profile.
8. System signs in with Supabase Auth.
9. System returns session and user profile.
10. UI redirects by role.

Role routing:

Role	Dashboard Route
Admin	`/admin/dashboard`
Auditor	`/auditor/dashboard`
Principal	`/school/dashboard/hod`
Teacher	`/school/dashboard/teacher`
Moderator	`/school/dashboard/moderator`
Student	`/school/dashboard/student`
Alumni	`/school/dashboard/alumni`

6.2 School Gateway

The school gateway lets the user choose the correct workspace.

Available workspaces:

Workspace	Users
Staff Station	Principal, teacher, moderator, school staff.
Student Hub	Students on browser/PWA or EduOS Student Hub.

If EduOS simulation or EduOS cookie is detected, the gateway redirects to the Student Hub surface.

7. Device Architecture and Identity Flow

EduPortal uses two separate classroom devices.

Device	Board	Camera	Main Purpose
Student Hub	Luckfox Pico Ultra W	No camera	Student desk, QR display, live test, study material, HPC.
Class Station	Luckfox Pico Ultra BW	Has camera	Face scan, QR scan, teacher station, class cache, AI/OCR workflows.

7.1 Student Hub

Student Hub is the learner-facing device. It does not include a camera. This improves privacy because the student desk does not continuously capture visual data.

Student Hub responsibilities:

- Show student dashboard.
- Display QR session.
- Receive live test broadcast.
- Allow answer selection.
- Submit answers.
- Show study materials.
- Show timetable and announcements.
- Show HPC progress.
- Send session heartbeat.

7.2 Class Station

Class Station is the classroom-facing trusted station. It has a camera and handles scanning flows.

Class Station responsibilities:

- Scan student face.
- Scan QR shown on Student Hub.
- Confirm student-device-session match.
- Support teacher classroom workflows.
- Support OCR and worksheet scanning.
- Support AI grading from scanned work.
- Cache classroom materials locally.
- Trigger AI workflows from controlled station context.

7.3 Face + QR Login Flow

The desired classroom identity flow is:

```
sequenceDiagram
  participant Student
  participant Hub as Student Hub
  participant Station as Class Station
  participant API as EduPortal API
  participant DB as Supabase

  Student->>Hub: Opens Student Hub
  Hub->>API: Requests QR session
  API->>DB: Creates short-lived QR session
  API-->>Hub: Returns QR payload
  Hub-->>Student: Displays QR
  Student->>Station: Stands before Class Station
  Station->>Station: Captures face
  Station->>API: Verifies face against student identity
  Station->>Hub: Scans displayed QR
  Station->>API: Sends QR + verified face context
  API->>DB: Marks QR session verified
  API-->>Station: Session accepted
  API-->>Hub: Student session unlocked
```

Important privacy design:

- Student Hub has no camera.
- Camera is centralized on Class Station.
- Face scan happens only at station-level verification.
- QR binds the physical Student Hub session to the verified student identity.

8. Daily Working Flow by User

8.1 Admin Daily Flow

Admin workflow:

1. Admin logs in from `/admin`.
2. Admin reaches central dashboard.
3. Admin reviews registration requests.
4. Admin provisions schools when approved.
5. Admin checks school list, school details, users, subscription status, analytics, logs, nodes, and fleet.

6. Admin can update global configuration and global promotion window.
7. Admin reviews platform-level support or operational requests.

Admin report outputs:

Report / View	Purpose
Global analytics	Total schools, students, papers, pending requests.
School list	Tenant status and lifecycle view.
Subscription status	Tracks license or plan status.
Fleet dashboard	Hardware node health and update readiness.
System logs	Operational and error traceability.
Snapshots	Platform-level snapshots for monitoring.

8.2 Principal / HOD Daily Flow

Principal/HOD workflow:

1. Principal logs in from Staff Station.
2. Principal lands on HOD dashboard.
3. Principal checks attendance compliance and school statistics.
4. Principal creates teacher or moderator accounts if required.
5. Principal configures attendance mode.
6. Principal publishes announcements.
7. Principal reviews CPD progress.
8. Principal reviews compliance report card.
9. Principal opens support ticket if platform support is needed.
10. Principal runs promotion console when the admin global switch permits it.

Principal reports:

Report	Data Source	Purpose
NEP 2020 Compliance Card	Attendance, CPD, safety, syllabus coverage	School compliance review.
HOD Snapshots	School analytics and operational data	Leadership dashboard snapshot.
Attendance Summary	Attendance table	Tracks daily and subject-wise compliance.
Staff CPD Report	CPD logs	Tracks teacher development hours.
Promotion Readiness	Promotion service and student records	Checks academic year rollover readiness.

8.3 Moderator Daily Flow

Moderator workflow:

1. Moderator logs in from Staff Station.
2. Moderator opens content management dashboard.
3. Moderator uploads or updates syllabus.
4. Moderator structures curriculum into machine-readable form.
5. Moderator uploads study materials.
6. Moderator marks content for AI indexing where required.
7. Student Hub and Class Station can cache materials for offline use.
8. Teacher AI generation uses moderator-approved content as grounding context.

Moderator outputs:

Output	Purpose
Syllabus records	AI and teacher context.
Material library	Student study hub and offline resources.
Indexed content	Enables better question generation and retrieval.
Subject filters	Helps students and teachers find material by subject.

8.4 Teacher Daily Flow

Teacher workflow:

1. Teacher logs in from Staff Station.
2. Teacher opens teacher dashboard.
3. Teacher checks connected students and class status.
4. Teacher uses classroom tools to prepare lesson/test activity.
5. Teacher can generate assessment content with AI.
6. Teacher deploys live test to the class room realtime channel.
7. Teacher monitors classroom participation.
8. Teacher reviews submissions or scanned worksheets.
9. Teacher uses Split-Screen Grader and AI suggestions if needed.
10. Teacher finalizes marks and feedback.
11. Final marks contribute to HPC grades and competency metrics.

Teacher reports:

Report / View	Purpose
Class Analytics	Class-level performance and engagement.
Live Monitor Grid	Student Hub connection/session status.
Pending Grading	Work that still requires teacher action.
Grading Panel	Manual and AI-assisted evaluation.
HPC Contribution	Competency impact from graded work.

8.5 Student Daily Flow

Student workflow:

1. Student opens Student Hub.
2. Student identity is verified through Class Station face scan + Student Hub QR.
3. Student reaches Student Desk.
4. Student views ongoing session, timetable, and announcements.
5. Student opens study materials from Study Hub.
6. Student waits for a live test broadcast when teacher starts an assessment.
7. Student answers questions on Student Hub.
8. Student submits final answers before timer ends.
9. Student sees submission confirmation.
10. Student later views marks, mastery, and HPC progress.

Student reports:

Report / View	Purpose
Student Desk	Daily session, timetable, announcements.
Study Hub	Subject material and offline cache status.
Live Test Completion	Confirms assessment submission.
Holistic Progress Card	Academic, socio-emotional, physical, and vocational progress.
Attendance Rate	Attendance history summary.
Average Grade	Performance from graded work.

8.6 Auditor Daily Flow

Auditor workflow:

1. Auditor logs in through auditor portal.
2. Auditor opens compliance dashboard.
3. Auditor views compliance health map.
4. Auditor reviews institutional metrics.
5. Auditor generates signed reports.
6. Auditor checks monthly or yearly compliance status.

Auditor reports:

Report	Purpose
Full Academic Year Audit	Complete annual institutional review.
Monthly Compliance Snapshot	Month-level compliance and performance view.
Staff Performance Report	Teaching staff and CPD overview.
Secure Signed Report	Watermarked audit output for inspection.

9. Live Test Working Flow

9.1 Test Preparation

Test creation can be manual or AI-assisted.

Teacher preparation sources:

- Moderator-approved syllabus.
- Uploaded material.
- Teacher context prompt.
- Class and subject.
- Rubric or question pattern.

AI generation route:

`POST /api/ai/generate`

AI controls:

- Requires authenticated staff.
- Uses rate limiting.
- Validates input.
- Intended to run from controlled classroom/staff context.

9.2 Test Deployment

The student live test engine listens to Supabase Realtime broadcasts.

Realtime channel:

`class_room_{classId}`

Broadcast event:

`DEPLOY_TEST`

Live test payload:

Field	Description
`title`	Test title shown to student.
`subject`	Subject name.
`durationMinutes`	Timer duration.
`questions`	List of objective questions.
`question.id`	Question identifier.
`question.question`	Question text.
`question.options`	Options shown to student.

9.3 Student Receives Test

When teacher deploys the test:

1. Student Hub receives `DEPLOY_TEST`.
2. Live Test Engine opens automatically.
3. Timer starts.
4. Questions and options render on Student Hub.
5. Student selects answers.
6. Student is warned not to close app or lock screen.

Student Hub restriction:

- The live test screen is only active on Student Hub.
- If opened outside Student Hub, the UI shows "Student Hub Device Required".

9.4 Student Submission

Submission process:

1. Student taps Submit Final Draft.
2. System starts syncing state.
3. Student answers are prepared for storage.
4. UI confirms assessment completion.
5. Student can return to hub.

Current implementation note:

- The current `LiveTestEngine` has the complete student-side UX, timer, answer collection, realtime receive flow, and completion screen.
- The current submission handler simulates database submission with a delay.
- Production should persist answers into a dedicated submissions table.

Recommended production submission tables:

Table	Purpose
`tests`	Stores test header, subject, duration, class, teacher, school.
`test_questions`	Stores question text, options, correct answer, marks, competency tag.
`test_sessions`	Stores deployment instance, start time, end time, class, status.
`test_submissions`	Stores student submission, submitted time, device ID, score status.
`test_answers`	Stores each answer selected by the student.

Recommended submission record:

Field	Description
`id`	Submission ID.
`school_id`	Tenant isolation.
`test_session_id`	Live test deployment instance.
`student_id`	Student profile.
`student_hub_node_id`	Device used for submission.
`class_station_node_id`	Station that verified session.
`answers_json`	Student answers.
`submitted_at`	Timestamp.
`auto_submitted`	True if timer expired.
`status`	Submitted, graded, returned, disputed.

9.5 Auto Submit on Timer End

If timer reaches zero:

1. Live Test Engine detects `timeLeft === 0`.
2. Submit handler is called automatically.
3. Student work is marked complete.
4. UI shows completion status.

Recommended production behavior:

- Save incremental draft answers every few seconds.
- Save local offline draft if network drops.
- On timer end, submit last synced draft.
- Mark as `auto_submitted = true`.
- Record device heartbeat and connectivity status.

10. Grading and Evaluation Flow

10.1 Objective Test Grading

For objective live tests:

1. Teacher deploys MCQ or objective test.

2. Student answers from Student Hub.
3. System stores answers.
4. System compares answers with answer key.
5. System calculates score.
6. Teacher can review exceptions or manually adjust.
7. Final score goes to `hpc_grades`.
8. Competency metrics update `hpc_competencies`.

10.2 Worksheet / Subjective Grading

Teacher uses Split-Screen Grader for scanned worksheets.

Workflow:

1. Teacher opens grading panel.
2. Teacher scans worksheet using Class Station camera.
3. Scanned image appears on the left panel.
4. Teacher clicks AI suggestion or scanner triggers AI grading.
5. Image is sent to `/api/ai/vision-grade`.
6. Gemini extracts text and returns evaluation suggestions.
7. Teacher reviews suggested score and feedback.
8. Teacher adjusts scores manually if required.
9. Teacher writes personalized feedback.
10. Teacher submits and finalizes grade.

Rubric example:

Criterion	Purpose
Conceptual clarity	Understanding of topic.
Linguistic accuracy	Language and expression.
Presentation and flow	Cleanliness and structure.

Important rule:

AI can suggest. Teacher finalizes.

10.3 HPC Integration

After grades are finalized:

Data	Destination
Marks	`hpc_grades`
Competency score	`hpc_competencies`
Feedback	Grade feedback / report remarks
Skill evidence	Skill or vocational metric where applicable
Attendance relation	Attendance and engagement analytics

HPC categories:

- Academic achievement.
- Socio-emotional pulse.
- Physical and vocational development.

- Vocational skill map.
- Attendance and participation indicators.

11. Report Generation and Visibility

11.1 Student Reports

Student reports are visible from the Student Hub dashboard.

Student report components:

Component	Details
Holistic Progress Card	Shows NEP 2020 aligned 360-degree evaluation.
Academic Achievement	Competency-based academic mastery.
Socio-Emotional Pulse	Collaboration, empathy, and peer interaction.
Physical and Vocational	Health, sports, and skill acquisition.
Vocational Skill Map	Bagless day / internship progress.
Attendance Rate	Derived from attendance records.
Average Grade	Derived from HPC grades.
Material Status	Cached/offline-ready study files.

Student report data sources:

- `attendance`
- `hpc_grades`
- `hpc_competencies`
- `materials`
- `timetable`
- `announcements`
- `skill metrics`

11.2 Teacher Reports

Teacher report components:

Component	Details
Connected students	Count of students linked to school/class.
Pending grading	Count of grade records requiring completion.
Class health snapshot	Academic, socio-emotional, and physical mastery aggregate.
Live monitor	Student Hub heartbeat and activity view.
AI grading result	Extracted text, feedback, suggested marks.
Final grade sheet	Teacher-approved marks and comments.

Teacher report data sources:

- `profiles`
- `student_sessions`

- `hpc_grades`
- `hpc_competencies`
- `cpd_logs`
- `attendance`

11.3 Principal / HOD Reports

Principal/HOD report components:

Component	Details
Attendance Compliance	Current day or policy-based attendance health.
Syllabus Coverage	Coverage status from moderator and teacher activity.
Teacher CPD Hours	Average professional development hours.
Safety Audit	School safety compliance status.
Academic Performance Analytics	Competency distribution across grades.
Institutional Health Pulse	Infrastructure, sanitation, and compliance view.
Staff Competency Log	Staff development summary.

Report generation:

- The Compliance Report Generator aggregates school stats.
- It can produce a printable audit view.
- The report is intended for board inspections and annual institutional reviews.

11.4 Admin Reports

Admin report components:

Component	Details
Total schools	Count of provisioned tenants.
Total students	Count of student profiles.
Total papers	Count of generated or stored papers.
Pending requests	Count of school registration requests.
Fleet status	Hardware node health and update status.
System logs	Platform activity and errors.
Subscription status	Plan and license tracking.

Admin report data sources:

- `schools`
- `profiles`
- `exam_papers`
- `registration_requests`
- `hardware_nodes`
- `fleet_deployments`
- `system_logs`

11.5 Auditor Reports

Auditor report types:

Report Type	Description
Full Academic Year Audit	Complete school-year compliance and academic review.
Monthly Compliance Snapshot	Month-level compliance status.
Staff Performance Report	Staff performance and CPD review.
Secure Signed Report	Cryptographically signed, watermarked PDF-style report.

Auditor review areas:

- Attendance compliance.
- HPC progress.
- Engagement heatmap.
- Institutional performance.
- Staff development.
- Safety and school health.

12. Data Flow From Test to Reports

```
flowchart TD
  A[Teacher deploys test] --> B[Student Hub receives test]
  B --> C[Student selects answers]
  C --> D[Student submits]
  D --> E[Test submission stored]
  E --> F[Auto grading or teacher review]
  F --> G[Final grade stored]
  G --> H[Competency records updated]
  H --> I[Student HPC updated]
  H --> J[Teacher class analytics updated]
  H --> K[Principal compliance and academic reports updated]
  H --> L[Auditor reports updated]
  H --> M[Admin global analytics updated]
```

13. Database and Storage Areas

Important current tables and intended responsibilities:

Table	Responsibility
`profiles`	Central identity for all users, including role and school binding.
`schools`	Tenant metadata, school code, school name, plan, settings.
`attendance`	Daily or subject-wise attendance records.
`hpc_grades`	Marks and teacher grading records.
`hpc_competencies`	NEP competency and mastery metrics.
`materials`	Uploaded study material and cache/index status.
`syllabus`	Curriculum structure and AI grounding context.
`announcements`	School announcements shown to students/staff.
`student_sessions`	Student Hub heartbeat and live session monitoring.
`qr_sessions`	QR login/session verification records.
`hardware_nodes`	Student Hub and Class Station registration and heartbeat.
`fleet_releases`	EduOS release versions.
`fleet_deployments`	OTA deployment status per hardware node.
`support_tickets`	HOD/admin support workflow.
`system_logs`	Operational event logging.
`cpd_logs`	Teacher professional development hour records.

Recommended additions for complete test submission persistence:

Table	Reason
`tests`	Store assessment metadata.
`test_questions`	Store questions/options/answer key.
`test_sessions`	Store each deployment of a test to a class.
`test_submissions`	Store student test-level submission.
`test_answers`	Store question-level answers.
`test_audit_events`	Store start, sync, submit, auto-submit, reopen, and grading events.

14. Security and Tenant Isolation

Current security controls:

Control	Purpose
Role-based route access	Users reach only role-appropriate dashboards.
Code login role filters	Prevents wrong portal login.
School code verification	Ensures user belongs to selected school.
Supabase Auth	Provides session authentication.
Service role server-only use	Sensitive user creation happens on backend.
RLS policies	Database tenant isolation.
Rate limiting	Protects login, QR, registration, and AI routes.
Hardware node secrets	Protects hardware telemetry and update checks.
QR session verification	Binds Student Hub session to classroom verification.

Recommended production security controls:

- Signed Student Hub identity token.
- Signed Class Station identity token.
- Device challenge-response instead of header-only device checks.
- Full RLS test suite for every table.
- Immutable audit log for test lifecycle.
- Encrypted storage for sensitive student evidence.
- Redaction for AI logs and scanned worksheet data.
- Parent/student consent model for face verification.

15. Hardware-Assisted Classroom Flow

15.1 Before Class

1. Student Hub boots EduOS.
2. Student Hub opens locked PWA shell.
3. Student Hub sends heartbeat.
4. Class Station boots EduOS.
5. Class Station sends heartbeat.
6. Both devices check for updates.
7. Study materials are cached if available.

15.2 During Class

1. Student Hub displays student session QR.
2. Student stands before Class Station.
3. Class Station scans student face.
4. Class Station scans QR from Student Hub.
5. System verifies student identity and device session.
6. Teacher starts class activity.
7. Student receives class tools, study notes, or live test.

15.3 During Test

1. Teacher deploys test.

2. Student Hub receives test.
3. Student answers.
4. Timer counts down.
5. Student submits or auto-submit happens.
6. Submission is synced.
7. Teacher sees submission status.

15.4 After Test

1. Teacher reviews objective or subjective answers.
2. AI can assist with OCR or rubric suggestions.
3. Teacher finalizes marks.
4. HPC updates.
5. Reports update for student, teacher, principal, auditor, and admin.

16. User-Wise Report Access Matrix

Report / Data	Admin	Principal/HOD	Teacher	Moderator	Student	Auditor
Global school count	Yes	No	No	No	No	Yes, if granted
School staff list	Yes	Yes	Limited	No	No	View-only if granted
Student list	Yes	Yes	Class-limited	No	No	View-only
Attendance report	Yes	Yes	Class-limited	No	Own summary	Yes
Live test status	No/optional	Yes	Yes	No	Own test only	Optional
Test submission	No/optional	Yes	Yes	No	Own submission	View-only
Grade sheet	No/optional	Yes	Yes	No	Own grade	View-only
HPC report	Aggregate	School aggregate	Class/student	No	Own HPC	Aggregate/view-only
CPD report	Aggregate	Yes	Own CPD	Own CPD	No	Yes
Content library	Yes	Yes	Yes	Yes	Read-only	View-only
Compliance report	Yes	Yes	Limited	No	No	Yes
Hardware fleet	Yes	School devices	Class devices	No	Assigned hub status	View-only
System logs	Yes	Limited support logs	No	No	No	View-only if granted

17. Report Lifecycle After Student Test Submission

After a test is submitted, the reporting chain should update in this order:

1. Submission confirmation: Student sees completion screen.
2. Submission record: System stores student answers and timestamp.
3. Teacher queue: Submission appears in teacher grading/pending review.
4. Auto scoring: Objective answers are scored automatically.
5. Manual review: Teacher reviews subjective or flagged answers.
6. AI assistance: Teacher may use OCR and AI grading suggestion.
7. Finalization: Teacher submits final grade and feedback.
8. HPC update: Academic and competency metrics update.

9. Student report: Student HPC and grade view refresh.
10. Class report: Teacher class analytics refresh.
11. School report: Principal compliance and academic report refresh.
12. Audit report: Auditor can generate updated report.
13. Admin analytics: Platform aggregate counts refresh.

18. Current Implementation Status

Implemented or present:

- Admin login and dashboard surfaces.
- School provisioning API.
- Principal account creation during provisioning.
- Principal staff creation API for teachers and moderators.
- Code-based login with role checks.
- Role-based dashboard routing.
- Student Hub dashboard surface.
- Student Desk with timetable and announcements.
- Study Hub with material listing and offline-ready indicators.
- Live Test Engine with realtime receive, timer, answer selection, submit button, auto-submit trigger, and completion state.
- Teacher Split-Screen Grader.
- Worksheet scanner and AI grading route.
- HPC Viewer for student progress.
- Compliance report generator for HOD.
- Auditor report generator.
- Hardware handshake, telemetry, and update-check routes.
- QR generation and verification routes.
- EduOS hardware model for Student Hub and Class Station.

Known gap to close for complete production test submission:

- Live test student submission currently simulates database persistence.
- A production-ready submission database flow should be added using `test_submissions` and `test_answers`.
- Teacher deployment UI should persist test definitions and broadcast from stored test sessions.
- Auto grading should write directly to grade draft records before teacher finalization.

19. Recommended Production Completion Checklist

Account and identity:

- Add full student roster import.
- Add student login code generation.
- Add parent/guardian contact fields if required.
- Add first-login password reset for staff and students.
- Add account disable/suspend workflow.

Test submission:

- Add `tests`, `test_questions`, `test_sessions`, `test_submissions`, and `test_answers`.
- Save draft answers periodically.
- Support offline draft cache on Student Hub.
- Add auto-submit reason and device heartbeat snapshot.
- Add teacher review status.

- Add grade finalization history.

Reports:

- Generate downloadable student HPC PDF.
- Generate class-level test result PDF/CSV.
- Generate principal academic report PDF.
- Generate auditor signed report PDF.
- Add report ID, generated by, generated at, school ID, and hash.

Security:

- Replace soft device headers with signed device identity.
- Add full audit event trail for account creation and tests.
- Add RLS tests for every table.
- Add per-school AI quota.
- Add storage lifecycle policy for scanned worksheets.

Operations:

- Add production health endpoint.
- Add structured logs with correlation IDs.
- Add backup and restore runbook.
- Add incident response policy for student data.
- Add monitoring for hardware fleet heartbeat failure.

20. Conclusion

EduPortal provides a connected working model for the complete school journey: school onboarding, principal creation, staff provisioning, student device workflow, classroom verification, live tests, teacher grading, AI support, HPC generation, compliance review, and platform-level reporting.

The strongest product idea is the combination of cloud school operations with two classroom devices:

- Student Hub without camera for safer student desk usage.
- Class Station with camera for centralized face verification and classroom scanning.

This design keeps the student interface focused while allowing secure classroom identity, test delivery, worksheet scanning, and report generation. The remaining technical priority is to make live test submission fully persistent in the database and connect that submission record directly into grading, HPC, and downloadable reports.