

Sa (UCS03C13) CSE

.B.Tech 3rd Semester End Term Examination-2017

Department of Computer Science & Engineering Digital Circuits & Logic Design UCS03C13

Full Marks: 100 Marks

Time: 3 Hrs

Instructions:

ı] Figures to the right indicate full marks.

2] Illustrate your answer with neat sketches wherever necessary.

Q1. a) A 7 bit Hamming Code received by the receiver is 1111101. Assume the even parity, state whether the received code is correct or wrong. If wrong, locate the bit having error.

- b) Design a circuit to convert 4-bit Octal code to its corresponding Binary code and explain.
- A combinational circuit is defined by the following two functions:

$$F_1(x, y) = \sum_{i=1}^{n} (0.3)$$

$$F_2(x, y) = \sum (1, 2, 3)$$

Implement the combinational circuit by means of Decoder and external NAND gates. -

Q2/a) State the differences between Latch and Flipflop. Draw and explain clocked RS flipflop using NAND gates.

Design a circuit that can convert 4 bit Binary coded Decimal to Gray code and viceversa using truth table, K maps, and logic circuits.

p) Design a synchronous counter that will go through states 1,3.7,6.1... using bush condition.

((2+4)+7+7=20)

Q3. a) A combinational circuit has 3 inputs A. B. C and output F. F is true for following input combinations.

A is False, B is True

A is False, C is True

A. B. C are False

A. B. C are True

Write the Truth table for F. Use the convention True=1 and False = 0.

Write the simplified expression for F in SOP form.

Write the simplified expression for F in POS form.

- (iv) Draw logic circuit using minimum number of 2-input NAND gates.
- State the differences between Multiplexer and Demultiplexer. Design a Half Subtractor using Multiplexer.

What is register? Write down types of registers on the basis of input output data transfer. Discuss the working principle any one of them with an example.

5

Q4. You are given a specific sequence and you need to design a counter according to the sequence using T Flip Flop.

Q2	Q1	Q0,
0	0	0
0	0	1
0	1	0
0	1	1
1	0	0
1	0	1
0	0	0

- b) Draw and explain the block diagram of 3-bit Binary Parallel Adder and explain its limitations.
- c) Solve the Boolean Expression by using 3 variable Mapping:

$$Y = Dm_3 + m_2 + m_4 + d(m_9 + Dm_1)$$

(10+6+4=20)

- Q5. a) What do you mean by Programmable Logic Devices? Compare the features of PLA, PAL and PROM.
- (PAL sheet attached).

Entolmani Ho.			j

S₃ (UCS03B04) B.Tech

B.Tech. 3rd Semester End Term Examination, 2017

Discrete Mathematical Structures UCS03B04

Full Marks: 100Time: 3 hours

- A. How many tree can be formed from three labelled vertices A, B, C. Draw trees to verify your
- 7. Are the cyclic graphs C4, C5, and C6 bipartite graphs? Give valid evidence to justify your choices. (5)
- Show that p→q and ¬q→¬p are logically equivalent.
- (5)Use quantifiers to express the statement that "There does not exist a woman who has taken a flight on every airline in the world."
- Determine whether the relation R on the set on all set of integers is reflexive, symmetric, antisymetric and transitive where $(x,y) \in R$ if and only of


 - c x=y-1 or x=y-1 d. x≡y(mod7)

(2*5=10)


, 6. Determine whether (P({a,b,c}),⊆) is a lattice.

Define reflexive, symmetric, antisymetric and transitive relation. Determine whether the relations shown by the directed graphs are reflexive, symmetric, antisymetric and transitive

(2+8)



The city of Königsberg in Prussia (now Kaliningrad, Russia) was set on both sides of the Pregel River, and included two large islands which were connected to each other, or to the two mainland portions of the city, by seven bridges(B1, B2, B3, B4, B5, B6, and B7) as shown in the following map. Can someone cross all the bridge shown in this map exactly once and



	(-1	Defin	ne Planar gr	raph and Hailtonian graph with example. D	etermine whether the
	10. [a/	reanhs are	Suler Ham	hiltonian and Flahar. Give views to support you	ur answer.
	following	(i)	Wheelta	rapiis with the	
		(ii)	Complete	e Graphs K ₃ and K ₅	
			O:nortite	oranh Kasand Kes	
	nd.	,	rmine the ch	hromatic number of the following graph	
	TAI		Trinartite	e graph K 2023121,789201,6	
		(i)	Complet	e Graph K 587789785	
		(ii) (iii)	Cyclic et	aph C 345252355	
		(iv)	Wheel G	raph W 7835834589	(8+2=10)
	./	(IV)	be the prop		
	yr. Let	p, q and i	get an A o	n the final exam.	
·	•	g: You	i do every e	exercise in this book.	
			get an A in		
	14/-14			using p,q and r and logical connectives.	
	WIII			this class, it is necessary for you to get an A o	on the final.
				in this class, but you do not do every exercise	
				on the final exam, you do every exercise in t	
			A in this cla		tills book, and you get
					wassies in this books
				A in the final, but you don't do every e	exercise in this book;
				you get an A in this class.	beek is sufficient for
				in the final and doing every exercise in this	
	/ -		tting an A ir		(5)
1/2				sion is valid or not for the given propositions:	
	_	nent1:	_	does not have eight legs, then he is not a spic	der.
		nent2:	George is	The state of the s	•
		usion:		s eight legs.	(5)
13.	. If f:R	→R and g	g:R→R be d	defined by $f(x)=x^3-4x$, $g(x)=1/x^2+1$ and $h(x)$	=x ⁴ , find the following
	mposition fu	nctions: (f	000 bl/v) (g o g)(x), (h o g o f)(x), (g o h)(x), (f o g)(x)	
<i>J</i> P.	show v		OBOUNTAN, I	B - 8/1/1/1 - 8 - 1/1/1/18 - 11/1/1/1 (1 - 8/1/1)	(5)
		whether th	ne following I	Form a Group:	(5)
		whether th (a)	ne following I (Z,+) and (Z,	Form a Group: ,-)	(5)
		whether th (a) (b)	ne following ! (Z,+) and (Z, (Q, *) and (Form a Group: ,-) Q, +)	(5)
		whether th (a) (b) (c)	ne following $(Z,+)$ and $(Z,+)$ and $(Q, *)$ and $(R,/)$ and $(R,/)$	Form a Group: ,-) Q, +) B, *)	
		whether th (a) (b) (c) (d)	ne following ! (Z,+) and (Z, (Q, *) and (C, (R, /) and (R, (G, *), where	Form a Group: ,-) Q, +) R, +) e G is a set of all non zero real numbers and a*b:	
••/		whether th (a) (b) (c) (d) (e)	ne following ! (Z,+) and (Z, (Q, *) and (R (R, /) and (R (G, *), when ([0,1], +), wh	Form a Group: ,-) Q, +) R, *) e G is a set of all non zero real numbers and a*b: here + denotes binary addition	=ab/2
15/.	What is	whether th (a) (b) (c) (d) (e) the cardir	ne following ! (Z,+) and (Z, (Q, *) and (C, (R, /) and (R, (G, *), when ([0,1], +), who hality of the :	Form a Group: (,-) Q, +) R, *) Ye G is a set of all non zero real numbers and a*b: here + denotes binary addition set of integers X defined below? X = (n. 1.1 < n.c.)	=ab/2
	What is	whether th (a) (b) (c) (d) (e) the cardir Write all ti	ne following ! (Z,+) and (Z, (Q, *) and (0, (R, /) and (R, (G, *), when ([0,1], +), when he elements	Form a Group: (,-) Q, +) R, *) Ye G is a set of all non zero real numbers and a*b: here + denotes binary addition set of integers X defined below? X = {n 1 ≤ n ≤	=ab/2 (10) 123, n is not divisible by
16.	What is er 2, 3 or 5). Let X=	whether th (a) (b) (c) (d) (e) the cardir Write all ti (2, 3, 6,	ne following I (Z,+) and (Z, (Q, *) and (R, /) and (R, (G, *), when ([0,1], +), who he elements 12, 24), Lei	Form a Group: (,-) Q, +) R, *) The G is a set of all non zero real numbers and a*binere + denotes binary addition Set of integers X defined below? X = {n 1 ≤ n ≤ is of the set	=ab/2 (10) 123, n is not divisible by
16. numb	What is er 2, 3 or 5). Let X= per of edge	whether th (a) (b) (c) (d) (e) the cardin Write all th {2, 3, 6, 5	ne following ! (Z,+) and (Z, (Q, *) and (R, /) and (R, /) and (R, /), when ([0,1], +), when ality of the sheet sh	Form a Group: $\{a,b\}$ $\{a,b$	=ab/2 (10) 123, n is not divisible by (5) if x divides y. Find the
16.	What is er 2, 3 or 5). Let X= per of edge Check w	whether th (a) (b) (c) (d) (e) the cardin Write all ti {2, 3, 6, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	ne following I (Z,+) and (Z, (Q, *) and (R, /) and (R, (G, *), when ([0,1], +), who hality of the she elements 12, 24), Lesse diagra the operator	Form a Group: (,-) (Q, +) (R, *) (e G is a set of all non zero real numbers and a*betee + denotes binary addition set of integers X defined below? X = {n 1 ≤ n ≤ is of the set 1 ≤ be the partial order defined by X ≤ Y is am of (X, ≤). Is this POSET a lattice If defined by the following truth table follows	=ab/2 (10) 123, n is not divisible by (5) if x divides y. Find the
16. numb	What is er 2, 3 or 5). Let X= per of edge Check w	whether th (a) (b) (c) (d) (e) the cardin Write all ti {2, 3, 6, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	ne following I (Z,+) and (Z, (Q, *) and (R, /) and (R, (G, *), when ([0,1], +), who hality of the she elements 12, 24), Lesse diagra the operator	Form a Group: (,-) (Q, +) (R, *) (e G is a set of all non zero real numbers and a*betee + denotes binary addition set of integers X defined below? X = {n 1 ≤ n ≤ is of the set 1 ≤ be the partial order defined by X ≤ Y is am of (X, ≤). Is this POSET a lattice If defined by the following truth table follows	=ab/2 (10) 123, n is not divisible by (5) if x divides y. Find the (5) vs the properties of
16. numb	What is er 2, 3 or 5). Let X= per of edge Check w	whether th (a) (b) (c) (d) (e) the cardin Write all ti {2, 3, 6, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	ne following I (Z,+) and (Z, (Q, *) and (R, /) and (R, (G, *), when ([0,1], +), who hality of the she elements 12, 24), Lesse diagra the operator	Form a Group: $\{a,b\}$ $\{a,b$	=ab/2 (10) 123, n is not divisible by (5) if x divides y. Find the
16. numb	What is er 2, 3 or 5). Let X= per of edge Check w	whether th (a) (b) (c) (d) (e) the cardin Write all ti {2, 3, 6, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	ne following I (Z,+) and (Z, (Q, *) and (R, /) and (R, (G, *), when ([0,1], +), who hality of the she elements 12, 24), Lesse diagra the operator	Form a Group: (,-) (Q, +) (R, *) (e G is a set of all non zero real numbers and a*betee + denotes binary addition set of integers X defined below? X = {n 1 ≤ n ≤ is of the set 1 ≤ be the partial order defined by X ≤ Y is am of (X, ≤). Is this POSET a lattice If defined by the following truth table follows	=ab/2 (10) 123, n is not divisible by (5) if x divides y. Find the (5) vs the properties of
16. numb	What is er 2, 3 or 5). Let X= per of edge Check w	whether th (a) (b) (c) (d) (e) the cardin Write all ti {2, 3, 6, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	te following I (Z,+) and (Z, (Q, *) and (R, (R, /) and (R, (G, *), when ([0,1], +), who hality of the shall he elements 12, 24), Lesse diagra he operatority ive, Identity	Form a Group: (,-) (Q, +) (R, *) (e G is a set of all non zero real numbers and a*betee + denotes binary addition set of integers X defined below? X = {n 1 ≤ n ≤ is of the set 1 ≤ be the partial order defined by X ≤ Y is am of (X, ≤). Is this POSET a lattice If defined by the following truth table follows	=ab/2 (10) 123, n is not divisible by (5) if x divides y. Find the (5) vs the properties of
16. numb	What is er 2, 3 or 5). Let X= per of edge Check w Closure,	whether the (a) (b) (c) (d) (e) the cardin Write all the (2, 3, 6, s) in the Harbert Associati	ne following I (Z,+) and (Z, (Q, *) and (R, (G, *), when ([0,1], +), who hality of the she elements 12, 24), Leidasse diagrands he operatorive, Identity	Form a Group: (,-) (Q, +) (R, *) (e G is a set of all non zero real numbers and a*betee + denotes binary addition set of integers X defined below? X = {n 1 ≤ n ≤ is of the set 1 ≤ be the partial order defined by X ≤ Y is am of (X, ≤). Is this POSET a lattice If defined by the following truth table follows	=ab/2 (10) 123, n is not divisible by (5) if x divides y. Find the (5) vs the properties of
16. numb	What is er 2, 3 or 5). Let X= per of edge Check w Closure,	whether th (a) (b) (c) (d) (e) the cardir Write all ti {2, 3, 6, s in the H /hether ti	te following I (Z,+) and (Z, (Q, *) and (R, (R, /) and (R, (G, *), when ([0,1], +), who hality of the shall he elements 12, 24), Lesse diagra he operatority ive, Identity	Form a Group: (,-) (Q, +) (R, *) (e G is a set of all non zero real numbers and a*betee + denotes binary addition set of integers X defined below? X = {n 1 ≤ n ≤ is of the set 1 ≤ be the partial order defined by X ≤ Y is am of (X, ≤). Is this POSET a lattice If defined by the following truth table follows	=ab/2 (10) 123, n is not divisible by (5) if x divides y. Find the (5) vs the properties of



S₃(All Branch):ALL

B. TECH 3rd SEMESTER END-TERM EXAMINATION - 2018

Subject Name: Engineering Mathematics - III

Subject code: UCH/CE/PE03C14/UCS/EC/EE/E103C13/UME03C12

Time: 3 Hours Full Marks: 100

Symbols used here have their usual meanings

Group A

Answer any five of the following questions

Marks: $5 \times 10 = 50$

- 1. Three newspapers A, B and C are published in a certain city. It is estimated from a survey that of the adult population: 20% read A, 16% read B, 14% read C, 8 % read both A and B, 5% read both A and C, 4% read both B and C, 2% read all three. Find what percentage read at least one of the papers.
- 2. A vessel containing 3 white and 5 black balls, 4 balls are transferred into an empty vessel. From this vessel a ball is drawn and is found to be white. What is the probability that out of four balls transferred 3 white and 1 is black?
- 3. In a continuous distribution whose relative frequency density is given by: $f(x) = y_0\{x(2-x)\}, 0 \le x \le 2$, find the mean, variance and mode of the distribution and also show that for the distribution $\mu_{2n+1} = 0$.
- A multiple choice test consists of 8 questions with 3 answers to each question (of which only one is correct). A student answers each questions by rolling a die and checking the first answer if he gets 1 or 2, the second answer if he gets 3 or 4 and the third answer if he gets 5 or 6. To get a distinction, the student must secure at least 75% correct answer. If there is no negative marking, what is the probability by using Binomial Distribution that the student secures a distinction?
- In a book of 520 pages, 390 typo-graphical errors occur. Assuming Poisson law for the number of errors per page, find the probability that a random sample of 5 pages will contain no error.
- The random variable X and Y are jointly normally distributed and U and V are defined by $U = X\cos\alpha + Y\sin\alpha, V = Y\cos\alpha - X\sin\alpha.$

Show that U and V will be uncorrelated if

$$\tan 2\alpha = \frac{2r\sigma_x\sigma_y}{\sigma_x^2 - \sigma_y^2}$$

Where r = corr.(X, Y); $\sigma_x^2 = Var(X)$ and $\sigma_y^2 = Var(Y)$. Are U and V independent?

In a partially destroyed laboratory, records of an analysis of correlation data, the following results only are legible:

Variance of X = 9; Regression equations: 8X - 10Y + 66 = 0 and 40X - 18Y = 214. What are (i) the mean values of X and Y,

- (ii) the correlation coefficient between X and Y,
- (iii) the standard deviation of Y.

P.T.O

- The variables X and Y are connected by the equation aX + bY + c = 0. Show that the correlation between them is -1 if the sign of a and b are alike and +1 if they are different.
- Establish the Poisson distribution from the Binomial distribution.
- 10. The local authorities in a certain city install 10,000 electric lamps in the streets of the city. If these lamps have an average life of 1,000 burning hours with a standard deviation of 200 hours, assuming normality what number of lamps might be expected to fail (i) in the first 800 burning hours? (ii) between 800 and 1,200 burning hours? After what period of burning hours would you

Group B Answer all the following questions

Marks: 50

- (a) Define Homogeneous and Non-homogeneous linear equation with constant co-efficient along
 - (b) Solve: $(D^2 3DD' + 2D'^2)z = e^{2x-y} + e^{x+y} + \cos(x+2y)$.

[4+6]


- (a) Find the half range cosine series for $f(x) = \left(-\frac{x}{l}\right) + 1$, $0 \le x \le l$. (b) Find a complete integral of $yzp^2 - q = 0$.
- (a) Solve: (3x + y z)p + (x + y z)q = 2(z y). (b) Find the complete integral of pq = px + qy. [5+5]

(a) Find the Fourier series of $f(x) = \begin{cases} -(\frac{\pi + x}{2}), & -\pi < x < 0 \\ \frac{\pi - x}{2}, & 0 < x < \pi \end{cases}$ [5+5]

(b) Solve: $(D^2 + DD' - 6D'^2)z = x^2 \sin(x + y)$.

[4+6]

- (a) Form a partial differential equation by eliminating the function f from $z = x^n f(\frac{y}{x})$.
 - (b) An insulated rod of length I has its ends A and B maintained at 0°C and 100°C respectively until steady state conditions prevail. If the temperature at B is suddenly reduced to 0° C and kept so while that of Λ is maintained at 0°C, find the temperature at a distance x from Λ at any time t.



STANDARD NORMAL TABLE (Z)

Entries in the table give the area under the curve between the mean and z standard deviations above the mean. For example, for z = 1.25 the area under the curve between the mean (0) and z is 0.3944.

		2 201	0.02	0.03	0.04	0.05	0.06	0.07	0.08	
	0.0				0.0160	0.0190	0.0239	0.0279	0.0319	0.
	0.000				0.0160	0.0596	0.0636	0.0675	0.0714	0.
	0.039	7		0.0317	0.0948	0.0987	0.1026	0.1064	0.1103	0.
	2 0.079				0.1331	0.1368	0.1406	0.1443	0.1480	0.
0.	.3 0.117 4 0.155				0.1700	0.1736	0.1772	0.1808	0.1844	0.
Ö.					0.2054	0.2088	0.2123	0.2157	0.2190	0.
Ö.					0.2389	0.2422	0.2454	0.2486	0.2517	0.
ō.					0.2704	0.2734	0.2764	.0.2794	0.2823	0.
o.					0.2995	0.3023	0.3051	0.3078	0.3106	0.
o.				0.3238	0.3264	0.3289	0.3315	0.3340	0.3365	0.
1.				0.3485	0.3508	0.3513	0.3554	0.3577	0.3529	0.
1.			0.3686	0.3708	0.3729	0.3749	0.3770	0.3790	0.3810	0.
1.3		0.3869	0.3888	0.3907	0.3925	0.3944	0.3962	0.3980	0.3997	0.
1.3	0.4032	0.4049	0.4066	0.4082	0.4099	0.4115	0.4131	0.4147	0.4162	0.
1.4		0.4207	0.4222	0.4236	0.4251	0.4265	0.4279	0.4292	0.4306	Ο.
1.5		0.4345	0.4357	0.4370	0.4382	0.4394	0.4406	0.4418	0.4429	0.
1.6		0.4463	0.4474	0.4484	0.4495	0.4505	0.4515	0.4525	0.4535	0.
1.7	-	0.4564	0.4573	0.4582	0.4591	0.4599	0.4608	0.4616	0.4625	0.
1.8		0.4649	0.4656	0.4664	0.4671	0.4678	0.4686	0.4693	0.4699	0.
1.9		0.4719	0.4726	0.4732	0.4738	0.4744	0.4750	0.4756	0.4761	0.
2.0	0.4772	0.4778	0.4783	0.4788	0.4793	0.4798	0.4803	0.4808	0.4812	0.
2.1	0.4821	0.4826	0.4830	0.4834	0.4838	0.4842	0.4846	0.4850	0.4854	0.
2.2	0.4861	0.4864	0.4868	0.4871	0.4875	0.4878	0.4881	0.4884	0.4887	0.
2.3	0.4893	0.4896	0.4898	0.4901	0.4904	0.4906	0.4909	0.4911	0.4913	0.
2.4	0.4918	0.4920	0.4922	0.4925	0.4927	0.4929	0.4931	0.4932	0.4934	0.
2.5	0.4938	0.4940	0.4941	0.4943	0.4945	0.4946	0.4948	0.4949	0.4951	0.
2.6	0.4953	0.4955	0.4956	0.4957	0.4959	0.4960	0.4961	0.4962	0.4963	0.
2.7	0.4965	0.4966	0.4967	0.4968	0.4969	0.4970	0.4971	0.4972	0.4973	0.
2.8	0.4974	0.4975	0.4976	0.4977	0.4977	0.4978	0.4979	0.4979	0.4980	0.
2.9	0.4981	0.4982	0.4982	0.4983	0.4984	0.4984	0.4985	0.4985	0.4986	0.
3.0	0.4987	0.4987	0.4987	0.4988	0.4988	0.4989	0.4989	0.4989	0.4990	0.
3.1	0.4990	0.4991	0.4991	0.4991	0.4992	0.4992	0.4992	0.4992	0.4993	0.
3.2	0.4993	0.4993	0.4994	0.4994	0.4994	0.4994	0.4994	0.4995	0.4995	0.
3.3	0.4995	0.4995	0.4995	0.4996	0.4996	0.4996	0.4996	0.4996	0.4996	0.
3.4	0.4997	0.4997	0.4997	0.4997	0.4997	0.4997	0.4997	0.4997	0.4997	0.