



ZAP Scanning Report

Site: <http://host.docker.internal:8080>

Generated on Fri, 1 May 2026 00:05:49

ZAP Version: 2.17.0

ZAP by [Checkmarx](#)

Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	0
Low	3
Informational	3
False Positives:	0

Insights

Level	Reason	Site	Description	Statistic
Low	Exceeded High	http://host.docker.internal:8080	Percentage of responses with status code 4xx	99 %
Info	Informational	http://host.docker.internal:8080	Percentage of endpoints with content type application/json	3 %
Info	Informational	http://host.docker.internal:8080	Percentage of endpoints with content type text/html	1 %
Info	Informational	http://host.docker.internal:8080	Percentage of endpoints with method DELETE	7 %
Info	Informational	http://host.docker.internal:8080	Percentage of endpoints with method GET	60 %
Info	Informational	http://host.docker.internal:8080	Percentage of endpoints with method PATCH	10 %
Info	Informational	http://host.docker.internal:8080	Percentage of endpoints with method POST	16 %
Info	Informational	http://host.docker.internal:8080	Percentage of endpoints with method PUT	4 %
Info	Informational	http://host.docker.internal:8080	Count of total endpoints	165

Summary of Sequences

For each step: result (Pass/Fail) - risk (of highest alert(s) for the step, if any).

Alerts

Name	Risk Level	Number of Instances
Cross-Origin-Resource-Policy Header Missing or Invalid	Low	1
Unexpected Content-Type was returned	Low	2
X-Content-Type-Options Header Missing	Low	1
A Client Error response code was returned by the server	Informational	163
Non-Storable Content	Informational	Systemic
Session Management Response Identified	Informational	4

Alert Detail

Low	Cross-Origin-Resource-Policy Header Missing or Invalid
Description	Cross-Origin-Resource-Policy header is an opt-in header designed to counter side-channels attacks like Spectre. Resource should be specifically set as shareable amongst different origins.
URL	http://host.docker.internal:8080/swagger/v1/swagger.json
Node Name	http://host.docker.internal:8080/swagger/v1/swagger.json
Method	GET
Parameter	Cross-Origin-Resource-Policy
Attack	
Evidence	
Other Info	
Instances	1
Solution	Ensure that the application/web server sets the Cross-Origin-Resource-Policy header appropriately, and that it sets the Cross-Origin-Resource-Policy header to 'same-origin' for all web pages. 'same-site' is considered as less secured and should be avoided. If resources must be shared, set the header to 'cross-origin'. If possible, ensure that the end user uses a standards-compliant and modern web browser that supports the Cross-Origin-Resource-Policy header (https://caniuse.com/mdn-http_headers_cross-origin-resource-policy).
Reference	https://developer.mozilla.org/en-US/docs/Web/HTTP/Reference/Headers/Cross-Origin-Embedder-Policy
CWE Id	693
WASC Id	14
Plugin Id	90004

Low	Unexpected Content-Type was returned
------------	---

Description	A Content-Type of text/html was returned by the server.
	This is not one of the types expected to be returned by an API.
	Raised by the 'Alert on Unexpected Content Types' script
URL	http://host.docker.internal:8080/swagger/
Node Name	http://host.docker.internal:8080/swagger/
Method	GET
Parameter	
Attack	
Evidence	text/html
Other Info	
URL	http://host.docker.internal:8080/swagger/index.html
Node Name	http://host.docker.internal:8080/swagger/index.html
Method	GET
Parameter	
Attack	
Evidence	text/html
Other Info	
Instances	2
Solution	
Reference	
CWE Id	
WASC Id	
Plugin Id	100001

Low	X-Content-Type-Options Header Missing
Description	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
URL	http://host.docker.internal:8080/swagger/v1/swagger.json
Node Name	http://host.docker.internal:8080/swagger/v1/swagger.json
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
Instances	1
Solution	Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages. If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application/web server to not perform MIME-sniffing.
Reference	https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/ie-developer/compatibility/gg622941(v=vs.85) https://owasp.org/www-community/Security-Headers
CWE Id	693
WASC Id	15
Plugin Id	10021

Informational	A Client Error response code was returned by the server
Description	A response code of 404 was returned by the server. This may indicate that the application is failing to handle unexpected input correctly. Raised by the 'Alert on HTTP Response Code Error' script
URL	http://host.docker.internal:8080/api/v1/Clientes/documento/cpfCnpj
Node Name	http://host.docker.internal:8080/api/v1/Clientes/documento/cpfCnpj
Method	DELETE
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Clientes/documento/cpfCnpj/
Node Name	http://host.docker.internal:8080/api/v1/Clientes/documento/cpfCnpj/
Method	DELETE
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Pecas/10
Node Name	http://host.docker.internal:8080/api/v1/Pecas/10
Method	DELETE
Parameter	
Attack	

Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Pecas/10/
Node Name	http://host.docker.internal:8080/api/v1/Pecas/10/
Method	DELETE
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Servicos/10/
Node Name	http://host.docker.internal:8080/api/v1/Servicos/10
Method	DELETE
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Servicos/10/
Node Name	http://host.docker.internal:8080/api/v1/Servicos/10/
Method	DELETE
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Veiculos/10/
Node Name	http://host.docker.internal:8080/api/v1/Veiculos/10
Method	DELETE
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Veiculos/10/
Node Name	http://host.docker.internal:8080/api/v1/Veiculos/10/
Method	DELETE
Parameter	
Attack	
Evidence	401

Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/pecas/10/
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/pecas/10
Method	DELETE
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/pecas/10/
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/pecas/10/
Method	DELETE
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/servicos/10/
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/servicos/10
Method	DELETE
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/servicos/10/
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/servicos/10/
Method	DELETE
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080
Node Name	http://host.docker.internal:8080
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	

URL	http://host.docker.internal:8080/
Node Name	http://host.docker.internal:8080/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/9119360655457629177
Node Name	http://host.docker.internal:8080/9119360655457629177
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api
Node Name	http://host.docker.internal:8080/api
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api/
Node Name	http://host.docker.internal:8080/api/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api/4553379727756061153
Node Name	http://host.docker.internal:8080/api/4553379727756061153
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api/v1

Node Name	http://host.docker.internal:8080/api/v1
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api/v1/
Node Name	http://host.docker.internal:8080/api/v1/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api/v1/8143284621305770060
Node Name	http://host.docker.internal:8080/api/v1/8143284621305770060
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api/v1/Clientes
Node Name	http://host.docker.internal:8080/api/v1/Clientes
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Clientes?page=1&pageSize=10&nome=nome&cpfCnpj=cpfCnpj
Node Name	http://host.docker.internal:8080/api/v1/Clientes (cpfCnpj,nome,page,pageSize)
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Clientes/

Node Name	http://host.docker.internal:8080/api/v1/Clientes/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Clientes/7288073501214236110
Node Name	http://host.docker.internal:8080/api/v1/Clientes/7288073501214236110
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api/v1/Clientes/cpfCnpj
Node Name	http://host.docker.internal:8080/api/v1/Clientes/cpfCnpj
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api/v1/Clientes/cpfCnpj/
Node Name	http://host.docker.internal:8080/api/v1/Clientes/cpfCnpj/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api/v1/Clientes/cpfCnpj/3825036456730141202
Node Name	http://host.docker.internal:8080/api/v1/Clientes/cpfCnpj/3825036456730141202
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api/v1/Clientes/cpfCnpj/actuator/health

Node Name	http://host.docker.internal:8080/api/v1/Cientes/cpfCnpj/atuator/health
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api/v1/Cientes/cpfCnpj/veiculos
Node Name	http://host.docker.internal:8080/api/v1/Cientes/cpfCnpj/veiculos
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Cientes/cpfCnpj/veiculos/
Node Name	http://host.docker.internal:8080/api/v1/Cientes/cpfCnpj/veiculos/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Cientes/documento
Node Name	http://host.docker.internal:8080/api/v1/Cientes/documento
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api/v1/Cientes/documento/
Node Name	http://host.docker.internal:8080/api/v1/Cientes/documento/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api/v1/Cientes/documento/1186653892403587766

Node Name	http://host.docker.internal:8080/api/v1/Cientes/documento/1186653892403587766
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Cientes/documento/cpfCnpj
Node Name	http://host.docker.internal:8080/api/v1/Cientes/documento/cpfCnpj
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Cientes/documento/cpfCnpj/
Node Name	http://host.docker.internal:8080/api/v1/Cientes/documento/cpfCnpj/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Pecas
Node Name	http://host.docker.internal:8080/api/v1/Pecas
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Pecas/
Node Name	http://host.docker.internal:8080/api/v1/Pecas/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Pecas/10

Node Name	http://host.docker.internal:8080/api/v1/Pecas/10
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Pecas/10/
Node Name	http://host.docker.internal:8080/api/v1/Pecas/10/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Pecas/4537063261557475132
Node Name	http://host.docker.internal:8080/api/v1/Pecas/4537063261557475132
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Servicos
Node Name	http://host.docker.internal:8080/api/v1/Servicos
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Servicos/
Node Name	http://host.docker.internal:8080/api/v1/Servicos/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Servicos/10

Node Name	http://host.docker.internal:8080/api/v1/Servicos/10
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Servicos/10/
Node Name	http://host.docker.internal:8080/api/v1/Servicos/10/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Servicos/5208882928168511045
Node Name	http://host.docker.internal:8080/api/v1/Servicos/5208882928168511045
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Veiculos
Node Name	http://host.docker.internal:8080/api/v1/Veiculos
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Veiculos/
Node Name	http://host.docker.internal:8080/api/v1/Veiculos/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Veiculos/10

Node Name	http://host.docker.internal:8080/api/v1/Veiculos/10
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Veiculos/10/
Node Name	http://host.docker.internal:8080/api/v1/Veiculos/10/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Veiculos/2224551559645800105
Node Name	http://host.docker.internal:8080/api/v1/Veiculos/2224551559645800105
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Veiculos/cliente
Node Name	http://host.docker.internal:8080/api/v1/Veiculos/cliente
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Veiculos/cliente/
Node Name	http://host.docker.internal:8080/api/v1/Veiculos/cliente/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Veiculos/cliente/10

Node Name	http://host.docker.internal:8080/api/v1/Veiculos/cliente/10
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Veiculos/cliente/10/
Node Name	http://host.docker.internal:8080/api/v1/Veiculos/cliente/10/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Veiculos/cliente/9014339946198309213
Node Name	http://host.docker.internal:8080/api/v1/Veiculos/cliente/9014339946198309213
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api/v1/Veiculos/placa
Node Name	http://host.docker.internal:8080/api/v1/Veiculos/placa
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Veiculos/placa/
Node Name	http://host.docker.internal:8080/api/v1/Veiculos/placa/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Veiculos/placa/2449665420593039733

Node Name	http://host.docker.internal:8080/api/v1/Veiculos/placa/2449665420593039733
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Veiculos/placa/placa
Node Name	http://host.docker.internal:8080/api/v1/Veiculos/placa/placa
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Veiculos/placa/placa/
Node Name	http://host.docker.internal:8080/api/v1/Veiculos/placa/placa/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/acompanhamento-os
Node Name	http://host.docker.internal:8080/api/v1/acompanhamento-os
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api/v1/acompanhamento-os/
Node Name	http://host.docker.internal:8080/api/v1/acompanhamento-os/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api/v1/acompanhamento-os/57380857927033350

Node Name	http://host.docker.internal:8080/api/v1/acompanhamento-os/573808579270333350
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api/v1/acompanhamento-os/codigo
Node Name	http://host.docker.internal:8080/api/v1/acompanhamento-os/codigo
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api/v1/acompanhamento-os/codigo/
Node Name	http://host.docker.internal:8080/api/v1/acompanhamento-os/codigo/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api/v1/auth
Node Name	http://host.docker.internal:8080/api/v1/auth
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api/v1/auth/
Node Name	http://host.docker.internal:8080/api/v1/auth/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api/v1/auth/8782020810290628782

Node Name	http://host.docker.internal:8080/api/v1/auth/8782020810290628782
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico?page=1&pageSize=10&clienteId=10&status=status&numero=numero&dataAberturaInicio=dataAberturaInicio&dataAberturaFim=dataAberturaFim
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico (clienteId,dataAberturaFim,dataAberturaInicio,numero,page,pageSize,status)
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/

Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/4456262724115485955
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/4456262724115485955
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/estimativa-tempo-servico
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/estimativa-tempo-servico
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/estimativa-tempo-servico/
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/estimativa-tempo-servico/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/historico
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/historico
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/historico/

Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/historico/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/monitoramento
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/monitoramento
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/monitoramento/
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/monitoramento/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/movimentacoes-estoque
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/movimentacoes-estoque
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/movimentacoes-estoque/
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/movimentacoes-estoque/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/notificacoes

Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/notificacoes
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/notificacoes/
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/notificacoes/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/pecas
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/pecas
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/pecas/
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/pecas/
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/pecas/5880903094446837124
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/pecas/5880903094446837124
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/servicos

Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/servicos
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/servicos/
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/servicos/
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/servicos/208633873399775098
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/servicos/208633873399775098
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/5178483187841212745
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/5178483187841212745
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/monitoramento?page=1&pageSize=10
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/monitoramento (page,pageSize)
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/monitoramento/

Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/monitoramento/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/pedidos-compra
Node Name	http://host.docker.internal:8080/api/v1/pedidos-compra
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/pedidos-compra?page=1&pageSize=10
Node Name	http://host.docker.internal:8080/api/v1/pedidos-compra (page,pageSize)
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/pedidos-compra/
Node Name	http://host.docker.internal:8080/api/v1/pedidos-compra/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/pedidos-compra/10
Node Name	http://host.docker.internal:8080/api/v1/pedidos-compra/10
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api/v1/pedidos-compra/10/

Node Name	http://host.docker.internal:8080/api/v1/pedidos-compra/10/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api/v1/pedidos-compra/10/8386778030411453400
Node Name	http://host.docker.internal:8080/api/v1/pedidos-compra/10/8386778030411453400
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api/v1/pedidos-compra/3985271189972534123
Node Name	http://host.docker.internal:8080/api/v1/pedidos-compra/3985271189972534123
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api/v1/pedidos-compra/ordem
Node Name	http://host.docker.internal:8080/api/v1/pedidos-compra/ordem
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api/v1/pedidos-compra/ordem/
Node Name	http://host.docker.internal:8080/api/v1/pedidos-compra/ordem/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api/v1/pedidos-compra/ordem/10

Node Name	http://host.docker.internal:8080/api/v1/pedidos-compra/ordem/10
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/pedidos-compra/ordem/10/
Node Name	http://host.docker.internal:8080/api/v1/pedidos-compra/ordem/10/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/pedidos-compra/ordem/1583465536015764063
Node Name	http://host.docker.internal:8080/api/v1/pedidos-compra/ordem/1583465536015764063
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/swagger/811331507775901045
Node Name	http://host.docker.internal:8080/swagger/811331507775901045
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/swagger/v1
Node Name	http://host.docker.internal:8080/swagger/v1
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/swagger/v1/

Node Name	http://host.docker.internal:8080/swagger/v1/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/swagger/v1/6777813801331231194
Node Name	http://host.docker.internal:8080/swagger/v1/6777813801331231194
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/aprovar
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/aprovar
Method	PATCH
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/aprovar/
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/aprovar/
Method	PATCH
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/cancelar
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/cancelar (){motivoCancelamento}}
Method	PATCH
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/cancelar/

Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/cancelar/ (){motivoCancelamento}}
Method	PATCH
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/entregar
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/entregar
Method	PATCH
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/entregar/
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/entregar/
Method	PATCH
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/finalizar
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/finalizar
Method	PATCH
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/finalizar-diagnostico
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/finalizar-diagnostico
Method	PATCH
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/finalizar-diagnostico/

Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/finalizar-diagnostico/
Method	PATCH
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/finalizar/
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/finalizar/
Method	PATCH
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/iniciar-diagnostico
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/iniciar-diagnostico
Method	PATCH
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/iniciar-diagnostico/
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/iniciar-diagnostico/
Method	PATCH
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/liberar-execucao
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/liberar-execucao
Method	PATCH
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/liberar-execucao/

Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/liberar-execucao/
Method	PATCH
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/registrar-pagamento
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/registrar-pagamento
Method	PATCH
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/registrar-pagamento/
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/registrar-pagamento/
Method	PATCH
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/pedidos-compra/10/receber
Node Name	http://host.docker.internal:8080/api/v1/pedidos-compra/10/receber (){quantidadeRecebida}}
Method	PATCH
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/pedidos-compra/10/receber/
Node Name	http://host.docker.internal:8080/api/v1/pedidos-compra/10/receber/ (){quantidadeRecebida}}
Method	PATCH
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Clientes

Node Name	http://host.docker.internal:8080/api/v1/Clientes ()({nome,cpfCnpj,telefone,email})
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Clientes/
Node Name	http://host.docker.internal:8080/api/v1/Clientes/ ()({nome,cpfCnpj,telefone,email})
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Clientes/cpfCnpj/veiculos
Node Name	http://host.docker.internal:8080/api/v1/Clientes/cpfCnpj/veiculos ()({placa,marca,modelo,ano})
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Clientes/cpfCnpj/veiculos/
Node Name	http://host.docker.internal:8080/api/v1/Clientes/cpfCnpj/veiculos/ ()({placa,marca,modelo,ano})
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Pecas
Node Name	http://host.docker.internal:8080/api/v1/Pecas ()({nome,marca,modelo,preco,quantidadeEstoque})
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Pecas/

Node Name	http://host.docker.internal:8080/api/v1/Pecas/ (){nome,marca,modelo,preco,quantidadeEstoque}}
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Servicos
Node Name	http://host.docker.internal:8080/api/v1/Servicos (){nome,descricao,preco,tempoEstimado}}
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Servicos/
Node Name	http://host.docker.internal:8080/api/v1/Servicos/ (){nome,descricao,preco,tempoEstimado}}
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Veiculos
Node Name	http://host.docker.internal:8080/api/v1/Veiculos (){placa,marca,modelo,ano,cpfCnpj}}
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Veiculos/
Node Name	http://host.docker.internal:8080/api/v1/Veiculos/ (){placa,marca,modelo,ano,cpfCnpj}}
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/auth/login

Node Name	http://host.docker.internal:8080/api/v1/auth/login/()({usuario,senha})
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/auth/login/
Node Name	http://host.docker.internal:8080/api/v1/auth/login/()({usuario,senha})
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/()({clienteId,veiculoId,descricaoSolicitacao,observacoesRecepcao})
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/()({clienteId,veiculoId,descricaoSolicitacao,observacoesRecepcao})
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/pecas
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/pecas/()({pecaId,quantidade})
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/pecas/

Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/pecas/ ()({pecald,quantidade})
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/servicos
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/servicos ()({servicold})
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/servicos/
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/servicos/ ()({servicold})
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/pedidos-compra
Node Name	http://host.docker.internal:8080/api/v1/pedidos-compra () ({ordemDeServicold,pecald,quantidadeSolicitada,observacao})
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/pedidos-compra/
Node Name	http://host.docker.internal:8080/api/v1/pedidos-compra/ () ({ordemDeServicold,pecald,quantidadeSolicitada,observacao})
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/computeMetadata/v1/

Node Name	http://host.docker.internal:8080/computeMetadata/v1/()({placa,marca,modelo,ano})
Method	POST
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/latest/meta-data/
Node Name	http://host.docker.internal:8080/latest/meta-data/()({placa,marca,modelo,ano})
Method	POST
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/metadata/instance
Node Name	http://host.docker.internal:8080/metadata/instance()({placa,marca,modelo,ano})
Method	POST
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/metadata/v1
Node Name	http://host.docker.internal:8080/metadata/v1()({placa,marca,modelo,ano})
Method	POST
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/opc/v1/instance/
Node Name	http://host.docker.internal:8080/opc/v1/instance/()({placa,marca,modelo,ano})
Method	POST
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/opc/v2/instance/

Node Name	http://host.docker.internal:8080/opc/v2/instance/ (){placa,marca,modelo,ano}}
Method	POST
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/openstack/latest/meta_data.json
Node Name	http://host.docker.internal:8080/openstack/latest/meta_data.json (){placa,marca,modelo,ano}}
Method	POST
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://host.docker.internal:8080/api/v1/Cientes/documento/cpfCnpj
Node Name	http://host.docker.internal:8080/api/v1/Cientes/documento/cpfCnpj (){nome,telefone,email}}
Method	PUT
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Cientes/documento/cpfCnpj/
Node Name	http://host.docker.internal:8080/api/v1/Cientes/documento/cpfCnpj/ (){nome,telefone,email}}
Method	PUT
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Pecas/10
Node Name	http://host.docker.internal:8080/api/v1/Pecas/10 () {nome,marca,modelo,preco,quantidadeEstoque}}
Method	PUT
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Pecas/10/

Node Name	http://host.docker.internal:8080/api/v1/Pecas/10/ () ({nome,marca,modelo,preco,quantidadeEstoque})
Method	PUT
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Servicos/10
Node Name	http://host.docker.internal:8080/api/v1/Servicos/10 ()({nome,descricao,preco,tempoEstimado})
Method	PUT
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Servicos/10/
Node Name	http://host.docker.internal:8080/api/v1/Servicos/10/ ()({nome,descricao,preco,tempoEstimado})
Method	PUT
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Veiculos/10
Node Name	http://host.docker.internal:8080/api/v1/Veiculos/10 ()({marca,modelo,ano})
Method	PUT
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://host.docker.internal:8080/api/v1/Veiculos/10/
Node Name	http://host.docker.internal:8080/api/v1/Veiculos/10/ ()({marca,modelo,ano})
Method	PUT
Parameter	
Attack	
Evidence	401
Other Info	
Instances	163
Solution	

Reference	
CWE Id	388
WASC Id	20
Plugin Id	100000

Informational	Non-Storable Content
Description	The response contents are not storable by caching components such as proxy servers. If the response does not contain sensitive, personal or user-specific information, it may benefit from being stored and cached, to improve performance.
URL	http://host.docker.internal:8080/api/v1/Clientes/documento/cpfCnpj
Node Name	http://host.docker.internal:8080/api/v1/Clientes/documento/cpfCnpj
Method	GET
Parameter	
Attack	
Evidence	authorization:
Other Info	
URL	http://host.docker.internal:8080/api/v1/Pecas
Node Name	http://host.docker.internal:8080/api/v1/Pecas
Method	GET
Parameter	
Attack	
Evidence	authorization:
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/historico
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/historico
Method	GET
Parameter	
Attack	
Evidence	authorization:
Other Info	
URL	http://host.docker.internal:8080/api/v1/Clientes
Node Name	http://host.docker.internal:8080/api/v1/Clientes ()({nome,cpfCnpj,telefone,email})
Method	POST
Parameter	
Attack	
Evidence	authorization:
Other Info	
URL	http://host.docker.internal:8080/api/v1/ordens-servico

Node Name	http://host.docker.internal:8080/api/v1/ordens-servico () (clientId,veiculold,descricaoSolicitacao,observacoesRecepcao)}
Method	POST
Parameter	
Attack	
Evidence	authorization:
Other Info	
Instances	Systemic
Solution	The content may be marked as storable by ensuring that the following conditions are satisfied: The request method must be understood by the cache and defined as being cacheable ("GET", "HEAD", and "POST" are currently defined as cacheable) The response status code must be understood by the cache (one of the 1XX, 2XX, 3XX, 4XX, or 5XX response classes are generally understood) The "no-store" cache directive must not appear in the request or response header fields For caching by "shared" caches such as "proxy" caches, the "private" response directive must not appear in the response For caching by "shared" caches such as "proxy" caches, the "Authorization" header field must not appear in the request, unless the response explicitly allows it (using one of the "must-revalidate", "public", or "s-maxage" Cache-Control response directives) In addition to the conditions above, at least one of the following conditions must also be satisfied by the response: It must contain an "Expires" header field It must contain a "max-age" response directive For "shared" caches such as "proxy" caches, it must contain a "s-maxage" response directive It must contain a "Cache Control Extension" that allows it to be cached It must have a status code that is defined as cacheable by default (200, 203, 204, 206, 300, 301, 404, 405, 410, 414, 501).
Reference	https://datatracker.ietf.org/doc/html/rfc7234 https://datatracker.ietf.org/doc/html/rfc7231 https://www.w3.org/Protocols/rfc2616/rfc2616-sec13.html
CWE Id	524
WASC Id	13
Plugin Id	10049

Informational	Session Management Response Identified
Description	The given response has been identified as containing a session management token. The 'Other Info' field contains a set of header tokens that can be used in the Header Based Session Management Method. If the request is in a context which has a Session Management Method set to "Auto-Detect" then this rule will change the session management to use the tokens identified.
URL	http://host.docker.internal:8080/api/v1/Clientes/cpfCnpj/veiculos
Node Name	http://host.docker.internal:8080/api/v1/Clientes/cpfCnpj/veiculos ()(placa,marca,modelo,ano)}
Method	POST

Parameter	WWW-Authenticate
Attack	
Evidence	WWW-Authenticate
Other Info	header:WWW-Authenticate
URL	http://host.docker.internal:8080/api/v1/Veiculos
Node Name	http://host.docker.internal:8080/api/v1/Veiculos ()({placa,marca,modelo,ano,cpfCnpj})
Method	POST
Parameter	WWW-Authenticate
Attack	
Evidence	WWW-Authenticate
Other Info	header:WWW-Authenticate
URL	http://host.docker.internal:8080/api/v1/ordens-servico/10/servicos
Node Name	http://host.docker.internal:8080/api/v1/ordens-servico/10/servicos ()({servicoid})
Method	POST
Parameter	WWW-Authenticate
Attack	
Evidence	WWW-Authenticate
Other Info	header:WWW-Authenticate
URL	http://host.docker.internal:8080/api/v1/Veiculos/10
Node Name	http://host.docker.internal:8080/api/v1/Veiculos/10 ()({marca,modelo,ano})
Method	PUT
Parameter	WWW-Authenticate
Attack	
Evidence	WWW-Authenticate
Other Info	header:WWW-Authenticate
Instances	4
Solution	This is an informational alert rather than a vulnerability and so there is nothing to fix.
Reference	https://www.zaproxy.org/docs/desktop/addons/authentication-helper/session-mgmt-id/
CWE Id	
WASC Id	
Plugin Id	10112

Sequence Details

With the associated active scan results.