OBJECTIVE CBT QUESTIONS ON SET THEORY (MTH 101) BY OPRALD TUTORIAL CENTRE 08132588623

- 1. If A is a subset of a universal set U, the compliment of set A is given as:
 - A. U
 - B. U-A
 - C. U + B
 - D. U B Answer: B
- **2.** The set statement $(A \cup B) \cap C = A \cup (B \cap)C$ is relevant to
 - A. Associative Law
 - B. Cummulative lowa
 - C. Distributibe Law
 - D. Closure

Answer: A

- **3.** If $U = (Integers \le 20)$; $D = \{multiples \ of \ 4\}$; $E = \{multiples \ of \ 3\}$, the element of $D' \cap E$ are A. $\{1,2\}$
 - B. {3,6,9,15,18}
 - C. {4,8,16,20}
 - D. {3,6,9,.12,15,18}

Answer: B

- **4.** The notation A B is equivalent to
 - A. $A \cup B^c$
 - B. $A \cup B$
 - C. $A \cap B$
 - D. $A \cap B^c$

Answer: D

- **5.** The notation $(A \cup B)$ / is equivalent to
 - A. $A^c \cap B^c$
 - B. $A^c B^c$
 - C. $A \cup B$
 - D. $A \cap B^c$

Answer: A

- 6. The number of distinct elements found in a given set is called
 - A. Power set of a set
 - B. Order of a set
 - C. Power of a cardinality
 - D. Cardinality of a power set

Answer: B

- 7. If two sets A and B are subsets of a universal set, then the notation $n(A \cup B)$ is equal to
 - A. n(A) + n(B)
 - B. $n(A) + n(C) n(A \cup B)$
 - C. $n(A) + n(B) + n(A \cup B)$
 - D. $n(A) + n(B) n(A \cap B)$

Answer: D

In a survey of 60 students, 60 study botany, 50 zoology and 48 biology. If 38 students study botany, zoology and biology,

Use the information above to answer questions 8 & 9

- **8.** How many study only zoology?
 - A. 12
 - B. 10
 - C. 0
 - D. 5 Answer: C
- 9. How many study non of the three courses?
 - A. 12
 - B. 10
 - C. 0 D. 5

Answer: C

- 10. How many study the Zoology and Botany?

 - B. 10
 - C. 0
 - D. 5 Answer: A

In a particular group of students during a school's sports competition, 15 play lawn tennis, 11 swim, 9 play lawn tennis and swim and 3 none of the sport activities

- 11. How many students swim only?
 - A. 6
 - B. 2
 - C. 9
 - D. 20 Answer: B
- 12. How many students play lawn tennis only?
 - A. 6 B. 2
 - C. 9
 - D. 20 Answer: A
- 13. How many students are in the group?
 - A. 6 B. 2
 - C. 9
 - D. 20 Answer: D
- 14. In a group of 40students, 22 study Maths, 18 study physics, 14 study statistics, 9 study both Maths and Physics, 7 study both Maths and Statistics, 5 study both Physics and Statistics and 2 study all the subjects. How many study none of the subjects?
 - A. 4
 - B. 5 C. 6
 - D. 7 Answer: B
- 15. Simplify $\frac{1}{2-\sqrt{3}} + \frac{5}{\sqrt{3}+2} \frac{1}{\sqrt{3}-\sqrt{2}}$
 - A. $12 5\sqrt{3} \sqrt{2}$ B.
 - $12 5\sqrt{3} + \sqrt{2}$ C.

 - $12 + 5\sqrt{3} + \sqrt{2}$ D. $12 + 5\sqrt{3} \sqrt{2}$

Answer: D

- **16.** Find the square root of $7 \sqrt{13}$
 - A. 0.8424
 - B. 1.8424
 - C. 1.8244

	D. 0.8244 Answer: B	
17.	Find the roots of the equation: $x^3 + 5x^2 - 2x - 24$	
	A4,3,2	
	B4,-3,-2 C4,-3,2 D. 4,3,-2 Answer: C	
	C4,-3,2 D. 4,3,-2 Allower. C	
18.	Find the roots of the equation $2x^3 + 11x^2 - 17x - 6$	
	A	
	B	
	DAnswer:	
19.	Solve the equation $2x^2 - 5x + 7 = 0$	
	<u>5±√31</u>	
	$\frac{4}{5\pm i\sqrt{31}}$	
	4	
	$\frac{5\pm i\sqrt{31}}{4}$ A.	
	В.	
	C. 2	
	D. $\frac{5\pm\sqrt{3}1}{2}$	
	Answer: B	
20.	In the expression y	$y-2 + y_2+32y+3$, determine the value of
<i>y</i> 2 -	+2y+1	
	$5\pm\sqrt{71}$	
	4 5+i√−71	
	2 <u>-</u>	
	$\frac{5\pm i\sqrt{71}}{A}.$	
	В.	
	C. 4	
	$\sum_{i} \frac{5 \pm i\sqrt{71}}{\sqrt{71}}$	
	D. 2 Answer: C	
21.	The value of k in $\sqrt{k-1} + 5\sqrt{k-9} = 4\sqrt{k-6}$ is	
	A. 9	
	B. 10 C. 11 D. 12	
	Answer: B	
22.	If $5g^4 + 9g^3 - 12g^2 - 9g + 5 = 0$, find the value of <i>R</i> where <i>R</i>	is a positive integer and $R = g - 1$
	A. 2	g
	B. 1	
	C. 1/5	
	D2 Answer: C	

23. The values of x, y in the equations $x + 2y = 3 \& x^2 + 2y^2 = 6$ are

A.
$$1 + \sqrt{2}$$
, $\frac{2 - \sqrt{2}}{2}$
B. $1 + \sqrt{2}$, $\frac{2 + \sqrt{2}}{2}$
C. $1 - \sqrt{2}$, $\frac{2 - \sqrt{2}}{2}$
D. $1 - \sqrt{2}$, $\frac{2 + \sqrt{2}}{2}$

B.
$$1 + \sqrt{2}$$
, $\frac{2+\sqrt{2}}{2}$

C.
$$1 - \sqrt{2}$$
, $\frac{2 - \sqrt{2}}{2}$

D.
$$1 - \sqrt{2}$$
, $\frac{2 + \sqrt{2}}{2}$

24. a, b & c respectively in the equations 2ab = a + b, 5ac = 6c - 2a & 3bc = 3b + 4c are A. ³,

1
 , -1

B.
$$\frac{1}{22}$$
, $\frac{3}{2}$, -1

C.
$$-\frac{1}{2}, -\frac{3}{2}, -1$$

D. $\frac{1}{2}, \frac{3}{2}, 1$

D.
$$\frac{1}{1}$$
, $\frac{3}{1}$, 1

Answer: B

25. Solve for x in the equation $16^{3x} = {}^{1}_{-}(32)^{x-1}$ 4

Answer: D

26. Simplify $(216)^{-1/3} \times (0.16)^{-1/2}$

Answer: D

27. Given that y = 3x, and $3^{x-y} = _1$, find x = 81

Answer: A

28. If $8^{x/2} = 2^{3/8} \times 4^{3/4}$, find the value of 4x

- A. 4 B. 5
- C. 6
- D. 7

Answer: 5

29. Solve for x in $3^{2x+1} - 18(3^x) - 81 = 0$

- A. -1
- B. 3
- C. -3
- D. 2

Answer: D

30. Solve for x in $26(5^{x-1}) = 5^{2x} + 1$ A. -1,-2

- B. -1,1
- C. -1,2
- D. 2,-2

Answer: B

- **31.** Evaluate $log_a 256 = 4$
 - A. 2
 - B. 3 C. 4 D. 5

Answer: 4

- 32. Given that $log_264 = k$, find $4klog_{16}32$
 - A. 60 B. 50 C. 40 D. 30

Answer: D

- **33.** The value of x in $log_3x 3log_x3 = 2$ is A. -1/3
 - B. -27
 - C. 27
 - D. 3

Answer: C

- **34.** What is the positive value of y in $3log_8y = log_4(y+4)$?
 - A. -2,3
 - B. -2,-3
 - C. 2,-3
 - D. 2,3

Answer: A

- **35.** If $25^{x+1} = 64$ (5)6, find x 2
 - A. -1
 - B. 1
 - C. -2
 - D 2

Answer: D

- **36.** Simplify $\binom{8}{27}$ $\binom{4}{9}$ $\binom{4}{9}$ $\binom{1}{2}$
 - A. 0
 - B. 1
 - C. 2
 - D. 3

Answer: A

- **37.** Simplify 18______6n2+n1+ 2× × 2 n 9-n1 × × 4 122n2-n1+1
 - A. 6
 - B. 12
 - C. 1/6
 - D. 1/12

Answer: D

- **38.** If |x| < p, then
 - A. p < x < -p
 - B. -p < x < p
 - C. -p > x < p

	D.	-p < x > p
		Answer: B
39.	Tł	ne value of x in $\frac{5x-1}{3} - \frac{1-2x}{5} < 8 + x$
	A.	<i>x</i> < 8
	B.	x < -8
	C.	<i>x</i> > 8
	D.	x > -8
		Answer: A
1 0.	Fi	and the range of x for which $12 + x - x^2 < 0$
•••		x < 3 or $x < -4$
		x < -3 or $x < 4$
		-3 < x < 4
	D.	3 < x < -4
		Answer: C
41.	Tł	ne equivalent of $(a + b) (a^1 + b^1) (a_{b22} + b_{a22})$ is
	A.	$16\sqrt{ab}$
	B.	
		$8\sqrt{ab}$
	D.	
		Answer: D
		$1 \qquad 1 \qquad a_4 \qquad b_4$
12.	Tł	ne equivalent of $(a + b) (a_2 + b_2) (b_2 + a_2)$
		$16\sqrt{ab}$
	A. B.	
		$8\sqrt{ab}$
	D.	
		Answer: C
13.	If	$(\underline{}_{x-1})x_2(x+3) = 16(xP-1) + 4(xG-1)2 + 16(Hx+3)$, the value of P
	+	G + H is
		3 B. 1
	C.	
	D.	10 Answer: B
1.1	T1.	as first 2 terms of the sequence given by $T = a$, $n + 1$, respectively, and
14.		the first 3 terms of the sequence given by $T_n = 3$ respectively are
		3/8, 4/11, 5/14 4/11, 5/14, 6/17
		4/11, 5/14, 6/17 2/5, 3/8, 4/11
		2/3, 3/6, 4/11 3/8, 4/11, 6/17
	٠.	Answer: C

45. Given the nth term of a sequence $log_{16}(n+3)$, what is the difference between the 13th and first terms?

A. ½ B. 2 C. 1

D. -1 Answer: A

46. The sum of the terms of a sequence is known as A. Series B. Arithmetic sequence C. Geometric sequence D. Sequence Answer: A 47. The type of sequence in which the next term differs from the preceding term by a difference is termed A. Arithmetic Sequence B. Geometric sequence C. Geometric Infinity D. Infinite series Answer: A The correct expression for the common difference in an A.P. is A. $T-T_n$ B. $T_n - T_{n+1}$ C. $T_n - T_{n-1}$ D. $T_n - T_{n+2}$ Answer: C **49.** The common difference in the series $K, K+3, K+6, \dots$ is A. 2 B. 3 C. 4 D. -4 Answer: B **50.** If the first 3 terms of an A.P. are y, 3y + 1, 7y - 4, find the 10^{th} term of the sequence A. 66 B. 55 C. 44 D. 33 Answer: A **51.** The 6th and 13th term of an A.P. are 0 and 14 respectively, find the 20th term A. 18 B. -18 C. 28 D. -28 Answer C **52.** If P = {prime factors of 84} and Q = {prime factors of 315}, the elements of P U Q & P \cap Q are respectively A. {3,4,5,7,9 & {3,7}} B. {3,4,5,7} & {5,7} C. {2,3,5,7} & {3,7} D. {2,3,5,7} & {2,7} Answer: C 53. In a class of 100 students, 40 students study botany, 32 study microbiology while 44 study zoology. The number of students that study botany and microbiology is 24, botany and zoology is 24, while 20 study microbiology and zoology. If 20 students study all the three subjects, how many study none of the three courses A. 32 B. 42 C. 68 D. 24 Answer:

54. The union of the set A and B denoted by A U B denoted by A U B, is the set of elements which belong

A

A. either A nor B nor both B. either A or B or both C. neither A nor B or both D. neither A or B nor both Answer: B **55.** The word "Infinity" is A. a real number B. a complex number C. an integer number D. constant Answer: C 56. In a class, 220 students offer Mathematics or Chemistry or both. 125 offer Mathematics and 110 offer Chemistry. How many offer Chemistry but not Mathematics? (a) 80 (b) 110 (c) 125 (d) 95 A. 80 B. 110 C. 125 D. 95 Answer: D 57. The universal set U contains only elements of the sets A, B, C where $A = \{3,q,r\}$, $B = \{a,2,c\}$ and C = {1,3,4,b}. what are the elements in [(A - B) \cap {C - (A \cap C)'}] A. $\{3,q,r\}$ B. $\{q,r\}$ C. {3} D. {3,1} Answer: C **58.** If $R = \{x: x^2 = 16, x > 5\}$, then R is equal to A. 0 B. {0} C. ø D. {ø} Answer: C 59. In a certain class, 22 pupils take one or more of Chemistry, Economics and Government. 12 take Economics €, 8 take Government (G) and 7 take Chemistry (C). Nobody takes Economics and Chemistry and 4 pupils take Economics and Government. How many pupils take both Chemistry and Government? A. 1 B. 2 C. 3 D. 4 Answer: A **60.** The universal set U has subsets M and N such that $M \subseteq N$. The set of $M \cap (M \cap N)$ is A. M B. Ø C. N D. U Answer: B **61.** Given the universal set $U = \{2,3,4,5,6,7,8,9\}$ and subsets $P = \{2,4,6,8\}$ and $Q = \{x: x^2 < 50, 1\}$ *x* is odd}, find $(P \cap Q)$ / A. {9} B. {0} C. Ø D. U Answer: U **62.** Simplify $\sqrt[3]{(729y^{-6})^{1/2}}$ A. T 3yB. 3*y* C. *y* 3 D. 3

у

Answer: D

63. Evaluate $\sqrt[3]{\frac{0.0024 \times 35000}{0.0105}}$, leaving your answer in standard form

- $A.2 \times 10^{1}$
 - B. 2×10^{2}
- $C.1 \times 10^{2}$
- $D.1 \times 10^{1}$

Answer: A

64. The square root of $3 - \sqrt{2}$ is

$$\frac{1-\sqrt{2}}{2}$$

$$\frac{2-\sqrt{2}}{2}$$

$$1+2\sqrt{2}$$

- A.
- B.
- C.
- D. $\frac{1-2\sqrt{2}}{2}$

Answer: D

65. If a & b are positive numbers, evaluate $4 \square a \square b \square \square_{a^{\frac{1}{2}}} \square_{b^{\frac{1}{2}}} \square_{b^{\frac{a_2}{2}}} \square_{b^{\frac{a_4}{4}}} \square$

- A. 32
- B. $32\sqrt{ab}$
- C. 16
- D. $16\sqrt{ab}$ Answer: B

66. In the equation $5x^4 + 9x^3 - 12x^2 - 9x + 5 = 0$, find the value of $x - \frac{1}{x}$ A. $\frac{-1}{5}$, 2

- B. $^{1}/_{2}$, 5
- C. $^{1}/_{5}$, -2
- D. 5, 2 Answer: C

67. Determine the square of the remainder when $3x^4 - 2x^3 - 10x - 5$ is divided by x - 4

A.

- 595 B. 475
- C. 354025
- D. 225625

Answer: C

68. In resolving $x \prod_{1}^{1} x \prod_{2} \prod_{1} \prod_{1}$ into partial fraction, what are the values of the constants A, B & C?

- A. -2, $\frac{1}{2}$, $\frac{1}{2}$,
- B. -1, $\frac{1}{2}$, $\frac{1}{2}$
- C. -1, $\frac{1}{2}$, $-1\frac{1}{2}$

Answer: B

69. Find the range of the validity of *x* in the equation $\frac{2x}{x} \square \square \square \square \square$

- A. x < 1 or x > 0
- B. x < 0 or x < 1 C. x < 0 or x < 1

D.
$$x > 0$$
 or $x > 1$
Answer: D

70. What is the remainder when $x^3 + 3x^2 - 13x - 10$ is divided by (x - 3)?

- A. 4
- B. $4^{1}/_{4}$
- C. 6
- D. 5 Answer: D

71. Given that $-2 = A(x-1)^2 + B(x-1)(x-2) + C(x-2)$, find the value of C

- A. 2
- B. -2
- C. 1
- D. -1

Answer: A

72. Resolve into partial fraction $\frac{x_3 \square x_2 \square 5x \square 15}{2}$ & give the values of A, B, C respectively

$\square x \square 1 \square \square x \square 2 \square$

- A. 2,3,4
- B. 2,3,0
- C. 2,0,3
- D. 2, -2, 3 Answer: D

73. Determine the range of values of x for which $\frac{x_2 \square}{2} x \square 2 \square 2 \square 2 \square 2 \square 2$

- A. x > -4 or x > 2
- B. x < -4 or x < 2
- C. x < 4 or x > 2
- D. x < -4 or x > 2

Answer: A

74. In the equation $5x^4 - x^3 + 9x^2 - x + 5 = 0$, find the value of $\Box x \Box \frac{1}{x} \Box$

$$\begin{array}{r}
1 \mp \sqrt{21} \\
\hline
10 \\
1 \pm \sqrt{21} \\
5 \\
1 \pm \sqrt{21}
\end{array}$$

- A.
- В.
- C.

D.
$$\frac{15}{12\sqrt{21}}$$


Answer: D

75. Determine the values of p & q if (x-1) & (x+2) are factors of $2x^3 + px^2 - x + q$

- A. p = -5, q = -6
- B. p = 5, q = 6
- C. p = 5, q = -6
- D. p = -6, q = -5 Answer: C

76. Find the value of the constant k if $4x^3 + kx^2 + 7x - 23$ has a remainder 7 when divided by 2x - 5

- A. 8
- B. -16
- C. -8
- D. 16 Answer: C



- **85.** The fourth term and the seventh term of an AP are in the ratio 5:8. Find the ratio of the 3rd and 6th term.
 - A. 4:5
 - B. 6:5 C.
 - 4:6
 - D. 4:7 Answer:
 - D
- **86.** The second term of an AP is four times the first term, the last term is 13 times the first term and the sum of the series is 70. Find the first three terms of the progression
 - A. 2,4,6
 - B. 2,8,14
 - C. 2,4,8
 - D. 8,12,14 Answer: B
- **87.** A polygon has 25sides, the length of which starting from the smallest side are in AP. If the perimeter of the polygon is 1100cm, and the length of the largest side is ten times that of the smallest, find the length of the smallest side
 - A. 5cm
 - B. 6cm C. 7cm D. 8cm Answer: D

Success in your examination