

Program 5

1. App.js

```
import React from "react";  
import RegistrationForm from "../RegistrationForm";
```

```
function App() {  
  return (  
    <div>  
      <RegistrationForm />  
    </div>  
  );  
}  
export default App;
```

2. RegistrationForm.js

```
import React, { useState } from "react";  
import "../RegistrationForm.css";
```

```
function RegistrationForm() {  
  
  const [formData, setFormData] = useState({  
    name: "",  
    email: "",  
    password: "",  
    confirmPassword: "",  
    gender: "",  
    hobbies: [],  
    country: ""  
  });  
  
  const [errors, setErrors] = useState({});
```

```
const countries = [
```

```
  "India",
```

```
  "USA",
```

```
  "Canada",
```

```
  "Australia",
```

```
  "UK"
```

```
];
```

```
const handleChange = (e) => {
```

```
  const { name, value, type, checked } = e.target;
```

```
  if (type === "checkbox") {
```

```
    let updatedHobbies = [...formData.hobbies];
```

```
    if (checked) {
```

```
      updatedHobbies.push(value);
```

```
    } else {
```

```
      updatedHobbies = updatedHobbies.filter(
```

```
        hobby => hobby !== value
```

```
      );
```

```
    }
```

```
    setFormData({
```

```
      ...formData,
```

```
      hobbies: updatedHobbies
```

```
    });
```

```
  } else {
```

```

setFormData({
  ...formData,
  [name]: value
});

}

};

const validate = () => {

  let error = {};

  if (formData.name.trim() === "") {
    error.name = "Name is required";
  } else if (!/^[A-Za-z ]+$/ .test(formData.name)) {
    error.name = "Only alphabets allowed";
  }

  if (formData.email === "") {
    error.email = "Email is required";
  } else if (
    !/^[A-Z0-9._%+-]+@[A-Z0-9.-]+\.[A-Z]{2,}$/i.test(formData.email)
  ) {
    error.email = "Invalid email";
  }

  if (formData.password === "") {
    error.password = "Password required";
  } else if (formData.password.length < 8) {

```

```
    error.password = "Minimum 8 characters";  
  }
```

```
  if (formData.confirmPassword === "") {  
    error.confirmPassword = "Confirm password";  
  } else if (formData.password !== formData.confirmPassword) {  
    error.confirmPassword = "Passwords do not match";  
  }
```

```
  if (formData.gender === "") {  
    error.gender = "Select gender";  
  }
```

```
  if (formData.hobbies.length === 0) {  
    error.hobbies = "Select at least one hobby";  
  }
```

```
  if (formData.country === "") {  
    error.country = "Select country";  
  }
```

```
  return error;
```

```
};
```

```
const handleSubmit = (e) => {
```

```
  e.preventDefault();
```

```
  const validationErrors = validate();
```

```
if (Object.keys(validationErrors).length === 0) {

    alert("Registration Successful!");

    console.log(formData);

    setFormData({
        name: "",
        email: "",
        password: "",
        confirmPassword: "",
        gender: "",
        hobbies: [],
        country: ""
    });

    setErrors({});

} else {
    setErrors(validationErrors);
}

};

return (

    <div className="container">

        <form className="form" onSubmit={handleSubmit}>

            <h2>Registration Form</h2>
```

```
<label>Name</label>
```

```
<input  
  type="text"  
  name="name"  
  value={formData.name}  
  onChange={handleChange}  
>
```

```
<span>{errors.name}</span>
```

```
<label>Email</label>
```

```
<input  
  type="email"  
  name="email"  
  value={formData.email}  
  onChange={handleChange}  
>
```

```
<span>{errors.email}</span>
```

```
<label>Password</label>
```

```
<input  
  type="password"  
  name="password"  
  value={formData.password}  
  onChange={handleChange}  
>
```

```
<span>{errors.password}</span>
```

```
<label>Confirm Password</label>
```

```
<input  
  type="password"  
  name="confirmPassword"  
  value={formData.confirmPassword}  
  onChange={handleChange}  
>
```

```
<span>{errors.confirmPassword}</span>
```

```
<label>Gender</label>
```

```
<div>
```

```
<input  
  type="radio"  
  name="gender"  
  value="Male"  
  checked={formData.gender === "Male"}  
  onChange={handleChange}  
> Male
```

```
<input  
  type="radio"  
  name="gender"  
  value="Female"  
  checked={formData.gender === "Female"}  
>
```

```
    onChange={handleChange}
```

```
/> Female
```

```
<input
```

```
  type="radio"
```

```
  name="gender"
```

```
  value="Other"
```

```
  checked={formData.gender === "Other"}
```

```
  onChange={handleChange}
```

```
/> Other
```

```
</div>
```

```
<span>{errors.gender}</span>
```

```
<label>Hobbies</label>
```

```
<div>
```

```
<input
```

```
  type="checkbox"
```

```
  value="Reading"
```

```
  checked={formData.hobbies.includes("Reading")}
```

```
  onChange={handleChange}
```

```
/> Reading
```

```
<input
```

```
  type="checkbox"
```

```
  value="Travelling"
```

```
  checked={formData.hobbies.includes("Travelling")}
```

```
  onChange={handleChange}
```

```
/> Travelling
```

```
<input  
  type="checkbox"  
  value="Sports"  
  checked={formData.hobbies.includes("Sports")}  
  onChange={handleChange}  
/> Sports
```

```
</div>
```

```
<span>{errors.hobbies}</span>
```

```
<label>Country</label>
```

```
<select  
  name="country"  
  value={formData.country}  
  onChange={handleChange}  
>
```

```
<option value="">Select Country</option>
```

```
{countries.map((country) => (  
  <option key={country} value={country}>  
    {country}  
  </option>  
))}
```

```
</select>
```

```
<span>{errors.country}</span>
```

```
<button type="submit">
```

```
  Submit
```

```
</button>
```

```
</form>
```

```
</div>
```

```
);
```

```
}
```

```
export default RegistrationForm;
```

3. RegistrationForm.css

```
body{  
  background:#f4f4f4;  
  font-family:Arial;  
}
```

```
.container{  
  display:flex;  
  justify-content:center;  
  margin-top:30px;  
}
```

```
.form{  
  width:450px;
```

```
background:white;
padding:25px;
border:1px solid gray;
border-radius:8px;
}
```

```
h2{
  text-align:center;
  margin-bottom:20px;
}
```

```
label{
  display:block;
  margin-top:12px;
  font-weight:bold;
}
```

```
input,
select{
  width:100%;
  padding:8px;
  margin-top:5px;
  margin-bottom:5px;
}
```

```
button{
  width:100%;
  margin-top:20px;
  padding:10px;
  background:green;
  color:white;
```

```
border:none;
cursor:pointer;
font-size:16px;
}

button:hover{
    background:darkgreen;
}

span{
    color:red;
    font-size:14px;
}

input[type="radio"],
input[type="checkbox"]{
    width:auto;
    margin-right:5px;
    margin-left:10px;
}
```