

```
npx create-react-app login-app
```

```
cd login-app
```

```
npm start
```

Program 1 a) Create a component called Profile in a file named Profile.js. This component should return name of the person as heading, image of a person and description of the person. Also, export the component as the default export. b) Create another component called Gallery in a file named Gallery.js. This Gallery component should import the Profile component and export itself as a named export. c) Inside App component render Gallery component

```
// Profile.js
```

```
function Profile() {  
  const profileStyle = {  
    border: "2px solid #ddd",  
    borderRadius: "10px",  
    padding: "20px",  
    width: "300px",  
    textAlign: "center",  
    backgroundColor: "#f9f9f9",  
    boxShadow: "0 2px 5px rgba(0,0,0,0.2)",  
    margin: "20px auto"  
  };  
  
  const imageStyle = {  
    width: "200px",  
    height: "250px",  
    borderRadius: "10px"  
  };  
  
  return (  
    <div style={profileStyle}>  
      <h2 style={{ color: "#2c3e50" }}>Virat Kohli</h2>
```

```

    

    <p style={{ color: "#555", marginTop: "15px" }}>
      Virat Kohli is an Indian international cricketer and former
      captain of the Indian cricket team. He is regarded as one of
      the greatest batsmen in cricket history.
    </p>
  </div>
);
}

```

```
export default Profile;
```

```
// Gallery.js
```

```
import Profile from "./Profile";
```

```

export function Gallery() {
  const galleryStyle = {
    textAlign: "center",
    padding: "20px"
  };

  return (
    <div style={galleryStyle}>
      <h1 style={{ color: "#34495e" }}>
        Profile Gallery
      </h1>
    </div>
  );
}

```

```

    </h1>

    <Profile />
  </div>
);
}

// App.js

import { Gallery } from "./Gallery";

function App() {
  return (
    <div
      style={{
        minHeight: "100vh",
        backgroundColor: "#eef2f3",
        padding: "20px"
      }}
    >
      <Gallery />
    </div>
  );
}

export default App;

```

a) Create a JavaScript object named `scientist1` that contains details about the first scientist (e.g., id, name, image, profession, and description). Create a second JavaScript object named `scientist2` with details about a second scientist b) Create a component called `Profile` in a file named `Profile.js`. This `Profile` component should take the scientist's details as props and render them (e.g., name, image, profession, and description).

```
// Profile.js

function Profile({ name, image, profession, description }) {

  return (

    <div style={{ textAlign: "center" }}>

      <img

        src={image}

        alt={name}

        style={{

          width: "180px",

          height: "200px",

          borderRadius: "10px"

        }}

      />

      <h2 style={{ color: "#2c3e50" }}>{name}</h2>

      <h4 style={{ color: "#16a085" }}>

        Profession: {profession}

      </h4>

      <p style={{ color: "#555" }}>

        {description}

      </p>

    </div>

  );

}

export default Profile;

// Card.js
```

```
function Card({ children }) {  
  return (  
    <div  
      style={{  
        border: "2px solid #ddd",  
        borderRadius: "12px",  
        padding: "20px",  
        margin: "20px",  
        width: "320px",  
        backgroundColor: "#f9f9f9",  
        boxShadow: "0 2px 6px rgba(0,0,0,0.2)"  
      }}  
    >  
      {children}  
    </div>  
  );  
}
```

```
export default Card;
```

```
// App.js
```

```
import Profile from "./Profile";
```

```
import Card from "./Card";
```

```
function App() {
```

```
  // Scientist Object 1
```

```
  const scientist1 = {
```

```
    id: 1,
```

```
    name: "Albert Einstein",
```

image:

"https://upload.wikimedia.org/wikipedia/commons/d/d3/Albert\_Einstein\_Head.jpg",

profession: "Theoretical Physicist",

description:

"Albert Einstein developed the theory of relativity and won the Nobel Prize in Physics in 1921."

};

// Scientist Object 2

const scientist2 = {

id: 2,

name: "Marie Curie",

image:

"https://upload.wikimedia.org/wikipedia/commons/6/69/Marie\_Curie\_c1920.jpg",

profession: "Physicist and Chemist",

description:

"Marie Curie pioneered research on radioactivity and became the first person to win two Nobel Prizes."

};

return (

<div

style={{

backgroundColor: "#eef2f3",

minHeight: "100vh",

padding: "20px"

}}

>

<h1

style={{

textAlign: "center",

color: "#34495e"

```

    }}
  >
  Famous Scientists
</h1>

<div
  style={{
    display: "flex",
    justifyContent: "center",
    flexWrap: "wrap"
  }}
>
  <Card>
    <Profile {...scientist1} />
  </Card>

  <Card>
    <Profile {...scientist2} />
  </Card>
</div>
</div>
);
}

```

```
export default App;
```

Program 3 product list

```
// Product.js
```

```
function Product({ product }) {
```

```
  const cardStyle = {
```

```
    border: "2px solid #ddd",
```

```
borderRadius: "10px",
padding: "15px",
margin: "15px",
width: "250px",
backgroundColor: "#f9f9f9",
boxShadow: "0 2px 5px rgba(0,0,0,0.2)"
};
```

```
return (
  <div style={cardStyle}>
    {product.available ? (
      <>
        <h2 style={{ color: "#2c3e50" }}>
          {product.name}
        </h2>

        <h3 style={{ color: "#27ae60" }}>
          Price: ₹{product.price}
        </h3>

        <p style={{ color: "#555" }}>
          {product.description}
        </p>

        <p style={{ color: "green", fontWeight: "bold" }}>
          In Stock
        </p>
      </>
    ) : (
      <>
        <h2 style={{ color: "#2c3e50" }}>
```



```
        {product.name}
      </h2>

      <p
        style={{
          color: "red",
          fontWeight: "bold"
        }}
      >
        Out of stock
      </p>
    </>
  )}
</div>

);
}
```

```
export default Product;
```

```
// ProductList.js
```

```
import Product from "../Product";
```

```
function ProductList() {
```

```
  // Product Data Object
```

```
  const productsData = {
```

```
    products: [
```

```
      {
```

```
        id: 1,
```

```
        name: "Laptop",
```

```
    price: 55000,
    description: "15.6-inch Full HD laptop with 8GB RAM.",
    available: true
  },
  {
    id: 2,
    name: "Smartphone",
    price: 25000,
    description: "5G smartphone with 128GB storage.",
    available: false
  },
  {
    id: 3,
    name: "Headphones",
    price: 3000,
    description: "Wireless Bluetooth headphones.",
    available: true
  }
]
};
```

```
return (
  <div>
    <h1
      style={{
        textAlign: "center",
        color: "#34495e"
      }}
    >
      Product List
    </h1>
```

```

    <div
      style={{
        display: "flex",
        justifyContent: "center",
        flexWrap: "wrap"
      }}
    >
      {productsData.products.map((product) => (
        <Product
          key={product.id}
          product={product}
        />
      ))}
    </div>
  </div>
);
}

```

```
export default ProductList;
```

```
// App.js
```

```
import ProductList from "../ProductList";
```

```

function App() {
  return (
    <div
      style={{
        minHeight: "100vh",
        backgroundColor: "#eef2f3",

```

```
        padding: "20px"
      }}
    >
      <ProductList />
    </div>
  );
}
```

```
export default App;
```

```
pgm4 login
// App.js
```

```
import Login from "./Login";
```

```
function App() {
  return (
    <div>
      <Login />
    </div>
  );
}
```

```
export default App;
```

```
// Login.js
```

```
import React, { useState } from "react";
```

```
function Login() {
  const [username, setUsername] = useState("");
```

```
const [password, setPassword] = useState("");
const [message, setMessage] = useState("");

const handleSubmit = (e) => {
  e.preventDefault();

  if (username.trim() === "" || password.trim() === "") {
    setMessage("Error: Username and Password cannot be empty.");
  } else {
    setMessage("Login Successful!");
  }
};

return (
  <div
    style={{
      width: "350px",
      margin: "50px auto",
      padding: "20px",
      border: "1px solid #ccc",
      borderRadius: "5px",
      backgroundColor: "#f5f5f5",
    }}
  >
    <form onSubmit={handleSubmit}>
      <div style={{ marginBottom: "15px" }}>
        <label>Username:</label>

        <input
          type="text"
          placeholder="Enter Name"
        />
      </div>
    </form>
  </div>
);
```

```
      value={username}
      onChange={(e) => setUsername(e.target.value)}
      style={{
        width: "100%",
        padding: "8px",
        marginTop: "5px",
        border: "1px solid #ccc",
        borderRadius: "3px",
        boxSizing: "border-box",
      }}
    />
  </div>
```

```
<div style={{ marginBottom: "15px" }}>
  <label>Password:</label>

  <input
    type="password"
    placeholder="Enter password"
    value={password}
    onChange={(e) => setPassword(e.target.value)}
    style={{
      width: "100%",
      padding: "8px",
      marginTop: "5px",
      border: "1px solid #ccc",
      borderRadius: "3px",
      boxSizing: "border-box",
    }}
  />
</div>
```

```
<button
  type="submit"
  style={{
    backgroundColor: "#0d6efd",
    color: "white",
    border: "none",
    padding: "8px 15px",
    borderRadius: "3px",
    cursor: "pointer",
  }}
>
  Login
</button>
</form>

{message && (
  <p
    style={{
      marginTop: "15px",
      fontWeight: "bold",
      color: message.startsWith("Error")
        ? "red"
        : "green",
    }}
  >
    {message}
  </p>
)}
</div>

);
```

```
}
```

```
export default Login;
```

```
// index.js
```

```
import React from "react";
```

```
import ReactDOM from "react-dom/client";
```

```
import App from "./App";
```

```
const root = ReactDOM.createRoot(  
  document.getElementById("root")
```

```
);
```

```
root.render(  
  <React.StrictMode>
```

```
    <App />
```

```
  </React.StrictMode>
```

```
);
```