

Cucumber Report

18 Dec 2023, 18:00:00

Start : Dec 18, 5:58:36.856 pm

End : Dec 18, 5:59:57.178 pm

Duration : 1 m 20.322 s

Features



Scenarios

Steps

PASSED - 1
FAILED - 2
SKIPPED - 0

PASSED - 7
FAILED - 5
SKIPPED - 0


PASSED - 69
FAILED - 5
SKIPPED - 12




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Computer Test of Nopcommerce</u>	23.684 s	5	5	0	0	40	40	0	0
<u>Login Feature</u>	40.240 s	4	2	2	0	22	19	2	1
<u>Register</u>	16.287 s	3	0	3	0	24	10	3	11

#	Feature Name	Scenario Name
1	<u>Login Feature</u>	<u>Verify user should log in successfully with valid credentials</u>
2		<u>Verify that user should log out successfully</u>
3	<u>Register</u>	<u>Verify user should navigate to register page successfully</u>
4		<u>Verify that Firstname Lastname Email Password and Confirm Password fields are mandatory</u>
5		<u>Verify that user should create account successfully</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@regression	8	5	3	0	2	1	1	0
@sanity	5	3	2	0	3	1	2	0
@smoke	9	6	3	0	3	1	2	0
@Regression	4	2	2	0	1	0	1	0
@author_archie	1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Computer Test of Nopcommerce</u>	5	5	0	0	23.684 s
2	<u>Login Feature</u>	4	2	2	0	40.240 s
3	<u>Register</u>	3	0	3	0	16.287 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Computer Test of Nopcommerce</u>	<u>verify user should navigate to computer page successfully</u>	3	3	0	0	7.168 s
2		<u>verify user should navigate to desktops page successfully</u>	4	4	0	0	3.817 s
3		<u>verify that user should build and add your own computer into cart</u>	11	11	0	0	4.332 s
4		<u>verify that user should build and add your own computer into cart</u>	11	11	0	0	4.160 s
5		<u>verify that user should build and add your own computer into cart</u>	11	11	0	0	3.791 s
6	<u>Login Feature</u>	<u>User should navigate to login page successfully</u>	3	3	0	0	4.524 s
7		<u>Verify the error message with invalid credentials</u>	6	6	0	0	5.717 s
8		<u>Verify user should log in successfully with valid credentials</u>	6	5	1	0	20.530 s
9		<u>Verify that user should log out successfully</u>	7	5	1	1	9.388 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>Register</u>	<u>Verify user should navigate to register page successfully</u>	3	2	1	0	4.717 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Register</u>	<u>Verify that Firstname Lastname Email Password and Confirm Password fields are mandatory</u>	8	3	1	4	5.756 s
12		<u>Verify that user should create account successfully</u>	13	5	1	7	5.551 s

Computer Test of Nopcommerce



PASSED	DURATION - 23.684 s	Scenarios		Steps	
/ 5:58:36.856 pm // 5:59:00.540 pm /		Total - 5		Total - 40	
		Pass - 5		Pass - 40	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

verify user should navigate to computer page successfully

PASSED	<i>DURATION - 7.168 s</i>		Steps	
/ 5:58:36.870 pm // 5:58:44.038 pm /			Total - 3	
<i>Computer Test of Nopcommerce</i>			Pass - 3	
@regression @sanity			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.002 s
2	When I click on computer tab	PASSED	0.002 s
3	And I should verify the computer text "Computers"	PASSED	0.002 s

verify user should navigate to desktops page successfully

<div>PASSED</div>	<div>DURATION - 3.817 s</div>		Steps	
/ 5:58:44.310 pm // 5:58:48.127 pm /			Total - 4	
Computer Test of Nopcommerce			Pass - 4	
@smoke @regression @sanity			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I click on computer tab	PASSED	0.000 s
3	And I click on desktops tab	PASSED	0.000 s
4	And I should verify the desktops text "Desktops"	PASSED	0.020 s

verify that user should build and add your own computer into cart

PASSED	DURATION - 4.332 s		Steps Total - 11 Pass - 11 Fail - 0 Skip - 0	
/ 5:58:48.178 pm // 5:58:52.510 pm /				
Computer Test of Nopcommerce				
@smoke @regression				



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.005 s
2	When I click on computer tab	PASSED	0.008 s
3	And I click on desktops tab	PASSED	0.001 s
4	And I click on build your own computer	PASSED	0.010 s
5	And I select processor "2.2 GHz Intel Pentium Dual-Core E2200"	PASSED	0.000 s
6	And I select ram "2 GB"	PASSED	0.004 s
7	And I select Hdd radio "320 GB"	PASSED	0.002 s
8	And I select OS radio "Vista Home [+\$50.00]"	PASSED	0.003 s
9	And I select software "Acrobat Reader [+\$10.00]"	PASSED	0.002 s
10	And I click on add to cart button	PASSED	0.002 s
11	Then I should verify the add to cart message "The product has been added to your shopping cart"	PASSED	0.003 s

verify that user should build and add your own computer into cart

<div>PASSED</div> <div>DURATION - 4.160 s</div>		<div>Steps</div> <div>Total - 11</div> <div>Pass - 11</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 5:58:52.558 pm // 5:58:56.718 pm /</div>			
<div>Computer Test of Nopcommerce</div>			
<div>@smoke @regression</div>			

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I click on computer tab	PASSED	0.009 s
3	And I click on desktops tab	PASSED	0.001 s
4	And I click on build your own computer	PASSED	0.000 s
5	And I select processor "2.5 GHz Intel Pentium Dual-Core E2200 [+\$15.00]"	PASSED	0.001 s
6	And I select ram "4GB [+\$20.00]"	PASSED	0.016 s
7	And I select Hdd radio "400 GB [+\$100.00]"	PASSED	0.001 s
8	And I select OS radio "Vista Premium [+\$60.00]"	PASSED	0.001 s
9	And I select software "Acrobat Reader [+\$10.00]"	PASSED	0.000 s
10	And I click on add to cart button	PASSED	0.002 s
11	Then I should verify the add to cart message"The product has been added to your shopping cart"	PASSED	0.001 s



verify that user should build and add your own computer into cart

<div>PASSED</div>	<div>DURATION - 3.791 s</div>		<div>Steps</div> <div>Total - 11</div> <div>Pass - 11</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 5:58:56.749 pm // 5:59:00.540 pm /				
Computer Test of Nopcommerce				
@smoke @regression				



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.002 s
2	When I click on computer tab	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
3	And I click on desktops tab	PASSED	0.001 s
4	And I click on build your own computer	PASSED	0.000 s
5	And I select processor "2.5 GHz Intel Pentium Dual-Core E2200 [+\$15.00]"	PASSED	0.001 s
6	And I select ram "8GB [+\$60.00]"	PASSED	0.001 s
7	And I select Hdd radio "320 GB"	PASSED	0.001 s
8	And I select OS radio "Vista Home [+\$50.00]"	PASSED	0.001 s
9	And I select software "Total Commander [+\$5.00]"	PASSED	0.003 s
10	And I click on add to cart button	PASSED	0.002 s
11	Then I should verify the add to cart message"The product has been added to your shopping cart"	PASSED	0.001 s

Login Feature


FAILED	DURATION - 40.240 s	Scenarios		Steps	
/ 5:59:00.567 pm // 5:59:40.807 pm /		Total - 4		Total - 22	
		Pass - 2		Pass - 19	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 1	

User should navigate to login page successfully

PASSED	DURATION - 4.524 s		Steps	
/ 5:59:00.567 pm // 5:59:05.091 pm /			Total - 3	
Login Feature			Pass - 3	
@smoke @Regression			Fail - 0	
		Skip - 0		


#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.002 s
2	When I click on login link	PASSED	0.960 s
3	Then I should navigate to login page successfully	PASSED	0.094 s

Verify the error message with invalid credentials



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I click on login link	PASSED	0.951 s
3	And I enter email "prime123@gmail.com"	PASSED	0.292 s
4	And I enter password "abc123"	PASSED	0.168 s
5	And I click on login button	PASSED	0.416 s
6	Then I should not logged in with invalid credentials	PASSED	0.200 s

Verify user should log in successfully with valid credentials





#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I click on login link	PASSED	0.858 s
3	And I enter email "prime123@gmail.com"	PASSED	0.285 s
4	And I enter password "Prime123"	PASSED	0.172 s
5	And I click on login button	PASSED	0.358 s
6	Then I verify the log out link is displayed	FAILED	15.064 s
	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.linkText: Log out For documentation on this error,		

#	Step / Hook Details	Status	Duration
	<p>please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver</p> <pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:168) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.isDisplayed(Unknown Source) at com.nopcommerce.demo.pages.HomePage.isLogoutLinkDisplayed(HomePage.java:95) at com.nopcommerce.demo.steps.LoginSteps.iVerifyTheLogoutLinkIsDisplayed(LoginSteps.java:50) at ?.I verify the log out link is displayed(file:///C:/Users/mehul/IdeaProjects/nop-commerce-demo-cucumber/src/test/resources/features/loginpage.feature:31) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.72) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4ec4d29cfabd541adeb57dc04a8b0c30, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\mehul\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50573}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50573/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4ec4d29cfabd541adeb57dc04a8b0c30 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) </pre>	FAILED	0.071 s

#	Step / Hook Details	Status	Duration
	at com.nopcommerce.demo.utility.Utility.getScreenShot(Utility.java:361) at com.nopcommerce.demo.steps.Hooks.tearDown(Hooks.java:19)		



Verify that user should log out successfully

<div>FAILED</div> <div>DURATION - 9.388 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 5:59:31.419 pm // 5:59:40.807 pm /				
Login Feature				
@smoke @Regression @author_archie				



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I click on login link	PASSED	1.317 s
3	And I enter email "prime123@gmail.com"	PASSED	0.240 s
4	And I enter password "Prime123"	PASSED	0.190 s
5	And I click on login button	PASSED	0.362 s
6	And I click on log out link org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.linkText: Log out For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:168) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) at com.nopcommerce.demo.pages.HomePage.clickOnLogOutLink(HomePage.java:101) at com.nopcommerce.demo.steps.LoginSteps.iClickOnLogOutLink(LoginSteps.java:55) at ?.I click on log out link(file:///C:/Users/mehul/IdeaProjects/nop-commerce-demo-cucumber/src/test/resources/features/loginpage.feature:41) * Not displayable characters are replaced by '?'. 	FAILED	3.927 s
7	Then I verify the login in is displayed	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
	<p>AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.72) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [51c6e2f7b367188896168a96fef9783b, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\mehul\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50590}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50590/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 51c6e2f7b367188896168a96fef9783b</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.nopcommerce.demo.utility.Utility.getScreenShot(Utility.java:361) at com.nopcommerce.demo.steps.Hooks.tearDown(Hooks.java:19)</p>	FAILED	0.030 s


Register

FAILED	DURATION - 16.287 s	Scenarios		Steps	
/ 5:59:40.891 pm // 5:59:57.178 pm /		Total - 3		Total - 24	
		Pass - 0		Pass - 10	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 11	



Verify user should navigate to register page successfully

<div>FAILED</div> <div>DURATION - 4.717 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:59:40.891 pm // 5:59:45.608 pm /</div>				
<div>Register</div>				
<div>@regression @sanity</div>				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I click on register link	PASSED	0.830 s
3	Then I verify the register text is displayed io.cucumber.core.exception.CucumberException: Step [I verify the register text is displayed] is defined with 1 parameters at 'com.nopcommerce.demo.steps.RegisterSteps.iVerifyTheRegisterTextIsDisplayed(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: I verify the register text is displayed at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)	FAILED	0.006 s


#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.644 s
	Verify user should navigate to register page successfully		
			

Verify that Firstname Lastname Email Password and Confirm Password fields are mandatory

FAILED DURATION - 5.756 s / 5:59:45.651 pm // 5:59:51.407 pm / Register @smoke @regression		Steps Total - 8 Pass - 3 Fail - 1 Skip - 4	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.002 s

#	Step / Hook Details	Status	Duration
2	When I click on register link	PASSED	0.933 s
3	And I click on register button	PASSED	0.189 s
4	<p>Then I get a error message for first name is required</p> <p>io.cucumber.core.exception.CucumberException: Step [I get a error message for first name is required] is defined with 1 parameters at 'com.nopcommerce.demo.steps.RegisterSteps.iGetAErrorMessageForFirstNamesRequired(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: I get a error message for first name is required</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)</p>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
5	And I get error message for last name is required	SKIPPED	0.001 s
6	And I get error message for email is required	SKIPPED	0.000 s
7	And I get error message for password is required	SKIPPED	0.001 s
8	And I get error message for confirm password is required	SKIPPED	0.001 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.850 s
	Verify that Firstname Lastname Email Password and Confirm Password fields are mandatory		
			

Verify that user should create account successfully

FAILED		DURATION - 5.551 s	
/ 5:59:51.627 pm // 5:59:57.178 pm /			
Register			
@regression @sanity			

1		0.8		0.6		0.4		0.2		0															
1		2		3		4		5		6		7		8		9		10		11		12		13	

Steps	
Total - 13	
Pass - 5	
Fail - 1	
Skip - 7	

13	
----	--

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I click on register link	PASSED	0.911 s
3	And I click on gender female radio button	PASSED	0.239 s
4	And I enter first name "Pari"	PASSED	0.178 s
5	And I enter last name "Chotaliya"	PASSED	0.166 s

#	Step / Hook Details	Status	Duration
6	<p>And I click on date tab from dropDown menu</p> <p>io.cucumber.core.exception.CucumberException: Step [I click on date tab from dropDown menu] is defined with 1 parameters at 'com.nopcommerce.demo.steps.RegisterSteps.iClickOnDateTabFromDropDownMenu(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: I click on date tab from dropDown menu</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)</p>	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
7	And I click on month tab from dropDown menu	SKIPPED	0.001 s
8	And I click on year tab from dropDown Menu	SKIPPED	0.000 s
9	And I enter email "prime123@gmail.com"	SKIPPED	0.000 s
10	And I enter password "Prime123"	SKIPPED	0.000 s
11	And I enter confirm password "Prime123"	SKIPPED	0.001 s
12	Then I click on register Tab	SKIPPED	0.000 s
13	Then I verify registration successful	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.566 s
	Verify that user should create account successfully		
	