

Adding two number using the DOUBLE data types

```
main.c
9
10 #include <stdio.h>
11
12 int main() {
13     // 1. Declare variables
14     double num1, num2;
15     double sum, product;
16
17     // 2. Take user input (Must use %lf)
18     printf("Enter first number: ");
19     scanf("%lf", &num1);
20
21     printf("Enter second number: ");
22     scanf("%lf", &num2);
23
24     // 3. Perform calculations
25     sum = num1 + num2;
26     product = num1 * num2;
27
28     // 4. Print results (%.2lf formats to 2 decimal places)
29     printf("\n--- Results ---\n");
30     printf("Addition:      %.2lf + %.2lf = %.2lf\n", num1, num2, sum);
31     printf("Multiplication:  %.2lf * %.2lf = %.2lf\n", num1, num2, product);
32
33     return 0;
34 }
35
36
```

input

```
Enter first number: 5
Enter second number: 6.9

--- Results ---
Addition:      5.00 + 6.90 = 11.90
Multiplication: 5.00 * 6.90 = 34.50

...Program finished with exit code 0
```

close ad [x]

Adobe Creative Cloud Pro

Build career-ready skills with pro apps.

Now ₹399/mo for Students

Learn more

First year only. Annual plan, billed monthly. New subscribers only.

Adding two integer numbers

The screenshot shows an online C compiler interface. The top toolbar includes buttons for Run, Debug, Stop, Share, Save, Beautify, and a download icon. The language is set to C. The editor displays a C program in `main.c` that prompts the user for two numbers, calculates their sum, and prints the result. The program is executed, and the output is shown in the console window at the bottom.

```
main.c
2
3      Online C Compiler.
4      Code, Compile, Run and Debug C program online.
5      Write your code in this editor and press "Run" button to compile and execute it.
6
7      *****/
8
9      #include <stdio.h>
10
11     int main() {
12         int num1, num2, sum;
13
14         // Ask the user for input
15         printf("Enter the first number: ");
16         scanf("%d", &num1);
17
18         printf("Enter the second number: ");
19         scanf("%d", &num2);
20
21         // Perform addition
22         sum = num1 + num2;
23
24         // Display the result
25         printf("The sum of %d and %d is: %d\n", num1, num2, sum);
26
27         return 0;
28     }
29
```


close ad [x]

input

```
Enter the first number: 3
Enter the second number: 5
The sum of 3 and 5 is: 8

...Program finished with exit code 0
Press ENTER to exit console.
```

Using CHARACTER data types



The screenshot displays an online C compiler interface. The top toolbar includes buttons for Run, Debug, Stop, Share, Save, Beautify, and a download icon. The language is set to C. The code editor shows a C program named `main.c` that prompts the user to enter a single character and then displays the entered character. The program is executed, and the output shows the user entering 'g' and the program displaying 'You entered: g'. The program finishes with exit code 0.

```
1- /*****  
2  
3           Online C Compiler.  
4           Code, Compile, Run and Debug C program online.  
5           Write your code in this editor and press "Run" button to compile and execute it.  
6  
7           *****/  
8  
9 #include <stdio.h>  
10  
11 int main() {  
12     char user_char;  
13  
14     // 1. Prompt the user for input  
15     printf("Enter a single character: ");  
16  
17     // 2. Read the character (%c) and store it at the memory address (&  
18     scanf("%c", &user_char);  
19  
20     // 3. Display the stored character  
21     printf("You entered: %c\n", user_char);  
22  
23     return 0;  
24 }  
25
```

close ad [x]


Adobe Creative Cloud Pro
Build career-ready skills with pro apps.
Now ₹399/mo for Students
Learn more
First year only. Annual plan, billed monthly. New subscribers only.

input

Enter a single character: g
You entered: g

...Program finished with exit code 0
Press ENTER to exit console.

Using INTEGER data types and asking user for input



The screenshot displays an online C compiler interface. The top toolbar includes buttons for Run, Debug, Stop, Share, Save, Beautify, and a user profile icon. The language is set to C. The editor shows a C program in main.c that prompts the user for a number and prints it back. The console at the bottom shows the program's execution with the input '8' and the output 'your no. is: 8'.

```
1- /*****  
2  
3      Online C Compiler.  
4      Code, Compile, Run and Debug C program online.  
5      Write your code in this editor and press "Run" button to compile and execute it.  
6  
7      *****/  
8  
9      #include <stdio.h>  
10  
11      int main()  
12      {  
13          int num; // Add this line here  
14  
15          printf("give me anumber:");  
16          scanf("%d",&num);  
17          printf("your no. is: %d",num); // Note: this needs %d to print correctly  
18  
19          return 0;  
20      }  
21  
22      |
```

close ad [x]

input

```
give me anumber:8  
your no. is: 8  
  
...Program finished with exit code 0  
Press ENTER to exit console.
```

Print Hello World

The screenshot displays a web-based C compiler interface. At the top, there's a navigation bar with 'News' and 'All Bookmarks'. Below it is a toolbar with buttons for 'Run', 'Debug', 'Stop', 'Share', 'Save', 'Beautify', and a download icon. The language is set to 'C'. The main editor area shows a C program in 'main.c' with the following code:

```
1- /*****  
2-  
3-           Online C Compiler.  
4-           Code, Compile, Run and Debug C program online.  
5-           Write your code in this editor and press "Run" button to compile and execute it.  
6-           *****/  
7-  
8-  
9- #include <stdio.h>  
10-  
11- int main()  
12- {  
13-     printf("Hello World");  
14-  
15-     return 0;  
16- }
```

On the right side, there's an advertisement for 'Online C Compiler' with a 'close ad [x]' button. Below the code editor, there's an 'input' field and a console output area. The console shows the output 'Hello World' and the message '...Program finished with exit code 0 Press ENTER to exit console.'.