

Brand Standards

A practical identity system for an AI-ready web framework with a PHP foundation and integrated developer tools.



WEB FRAMEWORK

PHP foundation

Developer tools

FIONN AI

Persistent Personal
Intelligence by TechAyo.

API account required

Build from blueprint.

FNLLA brings a structured foundation and integrated project tools to developers building web applications. The identity should make that foundation visible: precise marks, legible information and an orderly, useful product experience. Blueprint means a considered plan or technical foundation: start with structure, then build your application. It does not promise automatic code generation.

One product. Deliberate choices.

The integrated full starter is the main FNLLA experience. Plain is an advanced core-only option from the same framework. Neither option needs a separate logo, colour scheme or invented product name.

How to use this book

Use the visual examples, then the supplied masters. Outline is the only approved signature, in blue, black, grey or white on matching blue, black and grey fields. Edition 2.2.0 expands the kit, not the software release status.

Born in Dundee


An idea from Finella Gardens, Dundee, Scotland. A framework built to turn that idea into useful software.

FINELLA GARDENS

Dundee, Scotland.

Where the idea became a framework.

A name with a real beginning.



FINELLA > FNLLA

The name has a place

FNLLA takes its name from Finella Gardens in Dundee, Scotland, where the idea originated and the framework was first written. The shortened name connects the product to its beginnings without making a promise about its technical scope.

The people behind the product


Created & maintained by TechAyo. techayo.co.uk / hello@techayo.co.uk. Lead Developer / Product Manager - Marcin Kordyaczny. Repeat the credits consistently. TechAyo is the public-facing brand. Keep the legal entity name in license notices, not marketing credits.

A local origin. An open invitation.

Use the story as a human introduction, not as a substitute for product evidence. The invitation is practical: inspect the code, build an application and contribute improvements. FNLLA is the product name; Finella Gardens is its name origin.

Positioning & Product Truth

Earn confidence through a clear product description and evidence that developers can inspect.



Describe the actual offer

FNLLA is a web framework with a PHP foundation. Lead with project setup, private developer access, diagnostics and controlled updates. AI-ready is a secondary capability, not a substitute for these benefits or a claim that a model is included. Keep FIONN AI below the primary FNLLA offer.

Keep one identity

Use FNLLA in prose, titles and social profiles. Keep literal package names, commands and namespaces exactly as shipped. Full and plain describe installation choices, not competing brands. Downstream applications keep their own identity.

Bound every claim

Do not claim universal security, enterprise certification or speed advantages without reproducible evidence and a stated scope. A green test suite supports a specific commit and environment; it does not prove every deployment is ready.

FIONN AI & Connected Intelligence

Build with continuity. FIONN AI brings Persistent Personal Intelligence through a dedicated, opt-in gateway.

BUILD WITH CONTINUITY.

FIONN AI

Persistent Personal Intelligence

Created by TechAyo. Connected through FNLLA.

Built-in gateway. Developer account + FIONN API access required.

No local AI model is bundled. FIONN AI memory and permissions belong to the connected service.

FIONN AI, created by TechAyo

FIONN AI is Persistent Personal Intelligence. FNLLA’s full starter includes its gateway, not a local AI model. Access requires an appropriate FIONN developer account, API credentials and explicit activation. The service operates separately; installing FNLLA does not create an account or include API credit.

Make continuity practical

Start with a non-sensitive architecture question; verify the provider and review the answer. Account memory and permissions belong to the separate service. FNLLA sends bounded requests with learning disabled, without automatic code ingestion or memory writes. Explain API access and connection testing first.

OPTIONAL INTEGRATIONS

OpenAI API

Anthropic API

Your keys. Your models. Opt-in.

Optional API integrations

OpenAI API and Anthropic API are additional text-generation integrations, disabled by default. They use your API key and model. Remote processing, costs and provider policies apply. Name these APIs rather than the ambiguous cloud AI; chat-app subscriptions do not supply API access.

The Mark Family

One outline geometry. Six colour treatments. Preserve the space inside every letter.



Wordmark: primary signature

Use assets/logo/wordmark.svg or assets/logo/outline/wordmark-blue.svg for the primary signature. Letters are custom paths, not a font. Scale uniformly; preserve every contour, the open interiors and the original proportions.



Monogram: compact identity

Use assets/logo/monogram.svg or the matching outline/monogram-*.svg for blue, black, grey and reversed artwork. PNG counterparts are supplied. For browser tabs retain the dedicated assets/logo/favicon.svg.




Reversed and neutral variants

White on Blueprint Blue is the primary reverse. White on black and grey supports monochrome contexts. Black is #000000; grey is #6B7280, not reduced opacity. The original outline lockup remains available as assets/logo/lockup.svg.

Space, Scale & Integrity

Protect the mark before fitting it into a layout. Every colour treatment needs the same clear space.



DIGITAL MINIMUM WIDTH

Wordmark	240 px
Monogram	96 px
Lockup	360 px

Use the dedicated asset for favicons.

Clear space is measurable

Define H as the complete SVG viewBox height at the rendered size. Reserve at least H/4 outside each edge; the existing artboard inset does not replace this margin. Keep type, controls and neighbouring marks outside the protected area.

Choose the appropriate scale

Digital minimum widths: wordmark 240 px, monogram 96 px, lockup 360 px. Use the 240 px wordmark in compact tools; below that, use the dedicated favicon or plain FNLLA text. Dark mode uses supplied reversed artwork. Print minimums are 40, 16 and 60 mm respectively, including office templates. Proof the final output.

Preserve the original drawing

Never stretch, rotate, thicken paths, fill the interiors or move letters. Solid silhouettes are not part of this identity. The family plate is a reduced comparison, not a minimum-size template for published logos. Use supplied reversed artwork on its matching field, not CSS filters or opacity.

Colour & Contrast

Blue identifies the brand. Neutrals carry the interface; green and red communicate outcomes, not decoration.



Blueprint Blue

#2563EB

5.17:1 on white



Ink

#0B1220

18.72:1 on white



Text

#374151


10.31:1 on white



Muted

#6B7280


4.83:1 on white



Tint

#EFF6FF

Decorative only / not text



Binary field

#DCE9FC

Decorative only / not text



Success text

#15803D

5.02:1 on white



Error text

#D12D2D

5.09:1 on white

Use colour by role

Blueprint Blue #2563EB marks identity, links and actions. Ink #0B1220 and Text #374151 carry copy. Tint #EFF6FF and Binary #DCE9FC are decorative. Light grey #F1F3F5 carries social bands with Ink text and blue accents. Use #6B7280 for control boundaries; pale #E5E7EB only separates surfaces. Citron is retired.

Brighter, still readable states

Use green #15803D on #F0FDF4 for success and red #D12D2D on #FEF2F2 for errors. Both exceed 4.5:1. Pair colour with a label or familiar symbol. The full project shell applies these semantic tokens; dark mode uses lighter text on dark fields. Do not reuse pale background colours as body text or confuse status with branding.

Check the actual combination

Use at least 4.5:1 for ordinary text and 3:1 for large text and required control graphics. Ratios here assume opaque sRGB colours. Recheck after changing a background, opacity, image or state. A pale border alone cannot define an input.

Typography With Purpose

Two families, explicit roles and a small scale keep the brand recognisable without complicating the interface.

Space Grotesk

Readable by design.

Aa Bb Cc 0123456789

Regular 400 / SemiBold 600

Space Grotesk for the brand

Use Regular 400 for body, navigation and marketing copy; SemiBold 600 for headings and emphasis. Product body copy starts at 16 px with 24 px line height. Keep letter spacing at zero. Navigation labels stay in this family even when they are links. Use only shipped weights, without synthetic bold. The browser may slant prose emphasis because Space Grotesk has no dedicated italic face.

JetBrains Mono

```
$ php fnlla route:list

$ php fnlla config:doctor
```

fnlla.com / hello@techayo.co.uk

URLs, email, code, metadata and FIONN AI

JetBrains Mono for literal data

Use Regular 400 for URLs, email, code, versions, API endpoints and technical metadata. Use SemiBold 600 for prominent fnlla.com and techayo.co.uk addresses and the standalone FIONN AI name. Keep domains and email lowercase; preserve case-sensitive paths. Small technical labels may use Mono; paragraphs do not.


Match type to the surface

A 48 px heading belongs on an editorial cover; use 24-32 px page titles and 18-20 px section headings in tools. Supporting text should remain at least 14 px. Constrain line lengths and allow wrapping before reducing the font size.

Composition & Backgrounds

One binary language: quiet microtype fields, generous clear space and neutral information bands.

01 / DETAIL



Small bytes. Generous clear space.

Let the work lead

Use an 8 px spacing rhythm with 4 px adjustments for controls. Use small binary digits as a background texture, never a large standalone numeral or silhouette. Ordinary 01 / 02 / 03 labels can give workflow steps a readable sequence. Keep forms and data free of decoration; access screens may use a separate identity field.

02 / FIELD




Decorative bytes. Not live data.

The 01 campaign field

The bytes spell FNLLA in ASCII, not live data or AI memory. Use grouped Mono octets, #DCE9FC on white or light grey, with row breaks and fading edges. Keep the digits small and evenly spaced, without shaping them into a second symbol. Protect reading areas, logo clear space and QR quiet zones. Do not animate it.

03 / BAND



Reading first. Colour by role.

Use real visual evidence

Use light-grey information bands for social headers and repository art. Retain blue for marks, literal addresses and small rules; print may use a strong blue band. Diagrams explain actual boundaries, not invented UI. Keep their key claims in adjacent Markdown and descriptive alt text. Use neutral, redacted screenshots.

Product Surfaces

Setup, sign-in and daily tooling should feel like the same product, with clear state and predictable actions.



Developer access

Email

Sign in

Recover access

Visible focus and a clear recovery path

Form and identity

An access screen may pair an unframed form with an identity area. Keep the form’s heading, labels, validation and recovery link together. On narrow screens, the working form takes priority; the artwork must not push it below the fold.

Controls communicate state


Provide default, hover, focus, loading, disabled and error states. Use established icons and accessible names for tool actions. Keep control dimensions stable. Use 4 px corner radii for controls and at most 8 px for genuinely framed tools.

Preserve the user’s work

Errors identify the affected field and a recovery action without clearing valid input. Loading must not duplicate submissions. Never make recovery depend on knowing the forgotten password. The sample is visual direction, not a working UI.

Editorial & Social Assets

One recognisable signature across a repository, social profile and an expressive landscape print campaign.




Open Graph

Use assets/social/open-graph.png at 1200 x 630. Keep important content at least 64 px from its edges and preserve the aspect ratio. Its wording is timeless; add a version or release claim only when that specific release is published.

Avatar and compact contexts

Use the dedicated LinkedIn 400 px and Facebook 1024 px square exports. Their monograms have generous inset for circular crops. Keep slogans and release numbers out of avatars; use covers for the broader message. Check platform cropping.



Repository and future website

Use one README cover, one workflow diagram and one AI-boundary diagram, each beside its matching text. Reuse the diagrams in build and AI guides. Social covers retain the outline mark, a typed domain and a fnlla.com QR; print has two QRs. Keep account requirements visible. A brand edition is not a release.

Voice & Technical Examples

Write like a developer helping another developer: concrete, measured and clear about the next action.

CLEAR

Project created.

Run the application checks before deployment.

A concrete outcome and a useful next action.

Say what happened

Prefer "Project created" to "Your next-generation workspace is ready". An error should name the problem and a useful next step. Use sentence case in interfaces. Avoid exaggerated adjectives and claims that cannot be tested.

Use shipped syntax

Use commands from the current CLI reference. For example: `php fnlla make;project ../example-app --profile=full` and `php fnlla route:list`. Keep illustrative output visibly separate from verified output; never invent APIs to improve a mockup.

Keep examples neutral

Use `example.com`, `example-app` and synthetic records in published material. Do not copy local credentials, real customer names or private paths into assets. Keep FNLLA package identifiers and legal attribution accurate.


AVOID UNVERIFIABLE CLAIMS

Enterprise-ready. Zero configuration. Faster than every alternative.

Qualify scope. Publish evidence. Name limits.

Accessible Delivery


Accessibility is part of the product experience. Visual consistency cannot substitute for functional testing.



Link / light surface



Success / labelled state



Error / labelled state

Ratio checks are one part of accessibility, not a conformance claim.

Contrast and meaning

The colour guidance follows WCAG 2.2 contrast minimums for text and required non-text graphics. The logo exception is not a reason to make navigation faint. Use labels with status colours and underline inline links when colour is ambiguous.

Focus, input and motion

Use a visible focus ring with clear separation from the control. Aim for 44 px touch targets as a product guideline. Respect prefers-reduced-motion; optional transitions should not carry information. Do not animate the logo on every screen.

Validate the final context

Test keyboard order, zoom, text wrapping, validation and screen-reader names. Give a linked logo an accessible name such as "FNLLA home"; hide duplicate decorative marks. Review the actual viewport, not only this fixed-format PDF.

Ownership & Handoff

Keep one maintained kit, clear provenance and an explicit distinction between guidance and shipped behaviour.

ONE MAINTAINED KIT

Source. Build. Review.

Brand rules + tokens + vector masters

Reproducible exports. Verified links. Visual proof.

WCAG: text contrast

WCAG: non-text contrast

Space Grotesk

JetBrains Mono

Maintain the sources


BRAND-GUIDE.md owns the prose; tokens.json owns the visual values. Build the PDF, print and social exports with scripts/branding/build-guide.py. Review all pages after regeneration. The --check option detects stale committed outputs.

Retain attribution


Use Created & maintained by TechAyo with techayo.co.uk, followed by Lead Developer / Product Manager - Marcin Kordyaczny. Every guide page also includes hello@techayo.co.uk. Preserve legal and font license notices.

Review before publication

Check logo geometry, colours, type, contrast, example syntax, domain and data privacy. Keep supporting sources linked on this page. A brand edition is not a software release, and a design example is not a declaration of runtime compliance.



THE FRAMEWORK
fnlla.com



THE CREATOR
techayo.co.uk