


Step 1: Set as a startup project of TimeSheetApproval.WebApi

Step 2: Change the DB connection in appsettings.json from TimeSheetApproval.WebApi Project for the highlighted




Step 3: Right Click on Solution – Build Solution (Ctrl + Shift + B)




Step 4: Now we will create the Database with Identity Entities


- Open the Package Manager Console from the Tools -> NuGet Package Manager -> Package Manager Console




- b. Select the default project as TimeSheetApproval.Identity



- c. Run the below code in console as shown below
update-database -context IdentityContext




- d. Open the SSMS and ensure that TimeSheetApprovalDB Created with Identity Entities as shown below




Step 5: Now we will create the Application Entities


- a. Select the default project as TimeSheetApproval.Persistence




- b. Run the below code in console as shown below
 update-database -context ApplicationDbContext



- c. Please ensure Application Entities are created from DB as shown below



Step 6: Run the application, Application will open two windows 1 is web browser and 2nd one is console as shown below



Step 7: People End Points

A. Get Method Payload (Get People)

a. Get All People Payload

```
{ "pageNumber": 1,  
  "pageSize": 10,  
  "sortParams": [  
    {  
      "sortColumn": "PeopleId",  
      "sortOrder": 1  
    }  
  ],  
  "filterParams": null}
```

b. Get A Particular People

```
{ "pageNumber": 1,  
  "pageSize": 10,  
  "sortParams": [  
    {  
      "sortColumn": "PeopleId",  
      "sortOrder": 1  
    }  
  ],  
  "filterParams": {  
    "filterColumn": "PeopleId",  
    "filterValue": "2",  
    "operator": "eq",  
    "logicOperator": "and",  
    "filterList": null  
  }  
}
```

POST /api/people/get-people-details

Parameters Try it out

Name	Description
api-version string (query)	<input type="text" value="api-version"/>

Request body application/json-patch+json ▾

Example Value | Schema

```
{  
  "pageNumber": 1,  
  "pageSize": 10,  
  "sortParams": [  
    {  
      "sortColumn": "PeopleId",  
      "sortOrder": 1  
    }  
  ],  
  "filterParams": {  
    "filterColumn": "PeopleId",  
    "filterValue": "3",  
    "operator": "eq",  
    "logicOperator": "and",  
    "filterList": null  
  }  
}
```

B. Post Method Payload (Create New People)

```
{
  "peopleId": 0,
  "peopleFirstName": "Mr",
  "peopleLastName": "John",
  "gender": "Male",
  "hourlyRate": 5500,
  "bankAccount": "99999999"
}
```

POST /api/people

Try it out

Parameters

Name	Description
api-version string (query)	<input type="text" value="api-version"/>

Request body application/json-patch+json ▾

Example Value | Schema

```
{
  "peopleId": 0,
  "peopleFirstName": "Mr",
  "peopleLastName": "John",
  "gender": "Male",
  "hourlyRate": 5500,
  "bankAccount": "99999999"
}
```

C. Put Method Payload (Update People) (For All the update method use already existing Id's)

```
{
  "peopleId": 3,
  "peopleFirstName": "Mr",
  "peopleLastName": "John",
  "gender": "Male",
  "hourlyRate": 5555,
  "bankAccount": "99999999"
}
```

PUT /api/people/{peopleId}

Parameters Try it out

Name	Description
peopleId * required integer(\$int32) (path)	3
api-version string (query)	api-version

Request body application/json-patch+json ▾

Example Value | Schema

```
{
  "peopleId": 3,
  "peopleFirstName": "Mr",
  "peopleLastName": "John",
  "gender": "Male",
  "hourlyRate": 5555,
  "bankAccount": "99999999"
}
```

D. Delete Method Payload (Delete People)

```
{
  "peopleId": 3
}
```

DELETE /api/people/{peopleId}

Parameters Try it out

Name	Description
peopleId * required integer(\$int32) (path)	3
api-version string (query)	api-version

Request body application/json-patch+json ▾

Example Value | Schema

```
{
  "peopleId": 3
}
```

Step 8 : Timesheet Status Type End Points

A. Get Method Payload (Get Timesheet Status Type)

a. Get All People Payload

```
{ "pageNumber": 1,
  "pageSize": 10,
  "sortParams": [
    {
      "sortColumn": "TssTypeId",
      "sortOrder": 1
    }
  ]
}
```

```

    ],
    "filterParams": null}
b. Get A Particular Timesheet Status Type
{ "pageNumber": 1,
  "pageSize": 10,
  "sortParams": [
    { "sortColumn": "TssTypeId",
      "sortOrder": 1
    }
  ],
  "filterParams": {
    "filterColumn": "tssTypeName",
    "filterValue": "Draft",
    "operator": "eq",
    "logicOperator": "and",
    "filterList": null
  }
}

```

POST

/api/timesheets-status-types/get-Timesheet-status-types

Parameters

Cancel

Name	Description
api-version string (query)	<input type="text" value="api-version"/>

Request body

application/json-patch+json

```

{
  "pageNumber": 1,
  "pageSize": 10,
  "sortParams": [
    {
      "sortColumn": "TssTypeId",
      "sortOrder": 1
    }
  ],
  "filterParams": {
    "filterColumn": "tssTypeName",
    "filterValue": "Draft",
    "operator": "eq",
    "logicOperator": "and",
    "filterList": null
  }
}

```

B. Post Method Payload (Create New Timesheet Status)

```

{
  "tssTypeId": 0,
  "tssTypeName": "Deleted"
}

```

POST /api/timesheets-status-types

Parameters Cancel

Name	Description
api-version string (query)	<input type="text" value="api-version"/>

Request body application/json-patch+json ▾

```
{
  "tssTypeId": 0,
  "tssTypeName": "Deleted"
}
```

- C. Put Method Payload (Update Timesheet Status) (For All the update method use already existing Id's)

```
{
  "tssTypeId": 5,
  "tssTypeName": "DeletedForTesting"
}
```

PUT /api/timesheets-status-types/{TimesheetsStatusTypeId}

Parameters Try it out

Name	Description
TimesheetsStatusTypeId * required integer(\$int32) (path)	<input type="text" value="5"/>
api-version string (query)	<input type="text" value="api-version"/>

Request body application/json-patch+json ▾

Example Value | Schema

```
{
  "tssTypeId": 5,
  "tssTypeName": "DeletedForTesting"
}
```

- D. Delete Method Payload (Delete Timesheet Status)

```
{
  "tssTypeId": 5
}
```


DELETE /api/timesheets-status-types/{TimesheetsStatusTypeId}

Parameters
Try it out

Name	Description
TimesheetsStatusTypeId * required integer(\$int32) (path)	<input type="text" value="5"/>
api-version string (query)	<input type="text" value="api-version"/>

Request body
application/json-patch+json ▾

Example Value | Schema

```

{
  "tssTypeId": 5
}

```

Step 9 : Timesheet End Points

A. Get Method Payload (Get Timesheet)

a. Get All People Payload

```

{ "pageNumber": 1,
  "pageSize": 10,
  "sortParams": [
    {
      "sortColumn": "TimesheetId",
      "sortOrder": 1
    }
  ],
  "filterParams": null}

```

b. Get A Particular Timesheet (In this case getting the timesheets based on the status = 3)

```

{
  "pageNumber": 1,
  "pageSize": 10,
  "sortParams": [
    {
      "sortColumn": "TimesheetId",
      "sortOrder": 1
    }
  ],
  "filterParams": {
    "filterColumn": "tssTypeId",
    "filterValue": "3",
    "operator": "eq",
    "logicOperator": "and",
    "filterList": null
  }
}

```

POST

/api/timesheets/get-timesheets-details

Parameters

Cancel

Name	Description
api-version string (query)	<input type="text" value="api-version"/>

Request body

application/json-patch+json

```

{
  "pageNumber": 1,
  "pageSize": 10,
  "sortParams": [
    {
      "sortColumn": "TimesheetId",
      "sortOrder": 1
    }
  ],
  "filterParams": {
    "filterColumn": "tssTypeId",
    "filterValue": "3",
    "operator": "eq",
    "logicOperator": "and",
    "filterList": null
  }
}

```

c. Get Timesheet in between dates

```

{ "pageNumber": 0,
  "pageSize": 0,
  "sortParams": [
    { "sortColumn": "TimesheetId",
      "sortOrder": 1 }
  ],
  "filterParams": {
    "filterColumn": "",
    "operator": "",
    "filterValue": "",
    "logicOperator": "and",
    "filterList": [ { "filterColumn": "WorkFromTime",
                     "operator": "gt",
                     "filterValue": "2021-06-01",
                     "logicOperator": "and",
                     "filterList": null }, {
                     "filterColumn": "WorkToTime",
                     "operator": "lte",
                     "filterValue": "2021-06-03",
                     "logicOperator": "and",
                     "filterList": null } ] }
}

```

POST /api/timesheets/get-timesheets-details

Parameters Cancel

Name	Description
api-version string (query)	api-version

Request body application/json-patch+json

```
{
  "pageNumber": 0,
  "pageSize": 0,
  "sortParams": [
    {
      "sortColumn": "TimesheetId",
      "sortOrder": 1
    }
  ],
  "filterParams": {
    "filterColumn": "",
    "operator": "",
    "filterValue": "",
    "logicOperator": "and",
    "filterList": [
      {
        "filterColumn": "workFromTime",
        "operator": "gt",
        "filterValue": "2021-06-01",
        "logicOperator": "and",
        "filterList": null
      },
      {
        "filterColumn": "workToTime",
        "operator": "lte",
        "filterValue": "2021-06-03",
        "logicOperator": "and",
        "filterList": null
      }
    ]
  }
}
```

B. Post Method Payload (Create New Timesheet)

```
{
  "timesheetId": 0,
  "peopleId": 1,
  "tssTypeId": 3,
  "timesheetDate": "2021-06-04T13:00:40.0862051",
  "workFromTime": "2021-06-04T13:00:40.0862051",
  "workToTime": "2021-06-04T16:00:40.0862051",
  "workTotalTime": 3,
}
```

POST /api/timesheets

Parameters Cancel

Name	Description
api-version string (query)	api-version

Request body application/json-patch+json

```
{
  "timesheetId": 0,
  "peopleId": 1,
  "tssTypeId": 3,
  "timesheetDate": "2021-06-04T13:00:40.0862051",
  "workFromTime": "2021-06-04T13:00:40.0862051",
  "workToTime": "2021-06-04T16:00:40.0862051",
  "workTotalTime": 3,
}
```

C. Put Method Payload (Update Timesheet) (For All the update method use already existing Id's) (Updating the timesheet by changing the status from Paid to Removed (ie., 3 to 4))

```
{
  "timesheetId": 11,
  "peopleId": 1,
  "tssTypeId": 4,
  "timesheetDate": "2021-06-04T13:00:40.0862051",
  "workFromTime": "2021-06-04T13:00:40.0862051",
  "workToTime": "2021-06-04T16:00:40.0862051",
  "workTotalTime": 3,
}
```

```
}

```

PUT /api/timesheets/{timesheetId}

Parameters Cancel

Name	Description
timesheetId * required integer(\$int32) (path)	11
api-version string (query)	api-version

Request body application/json-patch+json ▾

```
{
  "timesheetId": 11,
  "peopleId": 1,
  "tssTypeId": 4,
  "timesheetDate": "2021-06-04T13:00:40.0862051",
  "workFromTime": "2021-06-04T13:00:40.0862051",
  "workToTime": "2021-06-04T16:00:40.0862051",
  "workTotalTime": 3
}
```

D. Delete Method Payload (Delete Timesheet)

```
{
  "timesheetId": 11
}
```

DELETE /api/timesheets/{timesheetId}

Parameters Cancel

Name	Description
timesheetId * required integer(\$int32) (path)	11
api-version string (query)	api-version

Request body application/json-patch+json ▾

```
{
  "timesheetId": 11
}
```