



Note Counting Machines  
& Paper Shredders



Modern  
business  
tools

Confidential paperwork, used data sheets, invoice copies, unnecessary log files or any document that needs to be destroyed after use can be prohibited from accidentally falling into wrong hands using Pilot shredders. Their various cuts ensure that whoever tries to put together the puzzle of shredded paper will not be able to get the original document back.

Thus making these shredders the ideal choice for small offices and homes.



Note Counting Machine

Pilot heavy duty shredders too are in tune with their technical expertise and engineering excellence.

Pilot Note counting machines are one peace of mind that all organisations that handle cash should have. Besides counting the notes, they also detect most fake currencies of the world.

Con game is rampant in this world. And fidelity can be found in these gadgets!



Heavy Duty Shredder

In India, Pilot has established itself as a pioneer in Shredders. In line with these, Pilot has also launched quality Note counting machines.

## PERSONAL PAPER SHREDDER

### PILOT – 12 CC



A 12 Sheet Cross-Cut plastic bin paper shredder with automatic start/stop function making it suitable for use in small offices and homes.

#### Technical Data

|                            |      |
|----------------------------|------|
| Feed opening, mm           | 220  |
| Shred width, mm            | 4x33 |
| Performance in sheets*     | 12   |
| Security level**           | 3    |
| Shred speed, metre/min     | 2.7  |
| Power connection, Volts    | 220  |
| Electrical consumption, Kw | 0.18 |
| Capacity, Litres           | 16.8 |

|                        |                      |    |
|------------------------|----------------------|----|
| Dimensions, mm H, W, D | 456 x 330 x 218      |    |
| Weight in Kg (approx.) | 6.8 Kg               |    |
| Photocell controlled   | No                   |    |
| Warranty               | 12 months (Carry in) |    |
| Sound level (Db)       | No Load              | 66 |
|                        | Load                 | 70 |
| Rating (Min)           | Working              | 3  |
|                        | Idle                 | 30 |

PAPER A4, 70 g/m2 \*\* AS PER DIN 32757 STANDARDS

#### SHREDS



Credit Card



CDs



Staples



Paper



U-Pins



CROSS CUT

## DESKSIDE OFFICE SHREDDERS

A 15 Sheet Cross-Cut plastic bin paper shredder with automatic start/stop function. Equipped with features such as overload protection, bin-full warning and overheating notifications making it suitable for use in offices.

#### Technical Data

|                            |        |
|----------------------------|--------|
| Feed opening, mm           | 220    |
| Shred width, mm            | 4 x 39 |
| Performance in sheets*     | 15     |
| Security level**           | 3      |
| Shred speed, metre / min   | 1.8    |
| Power connection, Volts    | 220    |
| Electrical consumption, Kw | 0.18   |
| Capacity, Litres           | 26     |

|                        |                     |    |
|------------------------|---------------------|----|
| Dimensions, mm H, W, D | 534 x 376 x 286     |    |
| Weight in Kg (approx.) | 14                  |    |
| Photocell controlled   | Yes                 |    |
| Warranty               | 12 months (On site) |    |
| Sound level (Db)       | No Load             | 73 |
|                        | Load                | 75 |
| Rating (Min)           | Working             | 5  |
|                        | Idle                | 30 |

PAPER A4, 70 g/m2 \*\* AS PER DIN 32757 STANDARDS

#### SHREDS



Credit Card



CDs



Staples



Paper



U-Pins



CROSS CUT

### Pilot - 15 CC



# DESKSIDE OFFICE SHREDDERS

## Pilot - 08 MC



An 8 Sheet Micro-Cut plastic bin paper shredder with automatic start/stop function. Equipped with electronic and digital control systems along with features such as idle mode (sleep mode) for low power consumption, overload protection, bin-full warning and overheating notifications making it suitable for use in offices.

### Technical Data

|                            |        |
|----------------------------|--------|
| Feed opening, mm           | 220    |
| Shred width mm             | 2 x 12 |
| Performance in sheets*     | 8      |
| Security level**           | 4      |
| Shred speed, metre / min   | 2.7    |
| Power connection, Volts    | 220    |
| Electrical consumption, Kw | 0.10   |
| Capacity, Litres           | 25.6   |

|                        |                     |    |  |
|------------------------|---------------------|----|--|
| Dimensions, mm H, W, D | 500 x 390 x 275     |    |  |
| Weight in Kg (approx.) | 13                  |    |  |
| Photocell controlled   | Yes                 |    |  |
| Warranty               | 12 months (on site) |    |  |
| Sound level (Db)       | No Load             | 55 |  |
|                        | Load                | 60 |  |
| Rating (Min)           | Working             | 5  |  |
|                        | Idle                | 20 |  |

PAPER A4, 70 g/m2 \*\* AS PER DIN 32757 STANDARDS

### SHREDS



Staples



Paper



MICRO CUT

## Pilot - 16 CC

A magnificently designed 16 Sheet Cross-Cut paper shredder with automatic start/stop function. Equipped with electronic and digital control systems along with features such as idle mode (sleep mode) for low power consumption, overload protection, bin-full warning and overheating notifications making it suitable for use in offices.

### Technical Data

|                            |            |
|----------------------------|------------|
| Feed opening, mm           | 220        |
| Shred width, mm            | 3.9 x 38mm |
| Performance in sheets*     | 16         |
| Security level**           | 3          |
| Shred speed, metre / min   | 2.7        |
| Power connection, Volts    | 220        |
| Electrical consumption, Kw | 210 (0.21) |
| Capacity, Litres           | 25.6       |

|                        |                     |    |
|------------------------|---------------------|----|
| Dimensions, mm H, W, D | 500 x 390 x 275     |    |
| Weight in Kg           | 13 kgs              |    |
| Photocell controlled   | Yes                 |    |
| Warranty               | 12 months (on site) |    |
| Sound level (Db)       | No Load             | 55 |
|                        | Load                | 65 |
| Rating (Min)           | Working             | 10 |
|                        | Idle                | 20 |

PAPER A4, 70 g/m2 \*\* AS PER DIN 32757 STANDARDS

### SHREDS



Credit Card



CDs



Staples



Paper



U-Pins



CROSS CUT



## Pilot - 16 SC



A magnificently designed 16 Sheet Strip-Cut paper shredder with automatic start/stop function. Equipped with electronic and digital control systems along with features such as idle mode (sleep mode) for low power consumption, overload protection, bin-full warning and overheating notifications making it suitable for use in offices.

### Technical Data

|                            |            |
|----------------------------|------------|
| Feed opening, mm           | 220        |
| Shred width, mm            | 3.9 mm     |
| Performance in sheets*     | 16         |
| Security level**           | 2          |
| Shred speed, metre /min    | 2.7        |
| Power connection, Volts    | 220        |
| Electrical consumption, Kw | 210 (0.21) |
| Capacity, Litres           | 25.6       |

|                        |                     |    |
|------------------------|---------------------|----|
| Dimensions, mm H, W, D | 500 x 390 x 275     |    |
| Weight in Kg           | 11 kgs              |    |
| Photocell controlled   | Yes                 |    |
| Warranty               | 12 months (on site) |    |
| Sound level (Db)       | No Load             | 55 |
|                        | Load                | 65 |
| Rating (Min)           | Working             | 10 |
|                        | Idle                | 20 |

PAPER A4, 70 g/m2 \*\* AS PER DIN 32757 STANDARDS

### SHREDS



Credit Card



CDs



Staples



Paper



U-Pins



STRIP CUT

## EDP SHREDDERS

### Pilot - 22 CC



An intelligently designed 22 Sheet Cross-Cut paper shredder with a special dust-proof design and an anti-static system. Enhanced automatic start/stop function where machine stops if bin door is open. Equipped with a semi floating shock absorption system, electronic and digital controls along with features such as idle mode (sleep mode) for low power consumption, overload protection, bin-full warning and overheating notifications making it suitable for use in offices.


#### Technical Data

|                            |            |
|----------------------------|------------|
| Feed opening, mm           | 230        |
| Shred width, mm            | 3.9 x 38mm |
| Performance in sheets*     | 22         |
| Security level**           | 3          |
| Shred speed, metre / min   | 2.2        |
| Power connection, Volts    | 220        |
| Electrical consumption, Kw | 530 (0.53) |
| Capacity, Litres           | 32.7       |

|                        |                     |    |
|------------------------|---------------------|----|
| Dimensions, mm H, W, D | 640 x 435 x 320     |    |
| Weight in Kg (approx.) | 26                  |    |
| Photocell controlled   | Yes                 |    |
| Warranty               | 12 months (on site) |    |
| Sound level (Db)       | No Load             | 55 |
|                        | Load                | 65 |
| Rating (Min)           | Working             | 20 |
|                        | Idle                | 30 |

PAPER A4, 70 g/m2 \*\* AS PER DIN 32757 STANDARDS

#### SHREDS



### Pilot - 26 SC

An intelligently designed 26 Sheet Strip-Cut paper shredder with a special dust-proof design and an anti-static system. Enhanced automatic start/stop function where machine stops if bin door is open. Equipped with a semi floating shock absorption system, electronic and digital controls along with features such as idle mode (sleep mode) for low power consumption, overload protection, bin-full warning and overheating notifications making it suitable for use in offices.


#### Technical Data

|                            |            |
|----------------------------|------------|
| Feed opening, mm           | 230        |
| Shred width, mm            | 3.9mm      |
| Performance in sheets*     | 26         |
| Security level**           | 2          |
| Shred speed, metre / min   | 2.2        |
| Power connection, Volts    | 220        |
| Electrical consumption, Kw | 530 (0.53) |
| Capacity, Litres           | 32.7       |

|                        |                     |    |
|------------------------|---------------------|----|
| Dimensions, mm H, W, D | 640 x 425 x 320     |    |
| Weight in Kg (approx.) | 24.5                |    |
| Photocell controlled   | Yes                 |    |
| Warranty               | 12 months (on site) |    |
| Sound level (Db)       | No Load             | 55 |
|                        | Load                | 65 |
| Rating (Min)           | Working             | 20 |
|                        | Idle                | 30 |

PAPER A4, 70 g/m2 \*\* AS PER DIN 32757 STANDARDS

#### SHREDS



## HEAVY DUTY SHREDDERS

### PILOT – 28 CC



A well-built heavy duty 28 Sheet Cross-Cut paper shredder with special dust-proof design and an anti-static system. Enhanced automatic start/stop function where machine stops if bin door is open. Equipped with a semi floating shock absorption system, electronic and digital controls along with features such as idle mode (sleep mode) for low power consumption, overload protection, bin-full warning and overheating notifications making it suitable for use in offices.

#### Technical Data

|                            |            |
|----------------------------|------------|
| Feed opening, mm           | 310        |
| Shred width, mm            | 4 x 30     |
| Performance in sheets*     | 28         |
| Security level**           | 3          |
| Shred speed, metre/min     | 2.2        |
| Power connection, Volts    | 220        |
| Electrical consumption, Kw | 530 (0.53) |
| Capacity, Litres           | 80         |

|                        |                     |    |
|------------------------|---------------------|----|
| Dimensions, mm H, W, D | 895 x 520 x 385     |    |
| Weight in Kg (approx.) | 54                  |    |
| Photocell controlled   | Yes                 |    |
| Warranty               | 12 months (On site) |    |
| Sound level (Db)       | No Load             | 58 |
|                        | Load                | 65 |
| Rating (Min)           | Working             | 30 |
|                        | Idle                | 30 |

PAPER A4, 70 g/m2 \*\* AS PER DIN 32757 STANDARDS

#### SHREDS



# HEAVY DUTY SHREDDERS

## PILOT – 35 SC



A well-built heavy duty 35 Sheet Strip-Cut paper shredder with special dust-proof design and an anti-static system. Enhanced automatic start/stop function where machine stops if bin door is open. Equipped with a semi floating shock absorption system, electronic and digital controls along with features such as idle mode (sleep mode) for low power consumption, overload protection, bin-full warning and overheating notifications making it suitable for use in offices.


### Technical Data

|                            |            |
|----------------------------|------------|
| Feed opening, mm           | 310        |
| Shred width, mm            | 4          |
| Performance in sheets*     | 35         |
| Security level**           | 2          |
| Shred speed, metre/min     | 2.2        |
| Power connection, Volts    | 220        |
| Electrical consumption, Kw | 530 (0.53) |
| Capacity, Litres           | 80         |

|                        |                     |    |
|------------------------|---------------------|----|
| Dimensions, mm H, W, D | 895 x 520 x 385     |    |
| Weight in Kg (approx.) | 54                  |    |
| Photocell controlled   | Yes                 |    |
| Warranty               | 12 months (On site) |    |
| Sound level (Db)       | No Load             | 58 |
|                        | Load                | 65 |
| Rating (Min)           | Working             | 30 |
|                        | Idle                | 30 |

PAPER A4, 70 g/m2 \*\* AS PER DIN 32757 STANDARDS

### SHREDS




## NOTE COUNTING MACHINES

### C-10UV/MG - Manual Value Counter

The PILOT C10-UV/MG comes with an LCD display, auto start/stop, counting, clearing, batching, adding & self-examination functions. IR (Infrared Ray), UV (Ultraviolet) and MG (Magnetic) sensors automatically identify and detect fake notes, double notes and half notes.

Suitable for:



### Technical Data

|                            |                    |
|----------------------------|--------------------|
| MODEL                      | C-10UV/MG          |
| Counting Speed             | > 1000 notes/min   |
| Net Weight                 | 5 Kg               |
| Power Supply               | AC 220V 50-60Hz    |
| Power Consumption          | 60W                |
| Product Dimensions (H,W,D) | 190 x 250 x 310 mm |




### CV-70 UV/MG/IR - Mixed Value Counter



The PILOT CV-70UV/MG/IR comes with a dual screen display; front TFT color screen & side LED Screen, auto start/stop, mixed note value counting, clearing, batching, adding & self-examination functions. IR (Infrared Ray), UV (Ultraviolet) and MG (Magnetic) sensors automatically identify and detect fake notes, double notes and half notes.

Suitable for:



### Technical Data

|                            |                    |
|----------------------------|--------------------|
| MODEL                      | CV-70UV/MG/IR      |
| Counting Speed             | > 1000 notes/min   |
| Net Weight                 | 6 Kg               |
| Power Supply               | AC220V/50Hz        |
| Power Consumption          | < 75W              |
| Product Dimensions (H,W,D) | 190 x 310 x 290 mm |

## CBT-30 - Bundle Counter



A table top mounted state of the art heavy duty machine equipped with an LED display and feather touch keypad for effortless operation. A cut-off system for protection against voltage fluctuations and a unique dust removing system which enhances counting accuracy.

Suitable for:

-  Corporate & Commercial Offices
-  Banking & Financial Institutions
-  Government Financial Institutions
-  Transport & Logistics
-  Religious Establishments (Temples, Donation Centers etc.)

### Technical Data

| MODEL                        | CBT-30 (Table Top)                                      |
|------------------------------|---------------------------------------------------------|
| Counting Mechanism           | Vacuum                                                  |
| Dimensions (WxDxH)           | 330 x 420 x 240 mm                                      |
| Weight (approx.)             | 35 kg                                                   |
| Counting Speed / 100 Notes   | 4 sec. approx.                                          |
| Size Range of Documents (mm) | Min: 45 x 100 Max: 100 x 420 Thickness: 0.04mm x 0.18mm |
| Notes Capacity (max.)        | 150 notes                                               |
| Power Consumption            | 380 W                                                   |
| Power Source                 | AC 230V 10%; 50Hz                                       |
| Type of Notes                | Stapled / Banded                                        |
| Dual LED Display             | 4/3 digits                                              |

### MODES OF OPERATION:

- Check Mode – Check nos as per pre-set value
- Free Mode – Count all notes placed in stacker
- Batch Mode – Count in batches
- Stamp Mode – Stamp OK after checking

## CBF- 30 - Bundle Counter

A floor standing state of the art heavy duty machine equipped with an LED display and feather touch keypad for effortless operation. A cut-off system for protection against voltage fluctuations and a unique dust removing system which enhances counting accuracy.

Suitable for:

-  Corporate & Commercial Offices
-  Banking & Financial Institutions
-  Government Financial Institutions
-  Transport & Logistics
-  Religious Establishments (Temples, Donation Centers etc.)

### Technical Data

| MODEL                        | CBF-30 (Floor Standing)                                 |
|------------------------------|---------------------------------------------------------|
| Counting Mechanism           | Vacuum                                                  |
| Dimensions (WxDxH)           | 450 x 300 x 790 mm                                      |
| Weight (approx.)             | 47 kg                                                   |
| Counting Speed / 100 Notes   | 4 sec. approx.                                          |
| Size Range of Documents (mm) | Min: 45 x 100 Max: 100 x 420 Thickness: 0.04mm x 0.18mm |
| Notes Capacity (max.)        | 150 notes                                               |
| Power Consumption            | 380 W                                                   |
| Power Source                 | AC 230V 10%; 50Hz                                       |
| Type of Notes                | Stapled / Banded                                        |
| Dual LED Display             | 4/3 digits                                              |

### MODES OF OPERATION:

- Check Mode – Check nos as per pre-set value
- Free Mode – Count all notes placed in stacker
- Batch Mode – Count in batches
- Stamp Mode – Stamp OK after checking



## Pilot - 2101 - Currency Sorter



Pilot - 2101 Currency Sorter is one of world's advanced humanised intelligent design with Light image, IR image, spectrum image, ultraviolet optical characteristics, infrared optical characteristics, fluorescence, metal thread, digital encoding, magnetic characteristics, serial number, multi-point thickness measurement, etc. Identification and control system adopts FPGA+ and multiple DSP structure and multi - core parallel processing. Handles 40,000 or 50,000 banknotes per hour & currencies like USD, EUR, GBP, INR, etc.

Suitable for:

-  Corporate & Commercial Offices
-  Banking & Financial Institutions
-  Government Financial Institutions
-  Transport & Logistics
-  Religious Establishments (Temples, Donation Centers etc.)

### Technical Data

| Available currency      | As per your requirement    |
|-------------------------|----------------------------|
| Sorting speed           | More than 800pcs/min       |
| Hopper capacity         | 500pcs                     |
| Pocket capacity         | 200pcs                     |
| Rejecting bill capacity | 100pcs                     |
| PC interface            | RS-232 serial port.        |
| Rated Voltage           | 220V (±10%) or as required |
| Frequency               | 50Hz(±5%)                  |
| Power                   | ≤90 W                      |
| Rising temperature      | ≤20C                       |
| Appearance dimension    | 300x300x360 (mm)           |
| Weight                  | 18kgs                      |

## PBM Automation Private Limited

24, Sona Udyog, Parsi Panchayat Road, Andheri (East), Mumbai 400 069 INDIA  
Tel: 91 22 660 47 000 • E-mail: info@pilotindia.com • www.pilotindia.com