EXPERIMENT 07

Integrating Zoho Creator with Another Zoho Service Using Connections and APIs

Aim

Read a fictional surveyor register from Zoho Sheet through a restricted connection and compare it with a claim in Creator.

Record status

Procedure and example code prepared. Live connector authorization and API verification are pending.

Concept

A connection stores authorization separately from the Deluge script. The selected exercise uses the built-in Zoho Sheet connector and read actions. Restrict the application logic to a dedicated fictional workbook. Action restrictions do not, by themselves, prove that OAuth access is limited to one workbook.

Procedure

1. Create a dedicated Zoho Sheet workbook with columns Claim_Reference_Code and Surveyor_Estimate. Add only fictional rows. Note the workbook resource ID and worksheet name.

2. In Creator, open Microservices, Create New, Connections, Pick & Create, then Zoho Sheet. Use an administrator-authorized connection and select only the required read actions.

3. Review the requested OAuth permissions before authorizing. Copy the actual generated connection link name into the function. Do not paste access tokens into code or the record.

4. Create a function that accepts the workbook resource ID. Fetch worksheet names, then read the intended worksheet with zoho.sheet.getRecords. Match the claim reference and validate the estimate before any record update.

5. Execute against the fictional workbook. Save the success response and test an invalid workbook ID, wrong worksheet, missing match and expired authorization.

Application design and observations

Element	Exercise design
Service	Zoho Sheet, fictional surveyor register
Connection	Administrator authorization; required read actions only
Matching key	Claim_Reference_Code
Input validation	Workbook ID present, correct worksheet and numeric estimate
Failure handling	Return a clear error. Preserve the claim when no reliable response exists.

Deluge example

```
// Example body for a function with TEXT resourceID.
// Replace lc07_sheet_read with the actual connection link name.
if(resourceID == null || resourceID.trim() == "")
{
    return "ERROR: Workbook resource ID required.";
}
try
{
    response = zoho.sheet.getSheets(
        resourceID, "lc07_sheet_read");
    return response.toString();
}
catch (e)
{
    return "ERROR: Sheet request failed. Check connection and ID.";
}
```

The example demonstrates an authenticated read through the integration task backed by the Sheet API. It intentionally leaves claim updates out until the response structure and match are verified. Configure the function return type as String.

Validation and discussion

Test	Expected outcome; live execution pending
Valid workbook	Worksheet response received through the connection
Blank resource ID	Local validation error; no API request
Invalid or inaccessible workbook	Controlled error or service error response
Repeated read	No duplicate record creation or claim mutation

Result

The integration design, Creator connector path and Deluge example are documented. The connection setup screen was inspected, including administrator authorization and specific action selection. No connection was created or authorized, and no API success is claimed.

Viva focus

Explain connection authorization, the generated link name and handling service errors.

Reading: Creating and authorizing connections (official Zoho documentation, reviewed 19 October 2026).

Reading: Get Sheets with Deluge (official Zoho documentation, reviewed 19 October 2026).