EXPERIMENT 11

Deploying a Zoho Creator Application from Development to Production

Aim

Document a controlled release of the claim application through Development, Stage and Production environments.

Record status

Deployment procedure and release test plan prepared. No new environment publication or production release was executed.

Concept

Creator environments separate building, staging tests and live use. A GitHub upload stores the lab record and code but does not deploy the Creator application. Use the native environment workflow and retain its published version evidence.

Procedure

1. Open Deploy, Environments. Check that the account and app support environments and that the operator has the required permissions.

2. Review the app before enabling environments. Preserve a backup or other supported recovery point and understand the effect on developer access.

3. Make a small documented change in Development. Select Publish to Stage, inspect the changed components and include required dependencies.

4. Run platform validation. Resolve blocking errors and review warnings, especially data-loss and permission impacts. Add a clear version title.

5. Publish to Stage and test with fictional records and controlled notification settings. Verify the role restrictions, calculations and reusable functions.

6. Select the verified staged version for Production, review publication options and publish. Wait for the success state, then open the live version and repeat the smoke tests.

Application design and observations

Environment	Release responsibility
Development	Build and validate changes before publication
Stage	Run acceptance tests against fictional fixtures
Production	Expose only the reviewed release to authorized live users
Release identity	Retain native version title and publication status
Recovery	Review supported backup and recovery options before release

A suitable lab release would change only a non-sensitive label or help text, then verify it in Stage and Production. The existing app URL and older screenshots show that the app can run, but they do not establish a Development-to-Production deployment.

Validation and discussion

Check	Evidence required; execution pending
Dependency validation	No unresolved blocking errors
Stage release	Published version and visible test change
Role and calculation smoke tests	Expected allowed/denied actions and correct amount
Production release	Successful native version status
Live verification	Reviewed change visible to the intended user

Result

The native deployment sequence, release responsibilities and smoke tests are documented. Actual environment setup, staging publication and production publication remain pending. No deployment-success screenshot has been fabricated.

Viva focus

Explain why publishing a record to GitHub does not deploy an application to Creator Production.

Reading: Publishing applications in environments (official Zoho documentation, reviewed 19 October 2026).

Reading: Understanding environments (official Zoho documentation, reviewed 19 October 2026).