



Alina Karpelceva / Riga TechGirls

@

Tech Leads Vilnius

17.01.2019



Industry's growth is  
majorly limited if you  
have only 1 kind of people  
building it

DOSBox 0.74, Cpu speed: 3000 cycles, Frameskip 0, Program: TURBO

File Edit Search Run Compile Debug Tools Options Window Help

LAT.PAS 1

```
PROGRAM Lat;
BEGIN
  WriteLn('Hello World');
END.
```

[■] Output 2=[↑]


Hello World

F1 Help ↑↓↔ Scroll F10 Menu

**МАТЕМАТИЧЕСКОЕ  
ОБЕСПЕЧЕНИЕ  
ЭВМ**

**К.Йенсен, Н.Вирт**

**ПАСКАЛЬ  
Руководство  
для пользователя**




Б20110



**МАТЕМАТИЧЕСКОЕ  
ОБЕСПЕЧЕНИЕ  
ЭВМ**


**К.Йенсен, Н.Вирт**

**ПАСКАЛЬ  
Руководство  
для пользователя**



Б20110













The screenshot shows the Atom code editor interface. The top menu bar includes Atom, File, Edit, View, Selection, Find, Packages, Window, and Help. The title bar displays "GetLoanForm.js — ~/Downloads/". The status bar on the right shows various system icons. The left sidebar is titled "Project" and lists the project structure:

- > public
- src
  - actions
    - index.js
  - api
  - components
    - Home
    - Loans
    - Register
      - GetLoanForm.js
  - UI
    - Button.js
    - Footer.js
    - Header.js
  - .DS\_Store
  - App.js
- containers
  - Home.js
  - Loans.js
  - Register.js
- reducers
- styles
  - .DS\_Store
  - index.css
  - index.js
  - logo.svg
  - registerServiceWorker.js
- .DS\_Store
- .eslintignore
- .eslintrc.js
- .gitignore
- package-lock.json
- node\_modules

The main editor area shows the code for "GetLoanForm.js". The code uses ES6 syntax and imports various React components and utility functions from external packages like redux-form, react-redux, and react-router-dom. It defines a class component "GetLoanForm" that handles form submission and navigation.

```
1 import React, { Component } from 'react';
2 import { Field, reduxForm } from 'redux-form';
3 import { connect } from 'react-redux';
4 import injectSheet from 'react-jss';
5 import { withRouter } from 'react-router-dom';
6 import PropTypes from 'prop-types';
7
8 import { applyForLoan } from '../../../../../actions';
9 import Button from '../UI/Button';
10 import styles from '../../../../../styles/GetLoanForm';
11
12 class GetLoanForm extends Component {
13   onSubmit(values) {
14     this.props.applyForLoan(
15       values,
16       this.props.slider.amountValue,
17       this.props.slider.termValue,
18       () => {
19         this.props.history.push('/');
20       },
21     );
22   }
23
24   renderField = (field) => {
25     const { meta: { touched, error } } = field;
26     const { classes } = this.props;
27     const className = `${classes.formGroup} ${touched && error ? 'has-danger' : ''}`;
28
29     return (
30       <div className={className}>
31         <input
```

# Dažniausiai užduodami klausimai

- Kokias būdais galima pateikti paraišką paskolai gauti?
- Ko reikia, norint gauti paskolą?
- Ką reikia atlikti, norint gauti paskolą?

Jums reikės, naudojantis paskolos skaičiuokle, pasirinkti sumą, grąžinimo terminą, pateikti paraišką, užsiregistrnuoti, ir patvirtinti savo tapatybę.


Tapatybę patvirtinti galite šliais būdais:

1. Prisijunkite prie savo profilio, kurį susikūrėte [www.vivus.lt](http://www.vivus.lt) svetainėje. Iš pateikto sąrašo pasirinkite banką, kuriame turite sąskaitą ir naudojantis AB Instantor paslaugomis, prisijunkite prie savo elektroninės bankininkystės. Atlikus šiuos veiksmus patvirtinsite savo banko sąskaitą.
2. Iš savo asmeninės banko sąskaitos, į Vivus.lt banko sąskaitą, pagal pateiktus nurodymus perveksite 0,01 € banko sąskaitos registracijos mokesčių. Naudojantis šiuo būdų Jums sąskaitoje reikia turėti ne mažiau nei 0,60 EUR (perivedimo kaina priklauso nuo Jūsų banko tarifų).

- Kaip galiu atsisakyti naujienu?
- Ar galiu atsisakyti tik dalies gaunamų naujienu?
- Kuo skiriasi bendrosios naujienos nuo specialių pasiūlymų ir kas yra profiliavimas?
- I kurią sąskaitą pervesti 0,01 EUR banko sąskaitos registracijos mokesčių?
- Kaip greitai galima gauti paskolą?
- Kokiam laikotarpiui galiu gauti paskolą?

Norédami Jums pasiūlyti paslaugas mūsų Interneto svetainėje, prašome leisti išrašyti Jūsų kompluteryje (įrenginyje) tam tikrą informaciją – slapukus (angl. „cookies“). Informacija apie naudojamus slapukus ir kaip jų atsisakyti pateikiama šioje politikoje.

- Ar reikalinga pažyma iš darbovietės arba kiti dokumentai?



SUTINKU

Type to search

Read Me

Introduction

Motivation

Core Concepts

Three Principles

Prior Art

Ecosystem

Examples

Basics

Actions

Reducers

Store

Data Flow

Usage with React

Example: Todo List

# Core Concepts

Redux itself is very simple.

Imagine your app's state is described as a plain object. For example, the state of a todo list might look like this:

```
{  
  todos: [{  
    text: 'Eat food',  
    completed: true  
  }, {  
    text: 'Exercise',  
    completed: false  
  }],  
  visibilityFilter: 'SHOW_COMPLETED'  
}
```

This object is like a "model" except that there are no setters. This is so that different code can't change the state arbitrarily, causing hard-to-reproduce bugs.

To change something in the state, you need to dispatch an action. An action is a plain JavaScript object (notice how we don't introduce any magic?) that describes what











# Meetups



# The Scully Effect








Diverse  
backgrounds  
= success

Think  
exponentially





leraksts no 29.11.2017. eTwinning vebināra par "Hour of code"

anymeeting

ATTENDEES CHAT

- eTwinning Latvia
- Inta
- Agita Ozolina
- Aldis
- Biruta Lasmane
- Diana Zvejniece
- Dzintra Lazda

MORE VIDEOS

Riga TechGirls

1:55 / 1:00:03

leraksts no 29.11.2017. eTwinning vebinara par "Hour of code"

anymeeting

ATTENDEES CHAT

- tekstu 4 minutes ago
- Agita Ozolina Stādu ar tekstu 4 minutes ago
- Inara Petrovoka tekstu 4 minutes ago
- Zane Kainina Pēc 14 ilmesa ir Hour of Code sertifikats. Bēriem noteikti pariks redzēt fizisku apliecinājumu darbam 4 minutes ago
- Inese Lude Zane, bet sertifikats ir arī tad, ja iznē TIKAI 14. LIMENI 3 minutes ago
- Erika Siliņa Ja bez vīsa tā iegrieķējās var uziņ 14. ilmeni, kādzīt 2 minutes ago

Decorate the school: Use our posters...or make your own!

KEEP CALM AND CODE ON @ W

The Hour of Code December 9, 2014 8:00 AM - 9:00 AM

"Don't just play on your phone, program it."

3 DAYS UNTIL

HOUR OF CODE #HourOfCode #Teach

MORE VIDEOS

41:34 / 1:00:03



Fire  
yourself

Leaders  
Doers  
Carers  
Thinkers



# Power of Change

2000+ people went through our events:

- 14 meetups
- 40+ workshops
- 12 organisations cooperated (Tele2, Accenture, Microsoft, Latvian University, etc.)

# Meet Riga Tech Girls



It was  
transfor  
mational  
for me

@rigatechgirls

[facebook.com/RigaTechGirls](https://facebook.com/RigaTechGirls)

[twitter.com/RigaTechGirls](https://twitter.com/RigaTechGirls)

[instagram.com/RigaTechGirls](https://instagram.com/RigaTechGirls)

[medium.com/RigaTechGirls](https://medium.com/RigaTechGirls)