



Cue Corner — Complete System Documentation

Version: 4.0

Database: SQLite (`backend/database/cafe.db`)

Backend: Node.js / Express (port 3001)

Frontend: React (built, served by backend)

Language Support: English / العربية



Table of Contents

1. [Getting Started](#)
 2. [System Architecture](#)
 3. [Authentication & Roles](#)
 4. [POS \(Point of Sale\)](#)
 5. [Gaming Page](#)
 6. [Orders Page](#)
 7. [Menu Management](#)
 8. [Tables & Stations](#)
 9. [Inventory](#)
 10. [Reports & Accounting](#)
 11. [Business Day](#)
 12. [Employees](#)
 13. [Customers](#)
 14. [Expenses](#)
 15. [Settings & Branding](#)
 16. [Crash Recovery](#)
 17. [Database Schema](#)
 18. [API Reference](#)
 19. [Maintenance & Backups](#)
-

1. Getting Started

1.1 Starting the System

Using the shortcut (recommended):

- Double-click `start.bat` on the desktop
- This starts the backend server and opens the browser
- The system runs at <http://localhost:3001>

Manual start:

```
cd "C:\Users\UserPc\Desktop\Cue Corner"
node backend/server.js
```

1.2 Default Login

Email	Password	Role
admin@cafe.com	admin123	Super Admin

1.3 Stopping the System

- Double-click `stop.vbs` on the desktop
- Or press `Ctrl+C` in the terminal running the server
- Or close the terminal window


1.4 Project Structure

```
Cue Corner/
├─ backend/
│   ├── server.js           # Main entry point, routes, schedulers
│   ├── package.json
│   ├── database/
│   │   ├── setup.js       # Schema creation, migrations, seed data
│   │   └─ cafe.db         # SQLite database file
│   ├── middleware/
│   │   └─ auth.js         # JWT authentication + role authorization
│   ├── routes/
│   │   ├── orders.js      # Orders CRUD + split bill + drafts
│   │   ├── tables.js      # Tables + reservations + gaming sessions
│   │   ├── reports.js     # Daily/weekly/monthly/range + net profit
│   │   ├── settings.js    # Key-value store + backups
│   │   ├── businessDay.js # Open/close day + auto-cleanup
│   │   ├── employees.js   # CRUD + login + password reset
│   │   ├── menu.js        # Categories + items + recipes
│   │   ├── inventory.js   # Stock management + adjustments
│   │   ├── expenses.js    # Expense tracking + bulk import
│   │   └─ customers.js    # Customer management
│   ├── backup.js          # Database backup & restore logic
│   └─ backups/            # Daily backup files (keeps newest 30)
├─ frontend/
│   ├── build/             # Compiled React app (served by backend)
│   ├── src/
│   │   ├── App.js         # ALL frontend pages in one file
│   │   ├── App.css        # Complete design system
│   │   └─ index.js        # React entry point
│   └─ package.json
├─ create_desktop_shortcut.vbs
├─ create_stop_shortcut.vbs
├─ start.bat
├─ stop.vbs
└─ start.vbs
```

2. System Architecture

2.1 Overview

The system is a **single-server, single-file SQLite** application. There is no separate database server — everything runs from one Node.js process that serves both the API and the frontend.



2.2 Key Design Decisions

- **Single-file frontend:** All pages are defined in `frontend/src/App.js` (~146,000 chars). This avoids complex routing/fragmentation.
- **SQLite (no separate DB):** The database is a single file (`backend/database/cafe.db`). No PostgreSQL/MySQL needed.
- **WAL mode:** Uses Write-Ahead Logging for better concurrent read performance.
- **Built frontend:** The React app is compiled into `frontend/build/` and served as static files from the Express server. No separate frontend dev server needed.
- **Local timezone:** All dates are stored in **local server time** (Lebanon UTC+2/UTC+3), not UTC. This avoids off-by-one-day issues.

2.3 Startup Sequence

When `node backend/server.js` starts:

1. Express app initializes with CORS and JSON body parser (5MB limit for QR images)
2. All API route files are mounted under `/api/`
3. `initializeDatabase()` runs:
 - Creates all tables if they don't exist
 - Runs migrations for existing databases
 - Seeds superadmin account, categories, menu items, tables, and inventory (if first run)
4. Express serves the built frontend from `frontend/build/`
5. Server starts listening on port 3001
6. Two background schedulers start:
 - **Auto-close scheduler:** Checks every 15 minutes, auto-closes previous days' open business days after 3 AM
 - **Backup scheduler:** Creates a database backup every day at 4 AM

3. Authentication & Roles

3.1 Authentication

Uses **JWT (JSON Web Tokens)** with a 24-hour expiry.

- **Secret key:** `cafe-software-secret-key-2026` (defined in `backend/middleware/auth.js`)
- Token contains: `{ id, name, email, role }`
- On login, the token and employee info are stored in `localStorage`
- If a 401 or 403 response is received, `localStorage.clear()` is called and the user is redirected to `/login`

3.2 Roles & Permissions

Role	Permissions
Super Admin	FULL ACCESS — all features including settings, password resets, employee management
Admin	POS, Orders (view+status), Menu (view+manage), Tables (view+manage), Reports, Inventory (view+manage), Employees, Accounting, Gaming, Business Day, Customers
Manager	POS, Orders (view+status), Menu (view), Tables (view+manage), Reports, Inventory (view), Accounting, Gaming, Business Day, Customers
Cashier	POS, Orders (view), Tables (view+manage), Gaming
Waiter	POS, Orders (view), Tables (view+manage), Gaming
Kitchen	Orders (view), Orders (update status)

Important: Only **Super Admin** can:

- Delete employees
- Reset employee passwords
- Edit superadmin accounts

Only **Super Admin** and **Admin** can:

- Create/delete menu items and categories
- Manage inventory
- Access settings

3.3 Login API

```
POST /api/employees/login
Body: { email, password }
Response: { token, employee: { id, name, email, role } }
```

All other endpoints require the header: `Authorization: Bearer <token>`

4. POS (Point of Sale)

4.1 Overview

The POS page (`/pos`) is the main order-taking interface. It supports:

- Takeaway and Dine-In orders

- Multi-tab ordering (unlimited simultaneous carts)
- Split bill per person
- Cash and Mobile payment
- Open Tab (pay later)
- Kitchen dispatch printing
- Invoice printing
- **Crash-safe draft saving** (auto-saved to database)

4.2 Order Types

Type	Description
Takeaway	Customer takes food to go. No table assignment.
Dine-In	Customer eats in the cafe. Requires table selection.

4.3 Multi-Tab Ordering

The POS supports **unlimited independent order tabs**. Each tab has its own:

- Order type (Takeaway/Dine-In)
- Table selection
- Cart items
- Discount
- Notes
- Persons (split bill)
- Open order ID (for pay-later tabs)

How tabs work:

- Click "+ New Order" to add a tab
- Click on a tab to switch to it
- Each tab is color-coded when active
- Tabs with items show a badge
- Open tabs (pay-later) show a 📌 pin icon

4.4 Menu Selection Flow

1. Select order type (Takeaway or Dine-In)
2. For Dine-In: select a table
3. Browse categories, click a category to see its items
4. Click items to add to cart
5. Click "← Back to Menu" to browse another category

4.5 Cart Operations

Action	How
Add item	Click an item card (adds 1)
Increase qty	Click + button on the cart row
Decrease qty	Click - button (removes item at 0)

Clear cart	Click "  Clear" button
Set discount	Enter dollar amount in discount field
Add notes	Type in the notes textarea

4.6 Split Bill (Per-Person Orders)

Setup:

1. Before adding items, type a person's name in the "Person name..." input
2. Click "+ Person" or press Enter
3. Repeat for each additional person

Assigning items to a person:

1. Click on a person's chip in the persons strip (it highlights)
2. Any items you click get assigned to that person
3. Click the person chip again to deselect (items go unassigned)

Cart display:

- Items are grouped by person in the cart
- Each group shows the person's name and running total
- Each person has a "Pay Now" button for individual payment
- Paid persons show with  and "PAID" badge

During payment:

- You can pay for one person at a time
- The remaining persons' items stay in the cart
- The order stays open until all persons have paid
- Or pay the full amount to complete the entire order

4.7 Payment Methods

Method	Description
Cash ()	Record cash payment. Order completes immediately.
Mobile ()	WISH Money / mobile wallet payment. Shows QR code for customer to scan.

Mobile Payment Flow:

1. Click "Pay Now" → select "Mobile" ()
2. A modal shows the cafe's WISH Money QR code
3. Customer scans and pays the exact amount
4. Staff confirms payment received → clicks "Payment Received — Complete Order"
5. Order is marked as paid and completed

4.8 Open Tab (Pay Later)

- For Dine-In orders where the customer will pay later
- Creates the order with status "preparing" and payment "unpaid"
- The tab shows a  pin icon

- The order appears on the Orders page and the Tables page for payment
- Customer can pay later from the Orders page or Tables page

4.9 Kitchen Dispatch Printing

Prints a formatted kitchen ticket with:

- Table number (or "TAKEWAY")
- Items grouped by category
- Quantities in large font
- Special instructions/notes
- Automatically triggers browser print dialog

4.10 Invoice Printing

Prints a formatted customer receipt with:

- Cafe brand name
 - Invoice number (e.g., #0001)
 - Date and time
 - Employee name
 - Items with quantities and prices
 - Person labels for split orders
 - Subtotal, discount, total
 - Payment method
 - Thank you message
 - One-click browser print
-

5. Gaming Page

5.1 Overview

The Gaming page (/gaming) manages **gaming station sessions** (PlayStation, PC, Billiards, Babyfoot). Staff can:

- Start/end sessions on gaming stations
- Track session duration with a timer
- Add food/drink items to the gaming tab
- End session and automatically add session charges to the cart
- **Crash-safe draft saving** (auto-saved to database)

5.2 Station Types

Type	Icon	Description
Playstation		Per-hour rate (billed in full hours)
PC		Per-hour rate (billed in full hours)
Billiards		Per-hour rate (billed in full hours)
Babyfoot		Per-session rate (billed as 1 hour minimum)

5.3 Starting a Session

1. Navigate to the Gaming page
2. Click "► Start" on an available station
3. A session timer starts counting up
4. The session banner shows the station name and elapsed time
5. While the session is active, you can add food/drink items

5.4 Ending a Session

1. Click "■ End" on the active station (or the End button in the banner)
2. The session calculates charges: $\text{ceil}(\text{hours_elapsed}) \times \text{hourly_rate}$
3. Babyfoot is billed as a flat 1-session charge
4. The session charge is added to the cart as an item
5. The station becomes available for the next customer

5.5 Gaming Tab Management

- **Multi-tab support** — each tab can manage a different station
- Stations in use by another tab are shown as "other tab" and cannot be started
- "End All Sessions" button ends ALL active gaming sessions across all stations

5.6 Important Notes

- **Sessions can only be started/ended from the Gaming page**, not the Tables page
 - The sidebar shows a pulsing green dot when any gaming session is active
 - When the timer reaches a new hour, a toast notification appears
 - When a gaming session is ended, the session charge appears in the cart as an "Entertainment" category item
-

6. Orders Page

6.1 Overview

The Orders page (/orders) shows all orders with filtering capabilities.

6.2 Filters

Filter	Options
Status	All / Pending / Preparing / Ready / Completed / Cancelled
Type	All / Takeaway / Dine-In
Date	Today / Yesterday / This Week / Custom range (from/to)
Print Report	Generates a printable report of filtered orders

6.3 Order Statuses

Status	Meaning	Color
--------	---------	-------

Pending	Order received, not yet in preparation	Amber
Preparing	Kitchen is working on the order	Blue
Ready	Order is ready for pickup/serving	Green
Completed	Order paid and fulfilled	Gray
Cancelled	Order was cancelled	Red

6.4 Order Detail Panel

Clicking an order opens the detail panel showing:

- Invoice number, type, table number
- Employee who took the order
- Current status with buttons to change it
- All items with quantities and prices
- Person/label info for split-bill orders
- Subtotal, discount, total
- Payment status

Actions in Detail Panel:

Button	Description
	Print invoice
	Print kitchen dispatch
✓ Mark Paid	Quick mark as paid (if unpaid)
↶ Unpaid	Revert to unpaid (if paid in error)
 Close & Pay	Process payment
Status buttons	Change order status (Pending → Preparing → Ready → Completed)

6.5 Split Bill in Orders Page

For orders with split billing:

- Each person is shown with their items and total
- "Collect \$XX" button per person to accept payment
- Shows person as "✓ Paid" once paid
- Remaining total updates automatically

7. Menu Management

7.1 Overview

The Menu page (`/menu`) manages the cafe's product catalog.

Permissions: Admin, Manager (view+edit), others (view only)

7.2 Categories

Field	Description
Name	Category name (e.g., "Hot Drinks", "Cold Drinks")
Description	Optional category description
Icon	Emoji icon (80+ available icons in the icon picker)
Sort Order	Display order (lower numbers first)

Default Categories:

1. Hot Drinks
2. Cold Drinks
3. Snacks
4. Entertainment

7.3 Menu Items

Field	Description
Name	Item name
Description	Optional item description
Price	Selling price (in USD)
Category	Which category the item belongs to
Preparation Time	Minutes to prepare (shown on POS)
Available	Toggle to show/hide from POS
Track Stock	Enable stock tracking for this item
Stock Quantity	Current stock count
Cost	Cost per unit (for profit calculation)
Recipe	Link to inventory items (for COGS tracking)

7.4 Stock Tracking

When "Track Stock" is enabled for an item:

- The POS shows remaining stock count
 - Items with 0 stock are grayed out and cannot be ordered
 - Stock decrements automatically when orders are placed
 - Stock restores when orders are cancelled
-

8. Tables & Stations

8.1 Overview

The Tables page (`/tables`) manages dining tables and gaming stations.

Permissions: Admin, Manager, Cashier, Waiter (manage)

8.2 Dining Tables

Field	Description
Number	Table number
Seats	Maximum capacity
Section	Location (e.g., window, main)
Status	Available / Occupied / Reserved

Table Actions:

Action	Description
● Occupy	Mark table as occupied (without an order)
○ Free	Release occupied table
 Reserve	Reserve for a guest (name + phone)
Cancel Res.	Cancel reservation
 Pay	Pay open orders at this table (Cash/Mobile)
 Delete	Remove table (Admin only)

Table Display:

- Shows open orders and total owed when occupied
- Reservation info shown when reserved
- Shows timer for gaming stations

8.3 Gaming Stations

Gaming stations are shown in a separate section with a note: "→ Gaming page" — sessions can only be started/ended from the Gaming page.

Type	Icon	Rate
Playstation		Per-hour
PC		Per-hour
Billiards		Per-hour

9. Inventory

9.1 Overview

The Inventory page (`/inventory`) manages stock levels of supplies.

Permissions: Admin, Manager (manage), others (view only)

9.2 Inventory Items

Field	Description
Name	Item name (e.g., "Coffee Beans")
Quantity	Current stock level
Unit	Unit of measurement (e.g., grams, liters, pieces)
Min Quantity	Threshold for low-stock warning
Cost Per Unit	Purchase cost per unit

9.3 Stock Operations

Action	Description
Add Item	Create a new inventory item
Adjust	Add or subtract stock (e.g., +5 or -2)
Low Stock	View all items below minimum quantity

10. Reports & Accounting

10.1 Overview

The Reports page (`/reports`) provides sales analytics. The Accounting page (`/accounting`) provides financial management.

10.2 Report Periods

Period	Description
Daily	Select any date
Weekly	Current week (last 7 days)

Monthly	Select any month
Custom Range	Any from/to date range

10.3 Report Data

Each report shows:

- **Total Orders** count
- **Total Revenue** in USD
- **Breakdown by type** (Takeaway vs Dine-In)
- **Daily Breakdown** (for weekly/monthly/range)
- **Sales by Item** table (name, category, quantity, revenue)
- **Hourly Sales** (for daily reports)
- **Print Report** button for clean printable format

10.4 Accounting Tabs

Tab	Description
Overview	Monthly overview with revenue, expenses, net profit
Financial Summary	Revenue data with item breakdown
Expenses	List and manage expenses
Cash Flow	Cash flow overview
Net Profit	Revenue - Cost analysis per item with margin %
Mobile Pay QR	Upload and manage mobile payment QR code

10.5 Net Profit Report

Shows profit breakdown per menu item:

- Revenue per item
- Total cost (quantity × cost per unit from menu items)
- Net profit = Revenue - Cost
- Profit margin percentage
- Print button for clean report

11. Business Day

11.1 Overview

The Business Day system controls whether orders can be placed. When the day is closed, the system blocks order creation with an alert.

Permissions: Admin, Manager, Cashier

11.2 Opening the Day

1. Go to Business Day page (`/business-day`)
2. Click "Open Day"
3. Optionally enter opening cash amount and notes
4. The day is now open — orders can be placed

When a day opens, the system automatically:

1. Closes any other open days (prevents multiple open days)
2. Calculates closing cash for auto-closed days
3. Ends all active gaming sessions
4. Frees all occupied dining tables
5. Cancels all unpaid orders from previous days (restoring stock)

11.3 Closing the Day

1. Go to Business Day page
2. Click "Close Day"
3. Optionally enter closing cash amount
4. The day is now closed

11.4 Auto-Close (3 AM)

Every day after 3 AM, the server automatically:

1. Closes any business days from previous dates that are still open
2. Calculates expected closing cash (opening cash + revenue)
3. Ends all active gaming sessions
4. Frees all occupied tables
5. Cancels unpaid orders from previous days

11.5 Auto-Close During the Day

If a day has been open for more than **4 hours** without manual interaction, the system will auto-close it (to prevent accidentally leaving days open overnight).

11.6 Expected Cash

The system calculates expected cash drawer amount: `opening_cash + revenue_from_paid_orders` .

12. Employees

12.1 Overview

The Employees page (`/employees`) manages staff accounts.

Permissions: Admin (manage), Manager (view), Super Admin (full + password reset)

12.2 Employee Fields

Field	Description
Name	Full name
Email	Login email address
Password	Login password (only on create)
Role	cashier / waiter / kitchen / manager / admin
Phone	Optional phone number
Status	Active / Inactive (inactive users cannot log in)

12.3 Role Descriptions (shown in UI)

Role	Description
Cashier	POS · Orders · Tables · Gaming
Waiter	POS · Orders · Tables · Gaming
Kitchen	View Orders · Update Status
Manager	POS · Orders · Menu · Tables · Reports · Gaming · Inventory · Accounting
Admin	Full Access (excluding superadmin-only features)
Super Admin	Full Access — Settings, Users & Passwords

12.4 Super Admin Features

Only the **Super Admin** account can:

- **Delete employees**
- **Reset passwords** for other employees
- Access the **Settings** page
- Edit other superadmin accounts
- Cannot delete their own account
- Cannot change their own role

13. Customers

13.1 Overview

The Customers page (`/customers`) manages customer records.

Permissions: Admin, Manager

13.2 Customer Fields

Field	Description
-------	-------------

Name	Customer name
Phone	Optional phone number
Email	Optional email address
Notes	Optional notes
Since	Auto-recorded creation date

13.3 Usage in POS

When adding persons to a split bill, customers from the database appear in a dropdown for quick selection.

14. Expenses

14.1 Overview

The Expenses section tracks business expenses.

Permissions: Admin, Manager (manage), others (view)

14.2 Expense Fields

Field	Description
Category	Rent / Utilities / Salaries / Supplies / Maintenance / Other
Amount	Expense amount
Description	Optional description
Date	Expense date

14.3 Legacy Migration

On first load, any expenses stored in `localStorage` (`cafe_expenses`) are automatically migrated to the database. This was a fallback from an older version of the system.

15. Settings & Branding

15.1 Overview

The Settings page (`/settings`) allows customization of the cafe's branding.

Permissions: Super Admin only

15.2 Settings Available

Setting	Description
App Name	Custom cafe name displayed throughout the system
Color Theme	8 selectable color presets (Café Classic, Coffee Roast, Soft Breeze, Blue Wave, Midnight, Forest, Sunset, Minimal)
Language	English / العربية

15.3 Theme Colors

Each preset defines:

- `primary` — Main brand color (buttons, headers)
 - `accent` — Secondary accent color
 - `bg` — Page background
 - `section` — Section/card background
 - `dark` — Dark text color
 - `medium` — Medium text color
 - `muted` — Muted/secondary text
 - `border` — Border color
-

16. Crash Recovery

16.1 Overview

The system has built-in crash recovery to prevent data loss when the laptop dies, browser closes, or server crashes.

16.2 Data Persistence Summary

Data	Storage	Crash-Safe?
Completed orders	SQLite database	✔ Safe
Payments	SQLite database	✔ Safe
Menu items	SQLite database	✔ Safe
Inventory	SQLite database	✔ Safe
Employees	SQLite database	✔ Safe
Customers	SQLite database	✔ Safe
Business days	SQLite database	✔ Safe
Expenses	SQLite database	✔ Safe
Settings/QR code	SQLite database	✔ Safe
POS cart (in progress)	SQLite database (auto-saved)	✔ Safe

Gaming cart (in progress)	SQLite database (auto-saved)	✅ Safe
Gaming session	SQLite database (auto-saved)	✅ Safe
Auth token	localStorage	⚠️ Re-login needed
Employee info	localStorage	⚠️ Re-login needed
Language preference	localStorage	⚠️ Defaults to English

16.3 Draft Auto-Save

Both **POS** and **Gaming** carts are automatically saved to the `pos_drafts` database table:

- Saves every **2 seconds** (debounced) when the cart changes
- Each employee has their own draft (per-employee saving)
- Draft is **deleted** after successful payment
- On page load, the draft is **restored** with a toast: "🔄 Restored your previous cart"

What's saved in the POS draft:

- Order type (Takeaway/Dine-In)
- Selected table
- Cart items with quantities and person assignments
- Discount amount
- Notes
- Person names
- Paid persons

What's saved in the Gaming draft:

- All gaming tabs and their carts
- Active tab index
- Active station session (station, start time, rate)

16.4 Server Crash Scenarios

Scenario	Outcome
Server dies while browser is open	Cart stays in browser memory + localStorage. Once server restarts, everything works again.
Server dies + browser refreshed	Page won't load (server is down). Wait for restart, then draft is restored from DB.
Server dies mid-payment	If order was created: order exists in DB as pending/unpaid. Cart stays in browser. Can retry or pay via Orders page. If before order creation: nothing lost, cart preserved.
Laptop dies (complete power loss)	All DB data safe. POS/gaming drafts in DB. On restart, re-login → navigate to POS/Gaming → draft restored automatically.

17. Database Schema

17.1 Tables

employees

id	INTEGER PRIMARY KEY AUTOINCREMENT
name	TEXT NOT NULL
email	TEXT UNIQUE NOT NULL
password	TEXT NOT NULL (bcrypt hashed)
role	TEXT NOT NULL DEFAULT 'cashier'
phone	TEXT
is_active	INTEGER DEFAULT 1
created_at	DATETIME DEFAULT CURRENT_TIMESTAMP

categories

id	INTEGER PRIMARY KEY AUTOINCREMENT
name	TEXT NOT NULL
description	TEXT
sort_order	INTEGER DEFAULT 0
icon	TEXT DEFAULT NULL (emoji character)

menu_items

id	INTEGER PRIMARY KEY AUTOINCREMENT
name	TEXT NOT NULL
description	TEXT
price	REAL NOT NULL
category_id	INTEGER → categories(id)
image	TEXT
is_available	INTEGER DEFAULT 1
preparation_time	INTEGER DEFAULT 5
created_at	DATETIME DEFAULT CURRENT_TIMESTAMP
track_stock	INTEGER DEFAULT 0 (0=no, 1=yes)
stock_quantity	INTEGER DEFAULT 0
cost	REAL DEFAULT 0 (per-unit cost for profit calc)

inventory

id	INTEGER PRIMARY KEY AUTOINCREMENT
name	TEXT NOT NULL
quantity	REAL NOT NULL DEFAULT 0
unit	TEXT NOT NULL
min_quantity	REAL DEFAULT 10

cost_per_unit	REAL DEFAULT 0
updated_at	DATETIME DEFAULT CURRENT_TIMESTAMP

tables

id	INTEGER PRIMARY KEY AUTOINCREMENT
number	INTEGER UNIQUE NOT NULL
seats	INTEGER DEFAULT 4
status	TEXT DEFAULT 'available' (available/occupied/reserved)
section	TEXT DEFAULT 'main'
type	TEXT NOT NULL DEFAULT 'table' (table/playstation/pc/billiards/babyfoot)
hourly_rate	REAL DEFAULT 0.0
session_start	DATETIME DEFAULT NULL
reservation_name	TEXT DEFAULT NULL
reservation_phone	TEXT DEFAULT NULL

orders

id	INTEGER PRIMARY KEY AUTOINCREMENT
invoice_number	INTEGER DEFAULT NULL
order_type	TEXT NOT NULL DEFAULT 'takeaway' (takeaway/dine-in)
table_id	INTEGER → tables(id)
employee_id	INTEGER → employees(id)
status	TEXT DEFAULT 'pending' (pending/preparing/ready/completed/cancelled)
subtotal	REAL DEFAULT 0
discount	REAL DEFAULT 0
total	REAL DEFAULT 0
payment_method	TEXT
payment_status	TEXT DEFAULT 'unpaid' (unpaid/paid)
notes	TEXT
created_at	DATETIME DEFAULT CURRENT_TIMESTAMP (stored in LOCAL time)
completed_at	DATETIME

order_items

id	INTEGER PRIMARY KEY AUTOINCREMENT
order_id	INTEGER NOT NULL → orders(id)
menu_item_id	INTEGER NOT NULL → menu_items(id)
quantity	INTEGER NOT NULL DEFAULT 1
unit_price	REAL NOT NULL
total_price	REAL NOT NULL
notes	TEXT
person_label	TEXT DEFAULT NULL (for split bill)

order_persons

id	INTEGER PRIMARY KEY AUTOINCREMENT
order_id	INTEGER NOT NULL → orders(id)
label	TEXT NOT NULL (person's name)
paid	INTEGER DEFAULT 0 (0=no, 1=yes)
paid_amount	REAL DEFAULT 0
paid_method	TEXT
paid_at	DATETIME

business_days

id	INTEGER PRIMARY KEY AUTOINCREMENT
date	TEXT UNIQUE NOT NULL (YYYY-MM-DD, local date)
opened_at	DATETIME
closed_at	DATETIME
status	TEXT DEFAULT 'open' (open/closed)
opening_cash	REAL DEFAULT 0
closing_cash	REAL DEFAULT 0
notes	TEXT

customers

id	INTEGER PRIMARY KEY AUTOINCREMENT
name	TEXT NOT NULL
phone	TEXT
email	TEXT
notes	TEXT
created_at	DATETIME DEFAULT CURRENT_TIMESTAMP

expenses

id	INTEGER PRIMARY KEY AUTOINCREMENT
category	TEXT NOT NULL (rent/utilities/salaries/supplies/maintenance/other)
amount	REAL NOT NULL
description	TEXT DEFAULT ''
date	TEXT NOT NULL
employee_id	INTEGER → employees(id)
created_at	DATETIME DEFAULT CURRENT_TIMESTAMP

settings

key	TEXT PRIMARY KEY
value	TEXT
updated_at	DATETIME DEFAULT CURRENT_TIMESTAMP

menu_inventory (recipe linking)

```
id                INTEGER PRIMARY KEY AUTOINCREMENT
menu_item_id      INTEGER NOT NULL → menu_items(id) ON DELETE CASCADE
inventory_item_id INTEGER NOT NULL → inventory(id) ON DELETE CASCADE
quantity_needed   REAL NOT NULL DEFAULT 1
```

pos_drafts (crash-safe cart)

```
id                INTEGER PRIMARY KEY AUTOINCREMENT
employee_id       INTEGER NOT NULL → employees(id)
draft_data        TEXT NOT NULL (JSON)
updated_at        DATETIME DEFAULT CURRENT_TIMESTAMP
```

18. API Reference

18.1 Authentication

Method	Endpoint	Auth	Description
POST	/api/employees/login	No	Login, returns JWT token

18.2 Employees

Method	Endpoint	Auth	Description
GET	/api/employees	Admin+	List all employees
POST	/api/employees	Admin+	Create employee
PUT	/api/employees/:id	Admin+	Update employee
DELETE	/api/employees/:id	Super Admin	Delete employee
POST	/api/employees/:id/reset-password	Super Admin	Reset password

18.3 Menu

Method	Endpoint	Auth	Description
GET	/api/menu/categories	No	List categories
POST	/api/menu/categories	Admin+	Create category
PUT	/api/menu/categories/:id	Admin+	Update category
DELETE	/api/menu/categories/:id	Admin+	Delete category
GET	/api/menu/items	No	List menu items
GET	/api/menu/items/:id	No	Get single item with recipe

POST	/api/menu/items	Admin+	Create item
PUT	/api/menu/items/:id	Admin+	Update item
DELETE	/api/menu/items/:id	Admin+	Delete item

18.4 Inventory

Method	Endpoint	Auth	Description
GET	/api/inventory	Auth	List inventory
GET	/api/inventory/low	Auth	Low stock items
POST	/api/inventory	Admin+	Create inventory item
PUT	/api/inventory/:id	Admin+	Update item
POST	/api/inventory/:id/adjust	Auth	Adjust stock (+/-)
DELETE	/api/inventory/:id	Admin+	Delete item

18.5 Tables

Method	Endpoint	Auth	Description
GET	/api/tables	Auth	List all tables
POST	/api/tables	Admin+	Create table
PUT	/api/tables/:id/status	Auth	Change status
PUT	/api/tables/:id/reserve	Auth	Reserve table
PUT	/api/tables/:id/cancel-reservation	Auth	Cancel reservation
POST	/api/tables/:id/start-session	Auth	Start gaming session
POST	/api/tables/:id/end-session	Auth	End gaming session
GET	/api/tables/gaming-sessions/active	Auth	List active sessions
POST	/api/tables/gaming-sessions/end-all	Manager+	End all sessions
DELETE	/api/tables/:id	Admin+	Delete table

18.6 Orders

Method	Endpoint	Auth	Description
GET	/api/orders	Auth	List orders (with filters)
GET	/api/orders/:id	Auth	Get order with items + persons
POST	/api/orders	Auth	Create order

POST	/api/orders/:id/items	Auth	Add items to order
POST	/api/orders/:id/persons	Auth	Add person to order
PUT	/api/orders/:id/persons/:pid/pay	Auth	Pay person's share
PUT	/api/orders/:id/status	Auth	Update status
PUT	/api/orders/:id/payment	Auth	Process payment
PUT	/api/orders/:id/mark-paid	Auth	Quick mark as paid
PUT	/api/orders/:id/mark-unpaid	Auth	Revert to unpaid
DELETE	/api/orders/:id	Manager+	Delete order
GET	/api/orders/draft	Auth	Get saved draft
PUT	/api/orders/draft	Auth	Save/update draft
DELETE	/api/orders/draft	Auth	Delete draft

18.7 Reports

Method	Endpoint	Auth	Description
GET	/api/reports/daily?date=YYYY-MM-DD	Auth	Daily report
GET	/api/reports/weekly	Auth	Weekly report
GET	/api/reports/monthly?month=YYYY-MM	Auth	Monthly report
GET	/api/reports/range?from=&to=	Auth	Custom range report
GET	/api/reports/net-profit?from=&to=	Auth	Net profit report
GET	/api/reports/employee	Manager+	Employee sales report

18.8 Business Day

Method	Endpoint	Auth	Description
GET	/api/business-day/today	Auth	Get today's day status
GET	/api/business-day	Cashier+	Get day history
POST	/api/business-day/open	Cashier+	Open the day
POST	/api/business-day/close	Cashier+	Close the day
GET	/api/business-day/expected-cash	Auth	Expected cash calculation

18.9 Expenses

Method	Endpoint	Auth	Description
--------	----------	------	-------------

GET	/api/expenses	Auth	List expenses (with filters)
GET	/api/expenses/:id	Auth	Get single expense
POST	/api/expenses	Auth	Create expense
POST	/api/expenses/bulk	Manager+	Bulk import expenses
PUT	/api/expenses/:id	Manager+	Update expense
DELETE	/api/expenses/:id	Manager+	Delete expense

18.10 Customers

Method	Endpoint	Auth	Description
GET	/api/customers?search=	Auth	List/search customers
POST	/api/customers	Auth	Create customer
PUT	/api/customers/:id	Auth	Update customer
DELETE	/api/customers/:id	Auth	Delete customer

18.11 Settings

Method	Endpoint	Auth	Description
GET	/api/settings/:key	Public*	Get setting value
PUT	/api/settings/:key	Manager+	Set setting value
POST	/api/settings/backup	Manager+	Create manual backup
GET	/api/settings/backups	Auth	List backups
POST	/api/settings/backup/restore	Manager+	Restore from backup

*Public keys (app_name, color_preset, logo) can be read without authentication

19. Maintenance & Backups

19.1 Automatic Backups

The system automatically creates a database backup every day at **4 AM**:

- Backup files are stored in `backend/backups/`
- Filename format: `cafe-backup-YYYY-MM-DDTHHMM.db`
- Keeps the **newest 30 backups** (oldest are automatically deleted)
- WAL checkpoint runs before backup for a consistent snapshot

19.2 Manual Backup

1. Go to Settings page
2. Click "Create Backup"
3. A timestamped backup file is created immediately

19.3 Manual Restore

1. Go to Settings page
2. Find the backup in the list
3. Click "Restore" next to the desired backup
4. A **safety backup** of the current database is created before restoring
5. If restore fails, the system automatically recovers from the safety backup

19.4 Scheduler (Auto-Close)

The auto-close scheduler runs every 15 minutes:

- After 3 AM: automatically closes any previous days' open business days
- Frees occupied tables and gaming stations
- Cancels unpaid orders from previous days (restoring stock)
- Auto-closes days that have been open for more than 4 hours

19.5 Database Location

The database file is at: `backend/database/cafe.db`

Important: To make a manual backup, copy this file while the server is running — WAL mode allows reads during writes. For maximum safety, use the built-in backup system instead.

Appendices

A. Keyboard Shortcuts

Key	Context	Action
Enter	Person input	Add person
Click	Anywhere	Navigate

B. Color Presets

Preset	Primary	Accent	Vibe
Café Classic	#6f4e37	#d4a574	Warm browns & cream
Coffee Roast	#4a3520	#c47e35	Rich dark coffee tones
Soft Breeze	#7c9eb2	#b8d4e3	Light airy pastels
Blue Wave	#1a5f7a	#4a9bbf	Deep ocean blues
Midnight	#1a1a2e	#e94560	Dark & dramatic

Forest	#2d5a27	#8fc27e	Natural greens
Sunset	#c96b3e	#f4a460	Warm oranges
Minimal	#333333	#666666	Clean & simple

C. Default Menu Items

Item	Category	Price
Tea	Hot Drinks	\$1.50
Turkish Coffee	Hot Drinks	\$2.00
Cappuccino	Hot Drinks	\$3.50
Nescafe	Hot Drinks	\$2.50
Espresso	Hot Drinks	\$2.00
Hot Chocolate	Hot Drinks	\$3.00
Latte	Hot Drinks	\$3.50
Mineral Water	Cold Drinks	\$1.00
Coca Cola	Cold Drinks	\$2.00
Fresh Orange Juice	Cold Drinks	\$4.00
Lemonade	Cold Drinks	\$3.50
Iced Coffee	Cold Drinks	\$3.50
Laziza Drink	Cold Drinks	\$3.00
Potato Chips	Snacks	\$1.50
Cookies	Snacks	\$2.00
Peanuts	Snacks	\$1.50
Sandwich	Snacks	\$5.00
Croissant	Snacks	\$2.50
Playstation Time	Entertainment	\$5.00/hr
PC Time	Entertainment	\$3.00/hr
Billiards Time	Entertainment	\$8.00/hr
Babyfoot Session	Entertainment	\$2.00/session

D. Default Inventory

Item	Quantity	Unit
Coffee Beans	5000	grams
Milk	20	liters
Sugar	3000	grams
Cups (Small)	200	pieces
Cups (Large)	150	pieces
Tea Bags	100	pieces

E. Default Tables

Number	Type	Seats	Section	Rate
1	Table	2	Window	—
2	Table	2	Window	—
3	Table	4	Main	—
4	Table	4	Main	—
5	Table	6	Main	—
6	Playstation	2	Gaming	\$5.00/hr
7	Playstation	2	Gaming	\$5.00/hr
8	PC	1	PC Zone	\$3.00/hr
9	PC	1	PC Zone	\$3.00/hr
10	Billiards	2	Lounge	\$8.00/hr
11	Babyfoot	2	Lounge	\$2.00/session

Document generated from the Cue Corner v4.0 codebase.

For support, contact Tech Mindset Lb: <https://techmindset-lb.com/>