

Here is the Phase 0 Blueprint — Final Edition, written exactly for prompt-entry, documentation, and spreadsheet construction.

This is the master rulebook.

This is what the AI, the human operator, and the future code will all follow.

This is the skeleton of AllMight before any automation or coding occurs.

Everything here is structured so you can copy/paste into GitHub, build the spreadsheet, and begin testing the confluence engine by hand.

---

## PHASE 0 BLUEPRINT (FINAL EDITION)

The Complete Paper-Brain Specification for AllMight v2.0

---

=====

### 0. PHASE 0 PURPOSE

=====

Phase 0 exists to define every input, output, score, rule, and decision BEFORE any line of code is written.

This is a pure logic phase.

No coding.

No APIs.

No backtesting.

No bot functions.

Phase 0 produces:

A complete spreadsheet with all engines

A rulebook with every condition defined

Decision tables for all modules

Confluence formulas

Trade authorization logic

Risk logic

Regime logic

Survival logic

Predictive logic

Data mapping for future coding

A manual simulation environment

Everything that follows depends on Phase 0 being precise.

---

=====

## 1. PHASE 0 FILES REQUIRED

=====

You must build three documents:

### 1.1 Phase 0 Spreadsheet (Primary System)

Tabs:

#### 0. Master Library (definitions)

1. Structure – SSP
2. Structure – Pressure Engine
3. Structure – Sweep Engine
4. Structure – AMD
5. Market Cycle Engine
6. Fractal Trend Engine

#### 7. Liquidity Architecture

#### 8. Imbalance Architecture

9. Dynamic Liquidity Map
10. OB Quality
11. SR Quality
12. Pattern Density
13. Execution Footprints
14. Liquidation Engine
15. Orderflow Projection
16. Liquidity Shock
  
17. TrendStack
18. Kalman Trend
19. Nadaraya-Watson Trend
20. ATR Trend
21. TMV
  
22. Volatility Forecast
23. Adaptive Volatility Envelopes
24. Variance Scaling
  
25. Tail Risk
26. Scenario Stress Tests
27. Black Swan Engine
28. Equity Curve Intelligence
  
29. Execution Route Safety (MEV)
30. Shock Absorber Layer
31. MicroScalp
32. Directional Impulse
33. Arbitrage + Flashloan Pre-checks
  
34. Predictive – Anomaly Engine
35. Predictive – Micro-Pattern Engine
36. Predictive – Pattern DNA
37. Predictive – Regime DNA
38. Predictive – Regime Transition
39. Predictive – Signal Synthesis
  
40. Regime Classification
41. Dynamic Weight Profiles
42. Genetic Weight Evolution
43. Liquidity Migration Tracker
44. Macro-Micro Bridge
45. Cross-Market Triggers

46. MCS (Master Confluence System)

47. Cost Model

48. Trade Authorization

49. Weekly Income System

50. Capital Segmentation

51. Safety Mode

52. Survival Mode

53. Fail-safe Logic

54. Crisis Tilt

55. Operator Performance (Infinite Grit)

56. Daily Checklist

---

## 1.2 Phase 0 Rulebook (Textual Definitions)

A plain-text or .md file containing:

Definitions

Conditions

If/Then rules

Thresholds

Edge cases

Scoring logic

---

## 1.3 Phase 0 Simulator (Optional but recommended)

A sheet where you:

Pick an asset

Pick a timeframe

Enter price data manually

Score each engine manually

Watch MCS build

This is the "Paper Brain."

---

=====

## 2. HOW TO BUILD EACH ENGINE (Blueprint Rules)

=====

Below is everything you must define during Phase 0.

Treat these as required fields in your rulebook AND spreadsheet.

---

-----

### 2A. STRUCTURE BRAIN BLUEPRINT

-----

#### 2A.1 SSP – Pure Structure

Define:

BOS Up

BOS Down

CHOCH Up

CHOCH Down

Swing High rules

Swing Low rules

External vs Internal structure

Trend state (bull, bear, Consolidation, Expansion)

Outputs:

StructureBias

StructureScore (0–3)

---

## 2A.2 Institutional Pressure Engine

Define:

MomentumStrength (0–3)

DivergenceStrength (0–2)

DivergenceQuality (0–2)

MoneyFlowPressure (0–2)

VolatilityPressure (0–1)

Output: PressureScore (0–10)

---

## 2A.3 Sweep Engine

Types:

Internal Liquidity Sweep

External Liquidity Sweep

Equal High Sweep

Equal Low Sweep

Manipulation Wick Sweep

Output: SweepScore (0–3)

---

2A.4 AMD Engine

States:

Accumulation

Manipulation

Distribution

Output: AMDScore (0–3)

---

2A.5 Market Cycle Engine

States:

ACCUM

EXPAND

DISTRIBUTE

CONTRACT

Output: CycleScore (0–3)

---

## 2A.6 Fractal Trend Engine

Define:

Early Stage

Mid Stage

Late Stage

Exhaustion

Output: FractalTrendScore (0–3)

---

-----

## 2B. LIQUIDITY & MICROSTRUCTURE BRAIN BLUEPRINT

-----

### 2B.1 Liquidity Architecture Engine

Define:

MarketMemoryScore (0–3)

LiquidityPocketScore (0–2)

VolumeImbalanceScore (0–3)

---

### 2B.2 Imbalance Architecture Engine



Define:

VolumeGapScore

RebalanceLikelihood

FairValueGapMomentumFlag

---

### 2B.3 Dynamic Liquidity Map Engine

Define:

LiquidityTrapScore

DynamicBiasScore

HeatmapRules

---

### 2B.4 OB Quality Engine

Define: Criteria:

Mitigation strength

Reaction strength

Volume support

Liquidity alignment

Output: OBQualityScore (0–3)

---

## 2B.5 SR Quality

Output: SRQualityScore (0–3)

---

## 2B.6 Pattern Density

Define:

DensityScore (0–3)

HighConvictionFlag

---

## 2B.7 Execution Footprint

Define:

AlgoFootprintScore (0–2)

MemoryZoneFlag

---

## 2B.8 Liquidation Engine

Define:

ReversalScore

StopRunFlag

AbsorptionFlag

---

## 2B.9 Orderflow Projection Engine

Define:

ExpectedAbsorptionProbability

ExpectedBreakProbability

---

## 2B.10 Liquidity Shock Predictor

Define:

ShockProbability

ShockType

---

## 2B.11 Liquidity Migration

Define:

MigrationScore

DestinationMap

DepartureMap

---

-----

## 2C. TREND BRAIN BLUEPRINT

---

Trend engines to define:

TrendStackScore

KalmanConfidence

NWTrendScore

ATRSlopeScore

TMVScore

Rules:

What counts as trend continuation?

What counts as early reversal?

---

---

## 2D. VOLATILITY & RISK BRAIN BLUEPRINT

---

Define:

Tail-Risk Engine

TailRiskLevel (0–3)

Scenario Stress Tester

StressTestPassRate

ScenarioRiskScore

Black Swan Engine

BlackSwanRiskLevel

Volatility Forecast Engine

ForecastLevel

ExpectedWindow

Adaptive Volatility Envelopes

EnvelopeState

EnvelopeWidth

Variance Scaling

ScalingFactor

Equity Intelligence

EquityStressLevel

---

-----

## 2E. EXECUTION BRAIN BLUEPRINT

-----

Define:

RouteSafetyScore

MaxSlippage

MaxGas

MEVProtection

FlashloanSafety

Also:

MicroScalpRules

DirectionalImpulseRules

---

-----

## 2F. PREDICTIVE BRAIN BLUEPRINT

-----

Anomaly Engine

Define:

AnomalyType

AnomalySeverity

Micro-Pattern Engine

Define:

Pattern types

Pattern bias

Pattern confidence

## Pattern DNA Engine

Define:

ClusterID

Confidence

OutcomeBias

## Regime DNA Engine

Define:

RegimeDNAClusterID

Confidence

## Regime Transition Forecast

Define:

ExpectedShift

ForecastStrength

## Signal Synthesis Engine

Define:

SynthesisStrength

SynthesisBias

Confidence

## Genetic Weight Evolution

Define:

Mutation rules

Selection rules

Boundaries

---

-----

## 2G. SURVIVAL BRAIN BLUEPRINT

-----

Safety Mode

Define all triggers.

Survival Mode

Define all triggers.

Capital Segmentation

Define:

Operational

ISO basket

Metals

Dividends

Emergency

Crisis Tilt

Define what conditions shift capital into metals/ISO.

Fail-safes



Define per-engine halt rules.

---

-----

## 2H. MCS – MASTER CONFLUENCE BLUEPRINT

-----

Define:

All inputs

All weights

Dynamic regime weights

Variance scaling effects

Decay factors

Final formula example:

$$\text{MCS} = \sum (\text{EngineScore}_i \times \text{Weight}_i \times \text{RegimeWeight}_i \times \text{VarianceScale}_i \times \text{Decay}_i)$$

Thresholds:

<15 → Yield/Arb only

15–21 → Light directional

21–28 → Full directional

≥28 → Flashloan

---

-----

## 2I. TRADE AUTHORIZATION BLUEPRINT

---

A trade must pass:

1. Macro OK
2. Regime OK
3. Structure OK
4. Liquidity OK
5. Trend OK
6. Volatility OK
7. Execution OK
8. Predictive OK
9. Survival OK
10. Cost OK
11. MCS OK

If any fails → NO TRADE.

---

-----

## 2J. WEEKLY INCOME + CAPITAL FLOW

-----

Define:

Weekly targets

Logic for hitting targets

Automatic risk reduction after targets

Capital routing to:

Metals

ISO-20022

Stable dividends

---

=====

## 3. DAILY OPERATOR WORKFLOW (PHASE 0)

=====

Every day during Phase 0:

1. Pick an asset & timeframe

2. Capture candle data

3. Fill each engine manually

4. Record all scores

5. Compute MCS

6. Determine whether a trade would be taken

7. Compare prediction → outcome

8. Refine Phase 0 rules

This builds intuition and validates the architecture.

---

=====

#### 4. COMPLETION REQUIREMENTS

=====

Phase 0 is complete when:

All engines fully defined

All thresholds set

MCS formula finalized

Risk systems complete

Survival logic complete

Macro triggers defined

Regime tables filled

Pattern tables built

Simulator working

50+ manual sample walks completed

---

=====

END OF PHASE 0 BLUEPRINT (FINAL EDITION)

=====

---

★ Phase 0 Blueprint Complete.

## PHASE 0 BLUEPRINT — APPENDIX A

### Context, Philosophy & Narrative Immunity (Phase 0.1)

---

#### A.1 PURPOSE OF THIS APPENDIX

This appendix formally aligns the Phase 0 Workbook and Blueprint with the **frozen philosophical doctrine** established in the Unified Master v2.0.4.

Its purpose is to:

- Prevent narrative, belief, or macro interpretation from contaminating execution
- Clarify the *role* of philosophy in Phase 0
- Define strict behavioral boundaries for the operator

- Preserve the quantitative authority of the Master Confluence System (MCS)
- Reduce second-guessing during uncomfortable but valid signals

This appendix introduces **no new logic**, **no new scores**, and **no new execution rules**.

---

## A.2 PHASE 0 PHILOSOPHY BOUNDARY (NON-NEGOTIABLE)

Within Phase 0:

- Philosophy is **contextual only**
- Philosophy is **read-only**
- Philosophy is **non-executable**
- Philosophy has **zero authority** over trade authorization

Accepted philosophical lenses include (as defined in the Unified Master):

- Smart Money Concepts (microstructure only)
- Debt-cycle dynamics (Dalio)
- System destination awareness (CAF)
- Behavioral lag & population patterns (Psycho-History)
- Transnational systems theory & asymmetry

These frameworks may **explain** conditions but may **never decide** them.

---

## A.3 EXECUTION AUTHORITY HIERARCHY (PHASE 0)

In Phase 0, **execution authority flows strictly as follows**:

1. Market Structure
2. Liquidity Architecture
3. Trend & Momentum
4. Volatility & Risk
5. Predictive Engines
6. Execution Safety
7. **Master Confluence System (MCS)**

Macro philosophy, narratives, behavioral theory, and historical analogies sit **outside** this hierarchy.

They do not:

- generate trades
- block trades
- modify scores
- modify weights
- override MCS outcomes

---

## **A.4 MACRO CONTEXT & BEHAVIORAL AWARENESS (READ-ONLY)**

Phase 0 may include a **read-only context surface** for operator awareness.

This surface exists to answer:

- *Why does this signal feel uncomfortable?*
- *Is discomfort coming from narrative, not data?*

- *Is this a known behavioral lag phase?*

This context surface:

- Contains **no formulas**
- Contains **no numeric scoring**
- Does **not feed MCS**
- Does **not influence execution**

Its sole function is **operator discipline**, not decision-making.

---

## A.5 OPERATOR DISCIPLINE RULE (CRITICAL)

Phase 0 assumes the operator is the **largest source of risk** once logic is correct.

The operator must explicitly check for:

- Narrative seduction
- Belief-driven overrides
- Macro fear or optimism bias
- Historical analogy fixation
- “This time is different” thinking

If the operator feels compelled to override valid signals due to macro beliefs, the correct Phase 0 response is:

**Stand down. Do not trade. Do not modify logic.**

This is not system failure — it is discipline enforcement.

---

## A.6 MASTER CONFLUENCE SYSTEM FINALITY



Within Phase 0:

**The Master Confluence System (MCS) output is final.**

No philosophical interpretation, narrative, historical theory, or behavioral model may override a valid MCS outcome.

Disagreement between:

- MCS output
- macro narratives
- personal beliefs

is resolved **in favor of MCS**.

---

## **A.7 FORBIDDEN ACTIONS (PHASE 0)**

The following are explicitly forbidden within Phase 0:

- Introducing philosophy-based scores
- Encoding civilizational stress metrics
- Assigning collapse probabilities
- Using historical analogies as triggers
- Predicting timelines or events
- Weighting beliefs over data
- Modifying logic due to discomfort

Any such modification invalidates Phase 0 results.

---

## **A.8 PHASE 0 STATUS STATEMENT**

With this appendix applied:

- Phase 0 logic is **complete**
- Phase 0 philosophy is **aligned with Unified Master v2.0.4**
- Phase 0 is protected against narrative drift
- Phase 0 remains a **quantitative rehearsal environment**

All future work proceeds downstream into:

- Data acquisition
- Engine automation
- Validation
- Execution

---

## A.9 APPENDIX STATUS

This appendix is classified as:

- Canonical
- Read-Only
- Non-Executable
- Permanent unless Unified Master philosophy is explicitly revised

---

**END — PHASE 0 BLUEPRINT APPENDIX A**