

System. Collections

[Non- Generic Collections]

IEnumerable



ICollection

ID (obj) Stack

ID (obj) Queue

ICollection
↓
IList
Add()

class ArrayList
ID array of objects

IDictionary



class Hashtable

[key, value]

↓
(object)



↓
object

System.Collections.Generic

IEnumerable <T>



ICollection <T>



ICollection <T>

IDictionary <TKey, TValue>



class List <T>


class Dictionary <TKey,
TValue>

① : strongly-
typed collection.



Garbage

Collector: (GC) GC Queue

100 unit



Stuck



Managed Heap
by CLR

Obj: Finalize()

~~OR~~

01 | 02 | 03 |

GC → Finalize Queue

01. Finalize()

02. Finalize()

.

|

|

|

|

|


|


|

|

3) Do not Declare large objects / bulky
80,000 bytes plus objects

large Obj $\rightarrow$ Gen 2





buffer ✓

Data.txt.
persist the Data
on HDD

System. IO

abstract class **Stream**

class File Stream

we can transfer
the Data from one
appⁿ to another appⁿ
and we can persist
the Data on HDD

class NetworkStream

we can transfer
the data across
the network

class CryptoStream

to encrypt
and
decrypt
the data

Serialization

Converting object data into
some other format, so that
we can transfer this object data
over / across the (stream, buffer,
channel, network),
and we can persist it on HDD

data.xml

< ? xml version="1.0" ? >

Rules
↑
XML Schema

< Emp obj="emp1" >

< Id >

1

< Id >

< Name > Hugh Jackman < Name >

< Address > NYC < Address >

< / Emp >

< Emp obj="emp2" >
< Id > < Id > , < Name > - < Address >

< / Emp >