http://localhost:3003/

43	94	74	85

43	94	74	85
Performance	Accessibility	Best Practices	SEO

43

Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

▲ 0–49   50–89   90–100

METRICS	Expand view

First Contentful Paint	▲ Largest Contentful Paint
0.4 s	**8.1 s**

▲ Total Blocking Time	Cumulative Layout Shift
1,650 ms	**0**

Speed Index	
1.6 s	

▮ View Treemap

📢 Later this year, insights will replace performance audits. Learn more and provide feedback here.

Try insights

Show audits relevant to: All   FCP   LCP   TBT   CLS

DIAGNOSTICS

▲ Reduce JavaScript execution time — 4.3 s   ︿

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to reduce Javascript execution time. [TBT]

☑ Show 3rd-party resources (1)

URL	Total CPU Time	Script Evaluation	Script Parse
Unattributable	**3,400 ms**	**2,390 ms**	**11 ms**

URL	Total CPU Time	Script Evaluation	Script Parse
webpack-internal:///(app-pages-browser)/./node_modules/next/dist/compiled/scheduler/cjs/scheduler.development.js	2,055 ms	1,737 ms	0 ms
webpack-internal:///(app-pages-browser)/./node_modules/next/dist/compiled/react-dom/cjs/react-dom-client.development.js	476 ms	387 ms	0 ms
webpack-internal:///(app-pages-browser)/./node_modules/motion-dom/dist/es/frameloop/batcher.mjs	410 ms	90 ms	0 ms
Unattributable	319 ms	62 ms	0 ms
chrome-extension://nlipoenfbbikpbjkfpfillcgkoblgpmj/javascripts/bundles/content.bundle.js	86 ms	73 ms	11 ms
webpack-internal:///(app-pages-browser)/./node_modules/swiper/modules/autoplay.mjs	54 ms	43 ms	0 ms
localhost [1st Party]	**2,403 ms**	**1,146 ms**	**674 ms**
...app/page.js (localhost)	810 ms	446 ms	335 ms
http://localhost:3003	709 ms	131 ms	38 ms
...chunks/main-app.js?v=175... (localhost)	633 ms	486 ms	146 ms
...app/layout.js (localhost)	127 ms	1 ms	125 ms
...chunks/_app-page....js (localhost)	125 ms	83 ms	30 ms
Wappalyzer - Technology profiler [Chrome Extension]	**74 ms**	**30 ms**	**1 ms**
chrome-extension://gppongmhjkpfnbhagpmjfkannfbllamg/js/content.js	74 ms	30 ms	1 ms

▲ Minimize main-thread work — 6.1 s ⌃

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to minimize main-thread work [TBT]

Category	Time Spent
Script Evaluation	3,742 ms
Other	848 ms
Script Parsing & Compilation	736 ms
Style & Layout	575 ms
Rendering	110 ms
Garbage Collection	78 ms
Parse HTML & CSS	50 ms

▲ Largest Contentful Paint element — 8,130 ms ⌃

This is the largest contentful element painted within the viewport. Learn more about the Largest Contentful Paint element [LCP]

Element	
	h1.text-3xl.md:text-5xl.font-extrabold.mb-6.text-[#2591b2]

Phase	% of LCP	Timing
TTFB	4%	350 ms
Load Delay	0%	0 ms
Load Time	0%	0 ms
Render Delay	96%	7,780 ms

⚠ Avoid an excessive DOM size — 2,402 elements   ⌃

A large DOM will increase memory usage, cause longer style calculations, and produce costly layout reflows. Learn how to avoid an excessive DOM size. TBT

Statistic	Element	Value
Total DOM Elements		2,402
Maximum DOM Depth	circle	19
Maximum Child Elements	body.__className_d9b29e	48

⚠ Reduce unused JavaScript — Est savings of 865 KiB   ⌃

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. Learn how to reduce unused JavaScript. FCP LCP

☑ Show 3rd-party resources (1)

URL	Transfer Size	Est Savings
localhost 1st Party	4,461.1 KiB	617.2 KiB
...app/page.js (localhost)	3,580.4 KiB	597.0 KiB
...app/layout.js (localhost)	880.7 KiB	20.2 KiB
Unattributable	308.0 KiB	194.5 KiB
chrome-extension://bgnkhhnnamicmpeenaelnjfhikgbkllg/pages/content-script-start.js	129.5 KiB	65.8 KiB
chrome-extension://hccflbcmekoegenjodacikdoponodeid/content.bundle.js	80.5 KiB	58.8 KiB
chrome-extension://nlipoenfbbikpbjkfpfillcgkoblgpmj/javascripts/bundles/content.bundle.js	69.7 KiB	49.1 KiB
chrome-extension://nlipoenfbbikpbjkfpfillcgkoblgpmj/javascripts/libs/jquery-3.4.0.min.js	28.4 KiB	20.9 KiB

URL	Transfer Size	Est Savings
Google Tag Manager [Tag-Manager]	**129.3 KiB**	**53.2 KiB**
/gtag/js?id=G-HCEHW18495 (www.googletagmanager.com)	129.3 KiB	53.2 KiB

⚠ Page prevented back/forward cache restoration — **5 failure reasons** ⌃

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. Learn more about the bfcache

Failure reason	Failure type
Pages with cache-control:no-store header cannot enter back/forward cache. http://localhost:3003	Actionable
Pages with WebSocket cannot enter back/forward cache. http://localhost:3003	Pending browser support
Pages whose main resource has cache-control:no-store cannot enter back/forward cache. http://localhost:3003	Not actionable
Back/forward cache is disabled because some JavaScript network request received resource with `Cache-Control: no-store` header. http://localhost:3003	Not actionable
Back/forward cache is disabled because WebSocket has been used. http://localhost:3003	Not actionable

Minify JavaScript — Est savings of 84 KiB ⌃

Minifying JavaScript files can reduce payload sizes and script parse time. Learn how to minify JavaScript. [FCP] [LCP]

URL	Transfer Size	Est Savings
Unattributable	**149.5 KiB**	**78.7 KiB**
chrome-extension://bgnkhhnnamicmpeenaelnjfhikgbkllg/pages/content-script-start.js	129.5 KiB	70.2 KiB
chrome-extension://bgnkhhnnamicmpeenaelnjfhikgbkllg/pages/content-script-end.js	20.0 KiB	8.5 KiB
localhost [1st Party]	**10.6 KiB**	**5.2 KiB**
...chunks/webpack.js?v=175... (localhost)	10.6 KiB	5.2 KiB

Serve static assets with an efficient cache policy — **4 resources found** ⌃

A long cache lifetime can speed up repeat visits to your page. Learn more about efficient cache policies.

URL	Cache TTL	Transfer Size
YouTube [Video]		**64 KiB**
...9gbBDQHrOBk/maxresdefault.jpg?sqp=-oaymwEmC... =&rs=AOn4CLAsC... (i.ytimg.com)	2h	61 KiB

| URL	Cache TTL	Transfer Size
/Gcnwg_GRm...=s68-c-k-c0x00ffffff-no-rj (yt3.ggpht.com)	1d	2 KiB
Google CDN [Cdn]		**14 KiB**
...138/cast_sender.js (www.gstatic.com)	1d	14 KiB
Google/Doubleclick Ads [Ad]		**0 KiB**
/instream/ad_status.js (static.doubleclick.net)	15m	0 KiB

Some third-party resources can be lazy loaded with a facade — 1 facade alternative available ⌃

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. Learn how to defer third-parties with a facade. [TBT]

Product	Transfer Size	Main-Thread Blocking Time
YouTube [Video]	**972 KiB**	**0 ms**
YouTube Embedded Player (Video)	972 KiB	0 ms
...en_US/base.js (www.youtube.com)	658 KiB	0 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	103 KiB	0 ms
...9gbBDQHrOBk/maxresdefault.jpg?sqp=-oaymwEmC... =&rs=AOn4CLAsC... (i.ytimg.com)	61 KiB	0 ms
...6e20d3a8/www-player.css (www.youtube.com)	57 KiB	0 ms
/embed/9gbBDQHrOBk (www.youtube.com)	47 KiB	0 ms
Other resources	47 KiB	0 ms

Defer offscreen images — Est savings of 217 KiB ⌃

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. Learn how to defer offscreen images. [FCP] [LCP]

URL	Resource Size	Est Savings
localhost [1st Party]	**217.4 KiB**	**217.4 KiB**
 img.w-full.h-full.object-cover.no-zoom-on-hover /_next/image?url=... (localhost)	10.5 KiB	10.5 KiB
 img.w-full.h-full.object-cover.no-zoom-on-hover /_next/image?url=... (localhost)	9.7 KiB	9.7 KiB
img.w-full.h-full.object-cover.no-zoom-on-hover /_next/image?url=... (localhost)	9.4 KiB	9.4 KiB

	URL	Resource Size	Est Savings
img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	8.9 KiB	8.9 KiB
img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	8.2 KiB	8.2 KiB
img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	8.2 KiB	8.2 KiB
img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	7.9 KiB	7.9 KiB
img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	7.9 KiB	7.9 KiB
img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	7.2 KiB	7.2 KiB
img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	6.8 KiB	6.8 KiB
img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	6.5 KiB	6.5 KiB
img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	6.4 KiB	6.4 KiB
img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	6.0 KiB	6.0 KiB

	URL	Resource Size	Est Savings
 img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	6.0 KiB	6.0 KiB
 img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	5.9 KiB	5.9 KiB
 img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	5.6 KiB	5.6 KiB
 img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	5.5 KiB	5.5 KiB
 img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	5.3 KiB	5.3 KiB
img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	5.1 KiB	5.1 KiB
 img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	5.1 KiB	5.1 KiB
img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	4.7 KiB	4.7 KiB
 img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	4.5 KiB	4.5 KiB
 img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	3.9 KiB	3.9 KiB
 img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	3.9 KiB	3.9 KiB

	URL	Resource Size	Est Savings
img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	3.8 KiB	3.8 KiB
img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	3.7 KiB	3.7 KiB
img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	3.7 KiB	3.7 KiB
img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	3.7 KiB	3.7 KiB
img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	3.5 KiB	3.5 KiB
img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	3.3 KiB	3.3 KiB
img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	3.3 KiB	3.3 KiB
img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	3.2 KiB	3.2 KiB
img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	3.1 KiB	3.1 KiB

	URL	Resource Size	Est Savings
 img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	3.0 KiB	3.0 KiB
 img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	3.0 KiB	3.0 KiB
 img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	2.9 KiB	2.9 KiB
 img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	2.8 KiB	2.8 KiB
 img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	2.8 KiB	2.8 KiB
img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	2.8 KiB	2.8 KiB
 img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	2.5 KiB	2.5 KiB
 img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	2.5 KiB	2.5 KiB
img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	2.3 KiB	2.3 KiB
img.w-full.h-full.object-cover.no-zoom-on-hover	/_next/image?url=... (localhost)	2.1 KiB	2.1 KiB

Avoid serving legacy JavaScript to modern browsers — Est savings of 10 KiB ⌃

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile Baseline features, unless you know you must support legacy browsers. Learn why most sites can deploy ES6+ code without transpiling FCP LCP

URL	Est Savings
localhost 1st Party	**9.2 KiB**

URL	Est Savings
...chunks/main-app.js?v=175... (localhost)	9.2 KiB

:3003/_next/static/c…=1752426056658:2282	@babel/plugin-transform-classes
:3003/_next/static/c…?v=1752426056658:83	Array.prototype.at
:3003/_next/static/c…?v=1752426056658:83	Array.prototype.flat
:3003/_next/static/c…?v=1752426056658:83	Array.prototype.flatMap
:3003/_next/static/c…?v=1752426056658:83	Object.fromEntries
:3003/_next/static/c…?v=1752426056658:83	Object.hasOwn
:3003/_next/static/c…?v=1752426056658:83	String.prototype.trimEnd
:3003/_next/static/c…?v=1752426056658:83	String.prototype.trimStart

Unattributable	**0.7 KiB**
chrome-extension://hccflbcmekoegenjodacikdoponodeid/content.bundle.js	0.7 KiB

content.bundle.js:2	@babel/plugin-transform-classes
content.bundle.js:2	@babel/plugin-transform-spread

chrome-extension://nlipoenfbbikpbjkfpfillcgkoblgpmj/javascripts/bundles/content.bundle.js	0.0 KiB

content.bundle.js:1	@babel/plugin-transform-regenerator

chrome-extension://nlipoenfbbikpbjkfpfillcgkoblgpmj/javascripts/bundles/content_record.bundle.js	0.0 KiB

content_record.bundle.js:1	@babel/plugin-transform-regenerator

Reduce unused CSS — Est savings of 22 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. Learn how to reduce unused CSS. FCP LCP

URL	Transfer Size	Est Savings
localhost 1st Party	**27.1 KiB**	**21.9 KiB**
...app/layout.css?v=175... (localhost)	27.1 KiB	21.9 KiB

Avoid enormous network payloads — Total size was 7,886 KiB

Large network payloads cost users real money and are highly correlated with long load times. Learn how to reduce payload sizes.

☑ Show 3rd-party resources (5)

URL	Transfer Size
localhost 1st Party	**6,135.2 KiB**
...app/page.js (localhost)	3,582.9 KiB
...chunks/main-app.js?v=175... (localhost)	1,371.4 KiB

URL	Transfer Size
...app/layout.js (localhost)	881.3 KiB
...chunks/_app-page....js (localhost)	246.9 KiB
...chunks/app-pages-internals.js (localhost)	52.7 KiB
YouTube [Video]	**878.6 KiB**
...en_US/base.js (www.youtube.com)	657.8 KiB
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	102.7 KiB
...9gbBDQHrOBk/maxresdefault.jpg?sqp=-oaymwEmC...=&rs=AOn4CLAsC... (i.ytimg.com)	61.4 KiB
...6e20d3a8/www-player.css (www.youtube.com)	56.7 KiB
Google Tag Manager [Tag-Manager]	**132.6 KiB**
/gtag/js?id=G-HCEHW18495 (www.googletagmanager.com)	132.6 KiB

○ Avoid long main-thread tasks — 16 long tasks found ⌃

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. Learn how to avoid long main-thread tasks [TBT]

URL	Start Time	Duration
localhost [1st Party]		**1,823 ms**
...app/page.js (localhost)	8,165 ms	810 ms
...chunks/main-app.js?v=175... (localhost)	5,980 ms	634 ms
...app/layout.js (localhost)	4,844 ms	127 ms
...chunks/_app-page....js (localhost)	6,846 ms	126 ms
http://localhost:3003	400 ms	64 ms
http://localhost:3003	323 ms	62 ms
Unattributable		**1,030 ms**
webpack-internal:///(app-pages-browser)/./node_modules/next/dist/compiled/scheduler/cjs/scheduler.development.js	1,218 ms	286 ms
webpack-internal:///(app-pages-browser)/./node_modules/next/dist/compiled/scheduler/cjs/scheduler.development.js	712 ms	123 ms
webpack-internal:///(app-pages-browser)/./node_modules/next/dist/client/components/react-dev-overlay/app/hot-reloader-client.js	915 ms	104 ms
webpack-internal:///(app-pages-browser)/./node_modules/next/dist/client/components/react-dev-overlay/app/hot-reloader-client.js	1,019 ms	92 ms
webpack-internal:///(app-pages-browser)/./node_modules/axios/lib/adapters/xhr.js	6,759 ms	87 ms
webpack-internal:///(app-pages-browser)/./node_modules/next/dist/compiled/scheduler/cjs/scheduler.development.js	573 ms	74 ms
webpack-internal:///(app-pages-browser)/./node_modules/axios/lib/adapters/xhr.js	6,685 ms	74 ms

URL	Start Time	Duration
webpack-internal:///(app-pages-browser)/./node_modules/next/dist/compiled/scheduler/cjs/scheduler.development.js	6,614 ms	71 ms
webpack-internal:///(app-pages-browser)/./node_modules/next/dist/compiled/scheduler/cjs/scheduler.development.js	849 ms	66 ms
chrome-extension://nlipoenfbbikpbjkfpfillcgkoblgpmj/javascripts/bundles/content.bundle.js	1,733 ms	53 ms

○ User Timing marks and measures — 5 user timings   ⌄

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. Learn more about User Timing marks.

Name	Type	Start Time	Duration
Wappalyzer: getDom	Measure	4,787.80 ms	53.40 ms
Wappalyzer: getDom	Measure	4,787.80 ms	53.80 ms
Wappalyzer: getDom	Measure	4,787.80 ms	53.90 ms
Wappalyzer: getDom	Measure	4,787.80 ms	54.00 ms
Wappalyzer: getDom	Measure	6,132.40 ms	158.20 ms

○ Avoid large layout shifts — 2 layout shifts found   ⌄

These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to windowing. Learn how to improve CLS [CLS]

Element	Layout shift score
div.nav-links.hidden.md:flex.items-center.gap-2.text-[#505056]	0.000
...media/e4af272ccee01ff0-s.p.woff2 (localhost) Web font loaded	
Collapse issues badge `<button data-issues-collapse="true" aria-label="Collapse issues badge">`	0.000

○ Avoid non-composited animations — 3 animated elements found   ⌄

Animations which are not composited can be janky and increase CLS. Learn how to avoid non-composited animations [CLS]

Element	Name
Open Next.js Dev Tools `<div data-next-badge="true" data-error="false" data-error-expanded="false" data-animate="false" style="width: 36px;">`	
Unsupported CSS Property: background-color	background-color
Unsupported CSS Property: box-shadow	box-shadow
Unsupported CSS Property: width	width

Element	Name
Unsupported CSS Property: width	width
Unsupported CSS Property: width	width
Unsupported CSS Property: width	width
Open Next.js Dev Tools `<button data-next-mark="true" data-next-mark-loading="true" aria-haspopup="menu" aria-expanded="false" aria-controls="nextjs-dev-tools-menu" aria-label="Open Next.js Dev Tools" data-nextjs-dev-tools-button="true">`	
Unsupported CSS Property: background-color	background-color
s `<span aria-hidden="true" data-issues-count-plural="true" data-animate="false">`	
Filter-related property may move pixels	fadeIn

○ Minimize third-party usage — Third-party code blocked the main thread for 0 ms ⌃

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. Learn how to minimize third-party impact. [TBT]

Third-Party	Transfer Size	Main-Thread Blocking Time
YouTube [Video]	**972 KiB**	**0 ms**
/embed/9gbBDQHrOBk (www.youtube.com)	47 KiB	0 ms
...en_US/base.js (www.youtube.com)	658 KiB	0 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	103 KiB	0 ms
...9gbBDQHrOBk/maxresdefault.jpg?sqp=-oaymwEmC...=&rs=AOn4CLAsC... (i.ytimg.com)	61 KiB	0 ms
...6e20d3a8/www-player.css (www.youtube.com)	57 KiB	0 ms
...en_US/remote.js (www.youtube.com)	35 KiB	0 ms
...en_US/embed.js (www.youtube.com)	9 KiB	0 ms
/Gcnwg_GRm...=s68-c-k-c0x00ffffff-no-rj (yt3.ggpht.com)	2 KiB	0 ms
...v1/log_event?alt=json (www.youtube.com)	0 KiB	0 ms
/generate_204?06xLaw (www.youtube.com)	0 KiB	0 ms
Google Tag Manager [Tag-Manager]	**133 KiB**	**0 ms**
/gtag/js?id=G-HCEHW18495 (www.googletagmanager.com)	133 KiB	0 ms
Other Google APIs/SDKs [Utility]	**70 KiB**	**0 ms**
...google.internal.waa.v1.Waa/Create (jnn-pa.googleapis.com)	46 KiB	0 ms
...th/9LdOiVOqf....js (www.google.com)	22 KiB	0 ms
/log?hasfast=... (play.google.com)	2 KiB	0 ms
...google.internal.waa.v1.Waa/GenerateIT (jnn-pa.googleapis.com)	0 KiB	0 ms
...@27.6700683,85.3198645,17z/data=!....3198645!16s%2Fg%2F11wth8wt06 (www.google.com)	0 KiB	0 ms
...Technical+Sewa+%26+Solution/@27.6700683,85.3198645,17z (www.google.com)	0 KiB	0 ms
Google Fonts [Cdn]	**22 KiB**	**0 ms**
...v18/KFOlCnqEu....woff2 (fonts.gstatic.com)	11 KiB	0 ms
...v18/KFOmCnqEu....woff2 (fonts.gstatic.com)	11 KiB	0 ms
Google CDN [Cdn]	**16 KiB**	**0 ms**

Third-Party	Transfer Size	Main-Thread Blocking Time
...138/cast_sender.js (www.gstatic.com)	14 KiB	0 ms
...v1/cast_sender.js (www.gstatic.com)	2 KiB	0 ms
Wappalyzer - Technology profiler [Chrome Extension]	**7 KiB**	**0 ms**
chrome-extension://gppongmhjkpfnbhagpmjfkannfbllamg/js/dom.js	4 KiB	0 ms
chrome-extension://gppongmhjkpfnbhagpmjfkannfbllamg/js/js.js	3 KiB	0 ms
technicalsewa.com	**1 KiB**	**0 ms**
...publicmasterconfig/getServiceList (crm.technicalsewa.com)	1 KiB	0 ms
...publiccontrol/getGetTotalFooter (crm.technicalsewa.com)	0 KiB	0 ms
...publicmasterconfig/getConfigList (crm.technicalsewa.com)	0 KiB	0 ms
...publicmasterconfig/getconfiglist (www.technicalsewa.com)	0 KiB	0 ms
Google/Doubleclick Ads [Ad]	**0 KiB**	**0 ms**
/instream/ad_status.js (static.doubleclick.net)	0 KiB	0 ms
/pagead/id (googleads.g.doubleclick.net)	0 KiB	0 ms

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (20)   Hide

Eliminate render-blocking resources ⌃

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn how to eliminate render-blocking resources](#). [FCP] [LCP]

Properly size images ⌃

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn how to size images](#). [FCP] [LCP]

Minify CSS ⌃

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](#). [FCP] [LCP]

Efficiently encode images ⌃

Optimized images load faster and consume less cellular data. [Learn how to efficiently encode images](#). [FCP] [LCP]

Serve images in next-gen formats ⌃

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more about modern image formats](#). [FCP] [LCP]

Enable text compression ⌃

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more about text compression](#). [FCP] [LCP]

Preconnect to required origins ⌃

Warnings:

- A `<link rel=preconnect>` was found for "https://fonts.gstatic.com" but was not used by the browser. Check that you are using the `crossorigin` attribute properly.
- A `<link rel=preconnect>` was found for "https://www.technicalsewa.com" but was not used by the browser. Check that you are using the `crossorigin` attribute properly.
- A `<link rel=preconnect>` was found for "https://fonts.googleapis.com" but was not used by the browser. Only use `preconnect` for important origins that the page will certainly request.

- More than 2 `<link rel=preconnect>` connections were found. These should be used sparingly and only to the most important origins.

Consider adding preconnect or dns-prefetch resource hints to establish early connections to important third-party origins. Learn how to preconnect to required origins. [LCP] [FCP]

Initial server response time was short — Root document took 340 ms ∧

Keep the server response time for the main document short because all other requests depend on it. Learn more about the Time to First Byte metric. [FCP] [LCP]

URL	Time Spent
localhost [1st Party]	**340 ms**
http://localhost:3003	340 ms

Avoid multiple page redirects ∧

Redirects introduce additional delays before the page can be loaded. Learn how to avoid page redirects. [LCP] [FCP]

Use HTTP/2 ∧

HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multiplexing. Learn more about HTTP/2. [LCP] [FCP]

Use video formats for animated content ∧

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. Learn more about efficient video formats [FCP] [LCP]

Remove duplicate modules in JavaScript bundles ∧

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. [FCP] [LCP]

○ Preload Largest Contentful Paint image ∧

If the LCP element is dynamically added to the page, you should preload the image in order to improve LCP. Learn more about preloading LCP elements. [LCP]

○ Avoid chaining critical requests ∧

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. Learn how to avoid chaining critical requests.

Maximum critical path latency: **701.066 ms**

Initial Navigation

http://localhost:3003 **- 701.066 ms,** 47.66 KiB

All text remains visible during webfont loads ∧

Warnings: Lighthouse was unable to automatically check the `font-display` values for the origin https://fonts.gstatic.com.

Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading. Learn more about font-display.

○ Largest Contentful Paint image was not lazily loaded ∧

Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. Learn more about optimal lazy loading. [LCP]

Uses passive listeners to improve scrolling performance ^

Consider marking your touch and wheel event listeners as `passive` to improve your page's scroll performance. [Learn more about adopting passive event listeners](#).

Avoids `document.write()` ^

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn how to avoid document.write()](#).

Image elements have explicit `width` and `height` ^

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) [CLS]

Has a `<meta name="viewport">` tag with `width` or `initial-scale` ^

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag](#).

94

Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

CONTRAST

🔺 Background and foreground colors do not have a sufficient contrast ratio. ^

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](#).

Failing Elements
button.flex.gap-[5px].justify-center.items-center.bg-primary.rounded-[3px].cursor-pointer.text-white.p...
button.hidden.sm:block.px-5.py-2.bg-[#2591b2].text-white.font-semibold.hover:bg-[#1a7a96].transitio...
a.inline-flex.items-center.justify-center.px-6.py-3.border.border-transparent.text-base.font-medium.ro...
a.inline-flex.items-center.justify-center.px-6.py-3.border.border-[#2591b2].text-base.font-medium.rou...
span.text-brand-primary.font-medium.text-sm.tracking-wide.uppercase

Failing Elements

div.relative.w-full.bg-white

p.text-brand-primary.max-w-2xl.mx-auto.opacity-80

div.relative.w-full.bg-white

h3.text-base.md:text-lg.font-bold.text-brand-primary.group-hover:text-brand-primary-dark.transition-...

div.relative.bg-white/20.backdrop-blur-sm.rounded-3xl.p-4.md:p-8.h-full.min-h-[150px].flex.flex-col.ju...

div.relative.w-full.bg-white

p.text-brand-primary-light.text-xs.md:text-sm.mt-1.md:mt-2.group-hover:text-brand-primary.transitio...

div.relative.bg-white/20.backdrop-blur-sm.rounded-3xl.p-4.md:p-8.h-full.min-h-[150px].flex.flex-col.ju...

div.relative.w-full.bg-white

h3.text-base.md:text-lg.font-bold.text-brand-primary.group-hover:text-brand-primary-dark.transition-...

div.relative.bg-white/20.backdrop-blur-sm.rounded-3xl.p-4.md:p-8.h-full.min-h-[150px].flex.flex-col.ju...

div.relative.w-full.bg-white

p.text-brand-primary-light.text-xs.md:text-sm.mt-1.md:mt-2.group-hover:text-brand-primary.transitio...

div.relative.bg-white/20.backdrop-blur-sm.rounded-3xl.p-4.md:p-8.h-full.min-h-[150px].flex.flex-col.ju...

div.relative.w-full.bg-white

h3.text-base.md:text-lg.font-bold.text-brand-primary.group-hover:text-brand-primary-dark.transition-...

Failing Elements

div.relative.bg-white/20.backdrop-blur-sm.rounded-3xl.p-4.md:p-8.h-full.min-h-[150px].flex.flex-col.ju...

div.relative.w-full.bg-white

p.text-brand-primary-light.text-xs.md:text-sm.mt-1.md:mt-2.group-hover:text-brand-primary.transitio...

div.relative.bg-white/20.backdrop-blur-sm.rounded-3xl.p-4.md:p-8.h-full.min-h-[150px].flex.flex-col.ju...

div.relative.w-full.bg-white

h3.text-base.md:text-lg.font-bold.text-brand-primary.group-hover:text-brand-primary-dark.transition-...

div.relative.bg-white/20.backdrop-blur-sm.rounded-3xl.p-4.md:p-8.h-full.min-h-[150px].flex.flex-col.ju...

div.relative.w-full.bg-white

p.text-brand-primary-light.text-xs.md:text-sm.mt-1.md:mt-2.group-hover:text-brand-primary.transitio...

div.relative.bg-white/20.backdrop-blur-sm.rounded-3xl.p-4.md:p-8.h-full.min-h-[150px].flex.flex-col.ju...

div.relative.w-full.bg-white

span.text-brand-primary.font-semibold

div.inline-flex.items-center.gap-2.bg-white/10.backdrop-blur-sm.rounded-full.px-6.py-3.border.border...

div.relative.w-full.bg-white

span.text-brand-primary

div.inline-flex.items-center.gap-2.bg-white/10.backdrop-blur-sm.rounded-full.px-6.py-3.border.border...

div.relative.w-full.bg-white

span.text-primary.font-medium.text-sm.uppercase.tracking-wide

section.bg-white.py-16

button.w-full.bg-primary.hover:bg-primary/90.text-white.font-semibold.py-3.rounded-lg.transition-col...

span.text-primary.font-medium.text-sm.uppercase.tracking-wide

section.py-16.bg-gray-50

Failing Elements

div.flex.items-center.gap-2.text-xs.text-primary.font-semibold.mt-2

  div.bg-white.rounded-2xl.shadow-lg.border.border-primary/10.p-8.flex.flex-col.justify-between.min-h-...

div.flex.items-center.gap-2.text-xs.text-primary.font-semibold.mt-2

  div.bg-white.rounded-2xl.shadow-lg.border.border-primary/10.p-8.flex.flex-col.justify-between.min-h-...

div.flex.items-center.gap-2.text-xs.text-primary.font-semibold.mt-2

  div.bg-white.rounded-2xl.shadow-lg.border.border-primary/10.p-8.flex.flex-col.justify-between.min-h-...

div.flex.items-center.gap-2.text-xs.text-primary.font-semibold.mt-2

  div.bg-white.rounded-2xl.shadow-lg.border.border-primary/10.p-8.flex.flex-col.justify-between.min-h-...

div.flex.items-center.gap-2.text-xs.text-primary.font-semibold.mt-2

  div.bg-white.rounded-2xl.shadow-lg.border.border-primary/10.p-8.flex.flex-col.justify-between.min-h-...

div.flex.items-center.gap-2.text-xs.text-primary.font-semibold.mt-2

  div.bg-white.rounded-2xl.shadow-lg.border.border-primary/10.p-8.flex.flex-col.justify-between.min-h-...

button.bg-primary.hover:bg-primary/90.text-white.px-8.py-3.rounded-lg.font-semibold.transition-colo...

a.bg-white.border.border-primary.text-primary.hover:bg-primary/10.px-8.py-3.rounded-lg.font-semib...

p.text-primary.font-semibold.text-lg

  div.bg-white.rounded-lg.p-4.border.border-gray-200.shadow-sm.flex.flex-col.items-center.md:items-st...

p.mb-4

  div.bg-white/10.backdrop-blur-sm.rounded-lg.p-8.border.border-white/20

  section#tsewa_about_ex.bg-primary.py-16.w-full

strong

  div.bg-white/10.backdrop-blur-sm.rounded-lg.p-8.border.border-white/20

  section#tsewa_about_ex.bg-primary.py-16.w-full

p.mb-4

  div.bg-white/10.backdrop-blur-sm.rounded-lg.p-8.border.border-white/20

  section#tsewa_about_ex.bg-primary.py-16.w-full

div.font-bold.text-[14px].md:text-lg.leading-[19px].text-[#FFF].font-Roboto.text-left.md:text-center.mb-2

  footer.bg-primary.text-white.pt-6.pb-0.px-0.md:px-0

a.hover:underline.whitespace-nowrap

  footer.bg-primary.text-white.pt-6.pb-0.px-0.md:px-0

a.hover:underline.whitespace-nowrap

  footer.bg-primary.text-white.pt-6.pb-0.px-0.md:px-0

a.hover:underline.whitespace-nowrap

  footer.bg-primary.text-white.pt-6.pb-0.px-0.md:px-0

a.hover:underline.whitespace-nowrap

  footer.bg-primary.text-white.pt-6.pb-0.px-0.md:px-0

a.hover:underline.whitespace-nowrap

  footer.bg-primary.text-white.pt-6.pb-0.px-0.md:px-0

a.hover:underline.whitespace-nowrap

  footer.bg-primary.text-white.pt-6.pb-0.px-0.md:px-0

Failing Elements

a.hover:underline.whitespace-nowrap

footer.bg-primary.text-white.pt-6.pb-0.px-0.md:px-0

a.hover:underline.whitespace-nowrap

footer.bg-primary.text-white.pt-6.pb-0.px-0.md:px-0

p.text-xs.text-white/80.text-center.md:text-left.max-w-xs.leading-relaxed

footer.bg-primary.text-white.pt-6.pb-0.px-0.md:px-0

h3.font-bold.text-base.mb-2.text-white

footer.bg-primary.text-white.pt-6.pb-0.px-0.md:px-0

a.text-sm.text-white/90.hover:underline.hover:text-blue-100.transition-colors

footer.bg-primary.text-white.pt-6.pb-0.px-0.md:px-0

a.text-sm.text-white/90.hover:underline.hover:text-blue-100.transition-colors

footer.bg-primary.text-white.pt-6.pb-0.px-0.md:px-0

a.text-sm.text-white/90.hover:underline.hover:text-blue-100.transition-colors

footer.bg-primary.text-white.pt-6.pb-0.px-0.md:px-0

a.text-sm.text-white/90.hover:underline.hover:text-blue-100.transition-colors

footer.bg-primary.text-white.pt-6.pb-0.px-0.md:px-0

a.text-sm.text-white/90.hover:underline.hover:text-blue-100.transition-colors

footer.bg-primary.text-white.pt-6.pb-0.px-0.md:px-0

h3.font-bold.text-base.mb-2.text-white

footer.bg-primary.text-white.pt-6.pb-0.px-0.md:px-0

a.text-sm.text-white/90.hover:underline.hover:text-blue-100.transition-colors

footer.bg-primary.text-white.pt-6.pb-0.px-0.md:px-0

a.text-sm.text-white/90.hover:underline.hover:text-blue-100.transition-colors

footer.bg-primary.text-white.pt-6.pb-0.px-0.md:px-0

a.text-sm.text-white/90.hover:underline.hover:text-blue-100.transition-colors

footer.bg-primary.text-white.pt-6.pb-0.px-0.md:px-0

a.text-sm.text-white/90.hover:underline.hover:text-blue-100.transition-colors

footer.bg-primary.text-white.pt-6.pb-0.px-0.md:px-0

a.text-sm.text-white/90.hover:underline.hover:text-blue-100.transition-colors

footer.bg-primary.text-white.pt-6.pb-0.px-0.md:px-0

a.text-sm.text-white/90.hover:underline.hover:text-blue-100.transition-colors

footer.bg-primary.text-white.pt-6.pb-0.px-0.md:px-0

a.text-sm.text-white/90.hover:underline.hover:text-blue-100.transition-colors

footer.bg-primary.text-white.pt-6.pb-0.px-0.md:px-0

h4.font-bold.text-base.mb-2.text-white

footer.bg-primary.text-white.pt-6.pb-0.px-0.md:px-0

span.block.font-semibold

Failing Elements

   footer.bg-primary.text-white.pt-6.pb-0.px-0.md:px-0

span.block

   footer.bg-primary.text-white.pt-6.pb-0.px-0.md:px-0

span.block.mt-2.font-semibold

   footer.bg-primary.text-white.pt-6.pb-0.px-0.md:px-0

span.block

   footer.bg-primary.text-white.pt-6.pb-0.px-0.md:px-0

span.block.mt-2.font-semibold

   footer.bg-primary.text-white.pt-6.pb-0.px-0.md:px-0

a.underline.hover:text-blue-100.ml-1

   footer.bg-primary.text-white.pt-6.pb-0.px-0.md:px-0

These are opportunities to improve the legibility of your content.

NAVIGATION

▲   Heading elements are not in a sequentially-descending order   ⌃

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. Learn more about heading order.

Failing Elements

    h4.text-primary.font-bold.text-[20px].leading-tight.text-left.m-0.p-0.mb-2

These are opportunities to improve keyboard navigation in your application.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)   Hide

○   Interactive controls are keyboard focusable   ⌃

Custom interactive controls are keyboard focusable and display a focus indicator. Learn how to make custom controls focusable.

○   Interactive elements indicate their purpose and state   ⌃

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. Learn how to decorate interactive elements with affordance hints.

○   The page has a logical tab order   ⌃

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. Learn more about logical tab ordering.

○   Visual order on the page follows DOM order   ⌃

DOM order matches the visual order, improving navigation for assistive technology. Learn more about DOM and visual ordering.

○   User focus is not accidentally trapped in a region   ⌃

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn how to avoid focus traps](#).

○ The user's focus is directed to new content added to the page ⌃

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn how to direct focus to new content](#).

○ HTML5 landmark elements are used to improve navigation ⌃

Landmark elements (`<main>`, `<nav>`, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more about landmark elements](#).

○ Offscreen content is hidden from assistive technology ⌃

Offscreen content is hidden with display: none or aria-hidden=true. [Learn how to properly hide offscreen content](#).

○ Custom controls have associated labels ⌃

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more about custom controls and labels](#).

○ Custom controls have ARIA roles ⌃

Custom interactive controls have appropriate ARIA roles. [Learn how to add roles to custom controls](#).

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (22)   Hide

`[aria-*]` attributes match their roles ⌃

Each ARIA `role` supports a specific subset of `aria-*` attributes. Mismatching these invalidates the `aria-*` attributes. [Learn how to match ARIA attributes to their roles](#).

`[aria-hidden="true"]` is not present on the document `<body>` ⌃

Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document <body>. [Learn how aria-hidden affects the document body](#).

`[role]`s have all required `[aria-*]` attributes ⌃

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more about roles and required attributes](#).

`[aria-*]` attributes have valid values ⌃

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more about valid values for ARIA attributes](#).

`[aria-*]` attributes are valid and not misspelled ⌃

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more about valid ARIA attributes](#).

Buttons have an accessible name ⌃

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible](#).

Image elements have `[alt]` attributes ⌃

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. Learn more about the `alt` attribute.

`[user-scalable="no"]` is not used in the `<meta name="viewport">` element and the `[maximum-scale]` attribute is not less than 5. ∧

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. Learn more about the viewport meta tag.

ARIA attributes are used as specified for the element's role ∧

Some ARIA attributes are only allowed on an element under certain conditions. Learn more about conditional ARIA attributes.

`[aria-hidden="true"]` elements do not contain focusable descendents ∧

Focusable descendents within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. Learn how `aria-hidden` affects focusable elements.

Elements use only permitted ARIA attributes ∧

Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. Learn more about prohibited ARIA roles.

`[role]` values are valid ∧

ARIA roles must have valid values in order to perform their intended accessibility functions. Learn more about valid ARIA roles.

Document has a `<title>` element ∧

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more about document titles.

`<frame>` or `<iframe>` elements have a title ∧

Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles.

`<html>` element has a `[lang]` attribute ∧

If a page doesn't specify a `lang` attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. Learn more about the `lang` attribute.

`<html>` element has a valid value for its `[lang]` attribute ∧

Specifying a valid BCP 47 language helps screen readers announce text properly. Learn how to use the `lang` attribute.

Form elements have associated labels ∧

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. Learn more about form element labels.

Links have a discernible name ∧

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. Learn how to make links accessible.

Touch targets have sufficient size and spacing. ∧

Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. Learn more about touch targets.

Uses ARIA roles only on compatible elements ︿

Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not allowed can interfere with the accessibility of the web page. [Learn more about ARIA roles.](#)

Deprecated ARIA roles were not used ︿

Deprecated ARIA roles may not be processed correctly by assistive technology. [Learn more about deprecated ARIA roles.](#)

Image elements do not have `[alt]` attributes that are redundant text. ︿

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the `alt` attribute.](#)

NOT APPLICABLE (33) Hide

○ `[accesskey]` values are unique ︿

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more about access keys.](#)

○ `button`, `link`, and `menuitem` elements have accessible names ︿

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to make command elements more accessible.](#)

○ Elements with `role="dialog"` or `role="alertdialog"` have accessible names. ︿

ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. [Learn how to make ARIA dialog elements more accessible.](#)

○ ARIA input fields have accessible names ︿

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about input field labels.](#)

○ ARIA `meter` elements have accessible names ︿

When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name `meter` elements.](#)

○ ARIA `progressbar` elements have accessible names ︿

When a `progressbar` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to label `progressbar` elements.](#)

○ Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children. ︿

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more about roles and required children elements.](#)

○ `[role]`s are contained by their required parent element ︿

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more about ARIA roles and required parent element.](#)

○ Elements with the `role=text` attribute do not have focusable descendents. ︿

Adding `role=text` around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendents will not be announced. [Learn more about the `role=text` attribute.](#)

○ ARIA toggle fields have accessible names   ⌃

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about toggle fields.

○ ARIA `tooltip` elements have accessible names   ⌃

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name `tooltip` elements.

○ ARIA `treeitem` elements have accessible names   ⌃

When a `treeitem` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling `treeitem` elements.

○ The page contains a heading, skip link, or landmark region   ⌃

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks.

○ `<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements.   ⌃

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly.

○ Definition list items are wrapped in `<dl>` elements   ⌃

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly.

○ ARIA IDs are unique   ⌃

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs.

○ No form fields have multiple labels   ⌃

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels.

○ `<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute.   ⌃

If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the `lang` attribute.

○ Input buttons have discernible text.   ⌃

Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons.

○ `<input type="image">` elements have `[alt]` text   ⌃

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text.

○ Links are distinguishable without relying on color.   ⌃

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. Learn how to make links distinguishable.

○ Lists contain only `<li>` elements and script supporting elements (`<script>` and `<template>`).   ⌃

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more about proper list structure](#).

○ List items (`<li>`) are contained within `<ul>`, `<ol>` or `<menu>` parent elements   ⌄

Screen readers require list items (`<li>`) to be contained within a parent `<ul>`, `<ol>` or `<menu>` to be announced properly. [Learn more about proper list structure](#).

○ The document does not use `<meta http-equiv="refresh">`   ⌄

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more about the refresh meta tag](#).

○ `<object>` elements have alternate text   ⌄

Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. [Learn more about alt text for `object` elements](#).

○ Select elements have associated label elements.   ⌄

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the select element](#).

○ Skip links are focusable.   ⌄

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](#).

○ No element has a `[tabindex]` value greater than 0   ⌄

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more about the `tabindex` attribute](#).

○ Tables have different content in the summary attribute and `<caption>`.   ⌄

The summary attribute should describe the table structure, while `<caption>` should have the onscreen title. Accurate table mark-up helps users of screen readers. [Learn more about summary and caption](#).

○ Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table. ⌄

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more about the headers attribute](#).

○ `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe.   ⌄

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more about table headers](#).

○ `[lang]` attributes have a valid value   ⌄

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn how to use the `lang` attribute](#).

○ `<video>` elements contain a `<track>` element with `[kind="captions"]`   ⌄

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more about video captions](#).

74

Best Practices

GENERAL

▲ Uses third-party cookies — 21 cookies found ⌄

Third-party cookies may be blocked in some contexts. Learn more about preparing for third-party cookie restrictions.

Name	URL
YouTube [Video]	
__Secure-3PSID	/embed/9gbBDQHrOBk (www.youtube.com)
__Secure-3PAPISID	/embed/9gbBDQHrOBk (www.youtube.com)
LOGIN_INFO	/embed/9gbBDQHrOBk (www.youtube.com)
VISITOR_INFO1_LIVE	/embed/9gbBDQHrOBk (www.youtube.com)
VISITOR_PRIVACY_METADATA	/embed/9gbBDQHrOBk (www.youtube.com)
__Secure-3PSIDCC	/embed/9gbBDQHrOBk (www.youtube.com)
Google/Doubleclick Ads [Ad]	
IDE	/instream/ad_status.js (static.doubleclick.net)
Other Google APIs/SDKs [Utility]	
COMPASS	...th/9LdOiVOqf....js (www.google.com)
COMPASS	...th/9LdOiVOqf....js (www.google.com)
COMPASS	...th/9LdOiVOqf....js (www.google.com)
__Secure-OSID	...th/9LdOiVOqf....js (www.google.com)
__Secure-OSID	...th/9LdOiVOqf....js (www.google.com)
COMPASS	...th/9LdOiVOqf....js (www.google.com)
__Host-3PLSID	...th/9LdOiVOqf....js (www.google.com)
__Secure-OSID	...th/9LdOiVOqf....js (www.google.com)
COMPASS	...th/9LdOiVOqf....js (www.google.com)
__Secure-3PSID	...th/9LdOiVOqf....js (www.google.com)
__Secure-3PAPISID	...th/9LdOiVOqf....js (www.google.com)
__Secure-3PSIDTS	...th/9LdOiVOqf....js (www.google.com)
NID	...th/9LdOiVOqf....js (www.google.com)
__Secure-3PSIDCC	...th/9LdOiVOqf....js (www.google.com)

▲ Browser errors were logged to the console ⌄

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. Learn more about this errors in console diagnostic audit

☑ Show 3rd-party resources (10)

Source	Description
localhost [1st Party]	
localhost/:1	Access to XMLHttpRequest at 'https://crm.technicalsewa.com/techsewa/masterconfig/publicmasterconfig/getConfigList' from origin 'http://localhost:3003' has been blocked by CORS policy: Request header field cache-control is not allowed by Access-Control-Allow-Headers in preflight response.
localhost/:1	Access to XMLHttpRequest at 'https://crm.technicalsewa.com/techsewa/masterconfig/publicmasterconfig/getConfigList' from origin 'http://localhost:3003' has been blocked by CORS policy: Request header field cache-control is not allowed by Access-Control-Allow-Headers in preflight response.
localhost/:1	Access to XMLHttpRequest at 'https://crm.technicalsewa.com/techsewa/masterconfig/publicmasterconfig/getConfigList' from origin 'http://localhost:3003' has been blocked by CORS policy: Request header field cache-control is not allowed by Access-Control-Allow-Headers in preflight response.
localhost/:1	Access to XMLHttpRequest at 'https://www.google.com/maps/place/Technical+Sewa+%26+Solution/@27.6700683,85.3198645,17z' from origin 'http://localhost:3003' has been blocked by CORS policy: Response to preflight request doesn't pass access control check: No 'Access-Control-Allow-Origin' header is present on the requested resource.
localhost/:1	Access to XMLHttpRequest at 'https://www.google.com/maps/place/Technical+Sewa+%26+Solution/@27.6700683,85.3198645,17z' from origin 'http://localhost:3003' has been blocked by CORS policy: Response to preflight request doesn't pass access control check: No 'Access-Control-Allow-Origin' header is present on the requested resource.
localhost/:1	Access to XMLHttpRequest at 'https://www.google.com/maps/place/Technical+Sewa+%26+Solution/@27.6700683,85.3198645,17z/data=!3m1!4b1!4m6!3m5!1s0x39eb191011dd10b1:0x92f063afe7e0a48f!8m2!3d27.6700683!4d85.3198645!16s%2Fg%2F11wth8wt06' from origin 'http://localhost:3003' has been blocked by CORS policy: Response to preflight request doesn't pass access control check: No 'Access-Control-Allow-Origin' header is present on the requested resource.
localhost/:1	Access to XMLHttpRequest at 'https://www.google.com/maps/place/Technical+Sewa+%26+Solution/@27.6700683,85.3198645,17z/data=!3m1!4b1!4m6!3m5!1s0x39eb191011dd10b1:0x92f063afe7e0a48f!8m2!3d27.6700683!4d85.3198645!16s%2Fg%2F11wth8wt06' from origin 'http://localhost:3003' has been blocked by CORS policy: Response to preflight request doesn't pass access control check: No 'Access-Control-Allow-Origin' header is present on the requested resource.
localhost/:1	Access to XMLHttpRequest at 'https://www.technicalsewa.com/techsewa/masterconfig/publicmasterconfig/getconfiglist' from origin 'http://localhost:3003' has been blocked by CORS policy: Response to preflight request doesn't pass access control check: No 'Access-Control-Allow-Origin' header is present on the requested resource.
localhost/:1	Access to XMLHttpRequest at 'https://www.technicalsewa.com/techsewa/masterconfig/publicmasterconfig/getconfiglist' from origin 'http://localhost:3003' has been blocked by CORS policy: Response to preflight request doesn't pass access control check: No 'Access-Control-Allow-Origin' header is present on the requested resource.

Source	Description
localhost/:1	Access to XMLHttpRequest at 'https://www.technicalsewa.com/techsewa/masterconfig/publicmasterconfig/getconfiglist' from origin 'http://localhost:3003' has been blocked by CORS policy: Response to preflight request doesn't pass access control check: No 'Access-Control-Allow-Origin' header is present on the requested resource.

Unattributable

webpack-internal:///…console-error.js:50	Alternative scraping method also failed: [object AxiosError]
webpack-internal:///…console-error.js:50	Alternative scraping method also failed: [object AxiosError]
webpack-internal:///…console-error.js:50	Error fetching review stats: Error: Unable to fetch reviews from Google Maps at GoogleReviewsService.scrapeAlternativeSource (webpack-internal:///(app-pages-browser)/./src/lib/googleReviews.ts:132:19) at async GoogleReviewsService.getReviewStats (webpack-internal:///(app-pages-browser)/./src/lib/googleReviews.ts:56:27) at async Promise.all (index 1) at async fetchGoogleReviews (webpack-internal:///(app-pages-browser)/./src/lib/googleReviews.ts:247:34) at async ReviewsDisplay.useEffect.fetchReviews (webpack-internal:///(app-pages-browser)/./components/ReviewsDisplay.tsx:36:40)
webpack-internal:///…console-error.js:50	Error fetching reviews: Error: Unable to fetch reviews from Google Maps at GoogleReviewsService.scrapeAlternativeSource (webpack-internal:///(app-pages-browser)/./src/lib/googleReviews.ts:132:19) at async GoogleReviewsService.getReviews (webpack-internal:///(app-pages-browser)/./src/lib/googleReviews.ts:40:29) at async Promise.all (index 0) at async fetchGoogleReviews (webpack-internal:///(app-pages-browser)/./src/lib/googleReviews.ts:247:34) at async ReviewsDisplay.useEffect.fetchReviews (webpack-internal:///(app-pages-browser)/./components/ReviewsDisplay.tsx:36:40)
webpack-internal:///…verable-error.js:28	Error: Hydration failed because the server rendered HTML didn't match the client. As a result this tree will be regenerated on the client. This can happen if a SSR-ed Client Component used: - A server/client branch `if (typeof window !== 'undefined')`. - Variable input such as `Date.now()` or `Math.random()` which changes each time it's called. - Date formatting in a user's locale which doesn't match the server. - External changing data without sending a snapshot of it along with the HTML. - Invalid HTML tag nesting. It can also happen if the client has a browser extension installed which messes with the HTML before React loaded. https://react.dev/link/hydration-mismatch at throwOnHydrationMismatch (webpack-internal:///(app-pages-browser)/./node_modules/next/dist/compiled/react-dom/cjs/react-dom-client.development.js:4433:11) at beginWork (webpack-internal:///(app-pages-browser)/./node_modules/next/dist/compiled/react-dom/cjs/react-dom-client.development.js:10805:17) at runWithFiberInDEV (webpack-internal:///(app-pages-browser)/./node_modules/next/dist/compiled/react-dom/cjs/react-dom-client.development.js:845:30) at performUnitOfWork (webpack-internal:///(app-pages-browser)/./node_modules/next/dist/compiled/react-dom/cjs/react-dom-client.development.js:15258:22) at workLoopConcurrentByScheduler (webpack-internal:///(app-pages-browser)/./node_modules/next/dist/compiled/react-dom/cjs/react-dom-client.development.js:15252:9) at renderRootConcurrent (webpack-internal:///(app-pages-browser)/./node_modules/next/dist/compiled/react-dom/cjs/react-dom-client.development.js:15227:15) at performWorkOnRoot (webpack-internal:///(app-pages-browser)/./node_modules/next/dist/compiled/react-dom/cjs/react-dom-client.development.js:14525:13) at performWorkOnRootViaSchedulerTask (webpack-internal:///(app-pages-browser)/./node_modules/next/dist/compiled/react-dom/cjs/react-dom-client.development.js:16350:7) at MessagePort.performWorkUntilDeadline (webpack-internal:///(app-pages-browser)/./node_modules/next/dist/compiled/scheduler/cjs/scheduler.development.js:45:48) at div (<anonymous>) at eval (webpack-internal:///(app-

Source	Description
	pages-browser)/./components/footer/NumberUI.tsx:137:138) at Array.from (<anonymous>) at NumberUI (webpack-internal:///(app-pages-browser)/./components/footer/NumberUI.tsx:98:45) at Number (webpack-internal:///(app-pages-browser)/./src/components/Number.tsx:35:94) at NewFeature (rsc://React/Server/webpack-internal:///(rsc)/./features/NewFeature.tsx?15:726:102) at Home (rsc://React/Server/webpack-internal:///(rsc)/./app/page.tsx?1:61:102)
webpack-internal:///…console-error.js:50	In HTML, %s cannot be a descendant of <%s>. This will cause a hydration error.%s <div> p ... <Home> <main className="relative b..."> <PopupBanner> ... <SafeComponentWrapper> <div> ... <Number> <NumberUI numbers={undefined}> <section className="relative b..."> <div className="relative w..."> <div className="max-w-[128..."> <div> <div className="grid grid-..."> <div className="group text..."> <div className="relative b..."> <div className="relative"> <div> <h3> > <p className="text-brand-primary-light text-sm mt-2"> > <div className="h-4 bg-gray-200 rounded animate-pulse"> ...
webpack-internal:///…console-error.js:50	Primary scraping method failed: [object AxiosError]
webpack-internal:///…console-error.js:50	Primary scraping method failed: [object AxiosError]
webpack-internal:///…adapters/xhr.js:153	Refused to set unsafe header "Accept-Encoding"
webpack-internal:///…adapters/xhr.js:153	Refused to set unsafe header "Accept-Encoding"
webpack-internal:///…adapters/xhr.js:153	Refused to set unsafe header "Accept-Encoding"
webpack-internal:///…adapters/xhr.js:153	Refused to set unsafe header "Accept-Encoding"
webpack-internal:///…adapters/xhr.js:153	Refused to set unsafe header "Connection"
webpack-internal:///…adapters/xhr.js:153	Refused to set unsafe header "Connection"
webpack-internal:///…adapters/xhr.js:153	Refused to set unsafe header "Connection"
webpack-internal:///…adapters/xhr.js:153	Refused to set unsafe header "Connection"
webpack-internal:///…adapters/xhr.js:153	Refused to set unsafe header "User-Agent"
webpack-internal:///…adapters/xhr.js:153	Refused to set unsafe header "User-Agent"
webpack-internal:///…adapters/xhr.js:153	Refused to set unsafe header "User-Agent"
webpack-internal:///…adapters/xhr.js:153	Refused to set unsafe header "User-Agent"

technicalsewa.com

Source	Description
crm.technicalsewa.co…fig/getConfigList:1	Failed to load resource: net::ERR_FAILED
crm.technicalsewa.co…fig/getConfigList:1	Failed to load resource: net::ERR_FAILED
crm.technicalsewa.co…fig/getConfigList:1	Failed to load resource: net::ERR_FAILED

Source	Description
www.technicalsewa.co… fig/getconfiglist:1	Failed to load resource: net::ERR_FAILED
www.technicalsewa.co… fig/getconfiglist:1	Failed to load resource: net::ERR_FAILED
www.technicalsewa.co… fig/getconfiglist:1	Failed to load resource: net::ERR_FAILED

Other Google APIs/SDKs [Utility]

www.google.com/maps/… %2Fg%2F11wth8wt06:1	Failed to load resource: net::ERR_FAILED
www.google.com/maps/… %2Fg%2F11wth8wt06:1	Failed to load resource: net::ERR_FAILED
www.google.com/maps/… 83,85.3198645,17z:1	Failed to load resource: net::ERR_FAILED
www.google.com/maps/… 83,85.3198645,17z:1	Failed to load resource: net::ERR_FAILED

🔺 Issues were logged in the `Issues` panel in Chrome Devtools   ⌃

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Issue type
Cookie

/embed/9gbBDQHrOBk (www.youtube.com)

…6e20d3a8/www-player.css (www.youtube.com)

…en_US/embed.js (www.youtube.com)

…www-embed-player.vflset/www-embed-player.js (www.youtube.com)

…en_US/base.js (www.youtube.com)

…en_US/remote.js (www.youtube.com)

/instream/ad_status.js (static.doubleclick.net)

…th/9LdOiVOqf….js (www.google.com)

/generate_204?06xLaw (www.youtube.com)

/log?hasfast=… (play.google.com)

…v1/log_event?alt=json (www.youtube.com)

🔺 Missing source maps for large first-party JavaScript   ⌃

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. Learn more about source maps.

URL	Map URL
localhost [1st Party]	

…chunks/main-app.js?v=175… (localhost)

    Large JavaScript file is missing a source map

…app/page.js (localhost)

    Large JavaScript file is missing a source map

URL	Map URL
...app/layout.js (localhost)	

> `Large JavaScript file is missing a source map`

| ...chunks/_app-page....js (localhost) | |

> `Large JavaScript file is missing a source map`

TRUST AND SAFETY

◯ Ensure CSP is effective against XSS attacks ⌃

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. Learn how to use a CSP to prevent XSS

Description	Directive	Severity
No CSP found in enforcement mode		High

◯ Use a strong HSTS policy ⌃

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. Learn more about using a strong HSTS policy.

Description	Directive	Severity
No HSTS header found		High

◯ Ensure proper origin isolation with COOP ⌃

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. Learn more about deploying the COOP header.

Description	Directive	Severity
No COOP header found		High

PASSED AUDITS (10)   Hide

Uses HTTPS ⌃

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding mixed content, where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. Learn more about HTTPS.

Avoids deprecated APIs ⌃

Deprecated APIs will eventually be removed from the browser. Learn more about deprecated APIs.

Allows users to paste into input fields ⌃

Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. Learn more about user-friendly input fields.

Avoids requesting the geolocation permission on page load ⌃

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. Learn more about the geolocation permission.

Avoids requesting the notification permission on page load ⌃

Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. Learn more about responsibly getting permission for notifications.

Displays images with correct aspect ratio ⌃

Image display dimensions should match natural aspect ratio. Learn more about image aspect ratio.

Serves images with appropriate resolution ⌃

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. Learn how to provide responsive images.

Has a `<meta name="viewport">` tag with `width` or `initial-scale` ⌃

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents a 300 millisecond delay to user input. Learn more about using the viewport meta tag.

Page has the HTML doctype ⌃

Specifying a doctype prevents the browser from switching to quirks-mode. Learn more about the doctype declaration.

Properly defines charset ⌃

A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. Learn more about declaring the character encoding.

NOT APPLICABLE (4)   Hide

○ Redirects HTTP traffic to HTTPS ⌃

Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. Learn more.

○ Mitigate clickjacking with XFO or CSP ⌃

The `X-Frame-Options` (XFO) header or the `frame-ancestors` directive in the `Content-Security-Policy` (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. Learn more about mitigating clickjacking.

○ Document uses legible font sizes ⌃

Font sizes less than 12px are too small to be legible and require mobile visitors to "pinch to zoom" in order to read. Strive to have >60% of page text ≥12px. Learn more about legible font sizes.

○ Detected JavaScript libraries ⌃

All front-end JavaScript libraries detected on the page. Learn more about this JavaScript library detection diagnostic audit.

85

SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on Core Web Vitals. Learn more about Google Search Essentials.

CONTENT BEST PRACTICES

⚠️ Document does not have a meta description   ︿

Meta descriptions may be included in search results to concisely summarize page content. Learn more about the meta description.

Format your HTML in a way that enables crawlers to better understand your app's content.

CRAWLING AND INDEXING

⚠️ robots.txt is not valid Lighthouse was unable to download a robots.txt file   ︿

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. Learn more about robots.txt.

To appear in search results, crawlers need access to your app.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)   Hide

◯ Structured data is valid   ︿

Run the Structured Data Testing Tool and the Structured Data Linter to validate structured data. Learn more about Structured Data.

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (8)   Hide

Page isn't blocked from indexing   ︿

Search engines are unable to include your pages in search results if they don't have permission to crawl them. Learn more about crawler directives.

Document has a `<title>` element   ︿

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more about document titles.

Page has successful HTTP status code   ︿

Pages with unsuccessful HTTP status codes may not be indexed properly. Learn more about HTTP status codes.

Links have descriptive text   ︿

Descriptive link text helps search engines understand your content. Learn how to make links more accessible.

Links are crawlable   ︿

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. Learn how to make links crawlable

Image elements have `[alt]` attributes   ︿

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. Learn more about the `alt` attribute.

Document has a valid `hreflang`   ︿

hreflang links tell search engines what version of a page they should list in search results for a given language or region. Learn more about `hreflang`.

Document has a valid `rel=canonical`   ︿

Canonical links suggest which URL to show in search results. Learn more about canonical links.

Captured at Jul 13, 2025, 10:45 PM GMT+5:45

Emulated Desktop with Lighthouse 12.6.0

Single page session

Initial page load

Custom throttling

Using Chromium 138.0.0.0 with devtools

Generated by **Lighthouse** 12.6.0 | File an issue