



MY SEO — ONBOARDING & STRATEGY REPORT

Custom Silicon Solutions

*Baseline metrics · per-persona keyword & long-tail analysis · a 52-week content calendar · and
the full onboarding playbook for the Technijian SEO team*

PREPARED FOR

The Technijian My SEO team — onboarding playbook

PREPARED BY

Technijian — technology as a solution

DATE

June 26, 2026

INTERNAL · CLIENT: CUSTOM SILICON SOLUTIONS (CSS) · customsiliconsolutions.com

How to Read This Report

This is the internal onboarding playbook for the Technijian My SEO team taking on Custom Silicon Solutions (CSS) — everything needed to run the account well, in one place. It builds directly on the company's AI Growth & Integration Blueprint (June 26, 2026) and on the SEO work already underway.

- **It is grounded in real data.** Baseline metrics come from our SEMrush pulls, the GA4/Search Console connection, the June 16 onboarding intake, and the May 27 keyword-gap and backlink audit. Sources are in the Appendix.
- **It does not invent search volumes.** This is a niche B2B semiconductor account — terms are low-volume and high-intent. Exact monthly volume and difficulty are pulled per term in SEMrush during week 1; here, keywords are prioritised by intent, business fit, and competitor gap, not by a fabricated volume.
- **It is built to be used.** The per-persona keyword map and the 52-week calendar are also delivered as CSVs (see the Appendix) so they drop straight into the content workflow and the Client Portal ticket queue.

The strategic headline

CSS has a deep, credible capability site (42 pages, strong proof) and an almost-silent top of funnel — one real blog post. The job is to turn three decades of analog-design expertise into published, citable authority: capture the high-intent technical long-tail per persona, win AI-assistant citations (AEO/GEO), and harden the conversion path — while keeping the existing pages strong. Success is measured in qualified RFQs and AI citations, not raw traffic.

Contents

Page numbers are generated by Word. If they ever look stale, open in Word and press Ctrl+A then F9 (or right-click the list → Update Field).

01 Client Snapshot.....	4
02 Current SEO Metrics & Baseline	5
03 Technical SEO & Site-Health Onboarding.....	7
04 Customer Personas → Search Behaviour	9
05 Keyword & Long-Tail Analysis per Persona	10
06 AEO / GEO — Winning AI-Search Citations.....	15
07 Site Architecture & On-Page Plan.....	16
08 The 52-Week Content Calendar	17
09 Link-Building & Digital PR Plan	21
10 Competitor SEO Benchmark.....	22
11 KPIs, Reporting & Cadence	23
12 Team, Roles & Week-1 Onboarding Checklist.....	24
13 Expansion / Upsell Roadmap.....	26
About Technijian.....	27
Appendix — Sources & Deliverables.....	28

01 Client Snapshot

The one-screen orientation for anyone joining the account. Full strategic detail is in the AI Growth & Integration Blueprint.

Field	Detail
Client	Custom Silicon Solutions, Inc. (client code CSS) — customsiliconsolutions.com
What they do	Fabless, fab-agnostic custom-ASIC house since 1996: analog, mixed-signal, high-voltage, and wireless ASICs, concept → production, plus turnkey manufacturing, in-house test, and drop-in replacements for obsolete parts.
Markets	Industrial / IoT · Medical devices · Aerospace & Defense · Consumer. Sells nationally and globally B2B — not local foot-traffic.
Proof points	~30 years; 300+ tape-outs at 100% success (company-cited); 25+-year average engineer; in-house Class-10,000 production test floor; named customers Itron, Curtis Instruments, Transoma Medical.
NAP	Custom Silicon Solutions · 18021 Cowan, Irvine, CA 92614 · +1 949-797-9220 (keep consistent across all citations).
Platform	WordPress + Yoast SEO; ~42 pages; Elementor in use. GA4 (397845611), Search Console, and Google Tag Manager connected.
GTM motion	Account-based (ABM). Buyers are a finite, known universe of OEM design engineers — vertical + AI-search visibility matter far more than local-radius SEO.
Current scope	Weekly SEO reporting (lean: GA4 + GSC + site health). This report defines the full program; content production and technical build are expansion lines (Section 13).
Team contacts	SEO analyst: Puneet. Audit/reporting partner referenced: Mimi. Owner roles below (Section 12).

02 Current SEO Metrics & Baseline

The baseline to measure everything against, observed June 2026. These are real figures from our SEMrush pulls and the connected analytics — not estimates. Re-snapshot at onboarding and lock these as month-zero.

124 Organic keywords (SEMrush, Jun 2026)	~105 Organic visits / month	0 Paid-search keywords	1 Live blog post (dormant engine)
~4.0K Total backlinks (May 2026 audit)	423 Referring domains	~42 Indexable pages	23 Product/portfolio pages (weakly linked)

Baseline detail

Metric	Current (Jun 2026)	Read / action
Organic keywords	124 (US, SEMrush)	Tiny vs. capability breadth — the core growth gap. Each specialty is its own long-tail space.
Organic traffic	~105 visits / mo	Low is expected for niche B2B; judge lead quality, not raw visits.
Domain rank / authority	SEMrush domain rank ~3.65M	Capture as month-zero; track trend, not absolute.
Paid search	None running	Every visit is earned — organic + AEO is the whole game (paid is an upsell, Section 13).
Backlinks / ref. domains	~4.0K links / 423 RD / 230 IPs	Real base, not zero. 68% text / 32% image. Need topically-relevant RDs, not raw count (Section 9).

Metric	Current (Jun 2026)	Read / action
Content footprint	1 substantive blog post	Dormant engine. The 52-week calendar (Section 8) is the fix.
Analytics	GA4 397845611 · GSC · GTM connected	Confirm conversion goals/events are firing (Section 3).
Google Business Profile	Not confirmed	Claim/verify for entity + Orange County queries (low priority; not a local-foot-traffic business).

Set the right scoreboard

For a low-volume, high-consideration B2B account, vanity traffic is the wrong KPI. Lock month-zero baselines for: indexed pages, ranked keywords (esp. the gap terms), AI-assistant citations, RFQ/quote-form submissions, and assisted conversions. A 3–5 lead-quality improvement beats a traffic spike here.

03 Technical SEO & Site-Health Onboarding

What to fix and confirm in the first weeks, drawn from the May 27 audit follow-up and the live-site validation. Several items are already in progress; this consolidates the open list.

Open / in-progress fix list

Item	Status / finding	Owner · Priority
Conversion path / CTAs	Generic “Learn More” / “Contact CSS”. Replace site-wide with “Request a Feasibility Review” / “Get an ASIC Quote” + a gated lead magnet (IP-block catalog or ASIC-vs-FPGA guide) + short qualifier (market/volume/timeline).	ux-design (04) · High
Schema markup	Yeast emits Organization/WebSite/Breadcrumb; Product/Service/FAQ not confirmed. Add Organization, Service, Product, and FAQ schema for AI citability.	technical (05) · High
Internal linking	23 product/portfolio pages weakly linked (partial orphaning). Build hub-and-spoke from market/portfolio hubs.	technical (05) · Medium
Template / utility URLs	/elementor-hf/footer/ and /products-for-asic-solutions/ (legacy dup → /turnkey-asics/) need indexation cleanup. /ewna-booking/ already noindex,follow.	technical (05) · Medium
Soft-404 / 404 buckets	Soft-404 set includes asset routes (/home/react/, /home/vuejs/, react.svg, vuejs.svg). 404 bucket ~15 (stale, not currently linked). GSC validation already started.	technical (05) · Medium
Core Web Vitals / speed	Audit flagged ~7 slow pages; not yet measured per-URL. Run CWV/PageSpeed on the core set (home, /turnkey-asics, /asic-portfolio, /about, /contact, /blog).	technical (05) · Medium
Titles / meta	Updated on core pages already; align remaining pages to commercial keyword themes per Section 5.	technical (05) · Low

Item	Status / finding	Owner · Priority
IMU URL typo	DONE — /inertial-motion-unit/ 301→/inertial-motion-unit/; corrected URL submitted for indexing.	— · Complete

Access & instrumentation to confirm (week 1)

- **WordPress admin** (editor + Yoast + Elementor) — confirm credentials in the fleet vault; needed for on-page, schema, and publishing.
- **GA4 (397845611), Search Console (sc-domain + https), GTM (6083523785 / 108259178)** — connected; confirm goal/event tracking for the quote/feasibility form and lead-magnet downloads.
- **SEMrush project** — position tracking for the gap + per-persona keyword set; site audit scheduled; backlink monitoring on.
- **Google Business Profile** — claim/verify (category “ASIC/semiconductor design”); confirm NAP across AnySilicon, GlobalSpec, LinkedIn, ZoomInfo.

04 Customer Personas → Search Behaviour

The keyword and content plan is organised around four buyer personas, carried over from the AI Growth Blueprint and reconciled with the three buying-situation personas in the June 16 intake. The point for SEO: each persona searches differently, and increasingly asks an AI assistant before it searches at all.

Persona	How they search / what triggers it	Primary intent
Industrial / IoT Design Engineer	Searches capability + integration terms (mixed-signal, sensor interface, PMIC, data converter) when a new revision or cost-down mandate makes a board of discrete parts untenable.	Commercial — capability & volume
Medical-Device R&D Lead	Searches ultra-low-power, implantable/wearable, biosensor terms at a funding or prototype-to-production milestone; values long-life supply and quality rigor.	Commercial — low-power & longevity
Aerospace & Defense Engineer	Searches hi-rel, rad-hard, trusted-US-supply, phased-array terms; triggered by reliability, ITAR/trusted-supply, or a long-program requirement.	Commercial — hi-rel & US supply
Obsolescence / Sustaining Mgr	Searches urgently for “drop-in replacement / obsolete IC / DMSMS / last-time-buy” the moment a critical part goes EOL. Highest-intent, most underserved entry point.	Commercial — urgent replacement

The buying-situation lens (from the June 16 intake)

The same people show up as three buying situations: the Integration-Driven Engineering Lead (consolidate discrete → ASIC), the Obsolescence/EOL Continuity Owner (keep a long-life product shipping), and the Turnkey-Seeking Founder/VP Eng (no in-house IC team). Map every piece of content to a persona AND a situation — it sharpens the CTA (feasibility review vs. obsolete-part replacement vs. start-your-project qualifier).

05 Keyword & Long-Tail Analysis per Persona

The keyword strategy, organised by persona, then a cross-cutting capability/decision set every persona shares. “Priority” reflects intent, business fit, and the competitor gap — not search volume. Volume and difficulty are pulled per term in SEMrush at onboarding; for context, the named competitor set (System-to-ASIC, EnSilica, Mindcet) targets many of the “(gap)” terms directly in titles and nav while CSS does not yet.

Persona 1 — Industrial / IoT Design Engineer

AEO target query: *“who designs custom mixed-signal ASICs for industrial sensors / metering in the US”*

Keyword / phrase	Type	Intent	Priority	Target page / asset
industrial ASIC design	Head	Commercial	High (gap)	/market-expertise (Industrial pillar — NEW)
mixed-signal ASIC design	Head	Commercial	High	/ic-design-expertise
analog ASIC design / analog IC design services	Head	Commercial	High (gap)	Analog ASIC page (NEW)
sensor interface ASIC / signal-conditioning IC	Long-tail	Commercial	High	Sensor-interface capability page (NEW)
custom PMIC / power-management ASIC	Long-tail	Commercial	High (gap)	Power ASIC page (NEW)
high-voltage gate-driver ASIC	Long-tail	Commercial	High (gap)	High-voltage page
sigma-delta / SAR / flash ADC ASIC	Long-tail	Commercial	Medium	Data-converter capability page (NEW)
MEMS readout / interface ASIC	Long-tail	Commercial	Medium	MEMS-interface page (NEW)

Keyword / phrase	Type	Intent	Priority	Target page / asset
smart-metering ASIC / energy IC	Long-tail	Commercial	Medium	Industrial vertical page
RF / wireless ASIC design	Long-tail	Commercial	Medium	RF/wireless capability page
mixed-signal IC consolidation (discrete → ASIC)	Long-tail	Informational	High	Blog cluster + Industrial page

Persona 2 — Medical-Device R&D Lead

AEO target query: *“custom ultra-low-power ASIC partner for an implantable / wearable medical device”*

Keyword / phrase	Type	Intent	Priority	Target page / asset
medical device ASIC design / medical ASIC	Head	Commercial	High (gap)	/market-expertise (Medical pillar — NEW)
ultra-low-power ASIC / nanoamp IC design	Head	Commercial	High	Ultra-low-power capability page (NEW)
implantable ASIC design	Long-tail	Commercial	High	Medical vertical page
wearable medical ASIC	Long-tail	Commercial	High	Medical vertical page
biosensor / diagnostic interface ASIC	Long-tail	Commercial	Medium	Medical vertical page
energy-harvesting ASIC (battery-free / long-life)	Long-tail	Commercial	Medium	Low-power capability page
low-power sensor ASIC for medical	Long-tail	Commercial	Medium	Sensor-interface page
long-life medical IC supply / lifecycle support	Long-tail	Informational	Medium	Blog + Medical page

Persona 3 — Aerospace & Defense / Hi-Rel Engineer

AEO target query: *“US-based trusted hi-rel ASIC design house for a defense / space program”*

Keyword / phrase	Type	Intent	Priority	Target page / asset
aerospace ASIC design / defense ASIC	Head	Commercial	High (gap)	/market-expertise (A&D pillar — NEW)
hi-rel ASIC / high-reliability IC	Head	Commercial	High	A&D vertical page
radiation-hardened (rad-hard) ASIC design	Long-tail	Commercial	High (gap)	Rad-hard page (NEW)
high-voltage ASIC for defense	Long-tail	Commercial	Medium	High-voltage page
phased-array ASIC	Long-tail	Commercial	Medium	A&D vertical page
downhole / extreme-environment ASIC	Long-tail	Commercial	Medium	A&D / Industrial page
trusted US ASIC supplier / US-based ASIC design	Long-tail	Commercial	High	About + A&D page
ruggedized mixed-signal ASIC	Long-tail	Commercial	Medium	A&D vertical page

Persona 4 — Obsolescence / Sustaining-Engineering Manager

AEO target query: *“drop-in replacement for an obsolete [analog / mixed-signal] IC” / “DMSMS solution”*

Keyword / phrase	Type	Intent	Priority	Target page / asset
obsolete IC replacement / IC obsolescence solution	Head	Commercial	Flagship	/blog obsolescence pillar (exists — expand)
drop-in IC / ASIC replacement	Head	Commercial	Flagship	Obsolescence hub (NEW)

Keyword / phrase	Type	Intent	Priority	Target page / asset
form-fit-function ASIC replacement	Long-tail	Commercial	High	Obsolescence hub
DMSMS / diminishing manufacturing sources	Long-tail	Informational	High	Obsolescence blog cluster
last-time-buy alternative / EOL chip replacement	Long-tail	Commercial	High	Obsolescence hub
obsolete analog IC replacement	Long-tail	Commercial	High	Obsolescence hub
recreate / reverse-engineer an obsolete IC	Long-tail	Informational	Medium	Obsolescence blog cluster
legacy IC continuity / long-lifecycle supply	Long-tail	Informational	Medium	Obsolescence + Lifecycle page

Cross-cutting — capability & decision-stage (all personas)

Core commercial terms CSS must defend, plus the decision-stage informational terms that earn AI citations and feed the top of funnel.

Keyword / phrase	Type	Intent	Priority	Target page / asset
custom ASIC design	Head	Commercial	Core — defend	Homepage (ranks now)
turnkey ASIC design & manufacturing	Head	Commercial	Core — defend	/turnkey-asics (ranks now)
ASIC design services / ASIC manufacturing services	Head	Commercial	High (gap)	/turnkey-asics + services copy
fabless ASIC partner / fab-agnostic ASIC	Long-tail	Commercial	Medium	Homepage + About
ASIC design flow (concept → production)	Long-tail	Informational	High (gap)	Design-flow page (NEW)
ASIC packaging	Long-tail	Commercial	Medium (gap)	Turnkey sub-section / page (NEW)
ASIC test / production test	Long-tail	Commercial	Medium (gap)	Test capability page (NEW)

Keyword / phrase	Type	Intent	Priority	Target page / asset
ASIC process nodes / node selection	Long-tail	Informational	Medium (gap)	Design-flow / blog
ASIC vs FPGA	Long-tail	Informational	High (citable)	Decision-stage blog
ASIC NRE cost / ASIC development cost	Long-tail	Informational	High (citable)	Decision-stage blog
when to move to a custom ASIC	Long-tail	Informational	High (citable)	Decision-stage blog
custom ASIC design company / ASIC design company Orange County	Long-tail	Commercial	Medium	Homepage + About (entity)

The 15 gap terms are the priority backlog

The May 27 audit named 15 terms competitors target and CSS does not: analog ASIC design, analog IC design services, ASIC design services, ASIC manufacturing services, ASIC packaging, ASIC test/production test, ASIC process nodes, ASIC design flow, industrial/medical/aerospace ASIC design, power ASIC design, high-voltage ASIC design, rad-hard ASIC design, and quick-silicon/prototype ASIC. Every one is placed above on a persona or the cross-cutting set, and every one has a page and a calendar slot. Closing them is the fastest ranked-keyword growth available.

06 AEO / GEO — Winning AI-Search Citations

More of these buyers now ask ChatGPT, Perplexity, or Gemini for a partner before they ever run a Google search. On non-geo queries those engines surface global competitors (ICsense, Cactus Semiconductor, Comport Data, ASIC North) and can omit CSS entirely without entity and FAQ content. Winning the citation is as important as ranking.

What earns the citation

- **Entity clarity.** Organization schema, a tight About/entity page, and consistent NAP so engines know exactly who CSS is and what it does.
- **Direct-answer FAQ blocks.** FAQ schema on every capability and vertical page answering the literal question a buyer asks an assistant (“who designs ultra-low-power medical ASICs in the US?”).
- **Decision-stage content.** ASIC vs FPGA, NRE cost, when-to-go-custom — the explainer pages assistants quote. These are the most citable assets in the calendar.
- **Comparison & glossary depth.** Definitional and comparison pages (already a CSS strength via the glossary) are heavily reused by answer engines — expand them.

Baseline & track

Week 1: run the persona AEO queries above on ChatGPT, Perplexity, and Gemini and record whether CSS is named and against whom. Re-run monthly; “first AI citation” and “share of AI answers vs. the named competitor set” are headline KPIs (Section 11). This is the part almost no competitor measures.

Practical rule

Every new page ships with: one clear H1 matching the target query, a 2–3 sentence direct answer near the top, an FAQ block with schema, and an internal link to the relevant pillar. That single template serves classic SEO and AEO at once.

07 Site Architecture & On-Page Plan

The content engine needs somewhere to live. CSS has strong capability pages but thin vertical and educational coverage, and orphaned portfolio pages. The target architecture is hub-and-spoke: four market pillars, a capability layer, an obsolescence hub, a decision-stage blog cluster, and a hardened conversion path.

Build	Pages / assets	Status
Market pillars (4)	Industrial, Medical, Aerospace & Defense, Consumer — each a deep pillar with FAQ schema, linking down to capability + portfolio + case study.	Expand /market-expertise
Capability layer	Analog ASIC, Mixed-Signal, High-Voltage, Power/PMIC, Ultra-Low-Power, Sensor/MEMS interface, Data converters, RF/wireless — dedicated, keyword-targeted pages.	Several NEW (gap terms)
Turnkey / process	ASIC Design Flow, Packaging, Production Test, Process-Node selection — name verification, packaging, testing, lifecycle on /turnkey-asics.	Expand + NEW pages
Obsolescence hub	Expand the existing obsolete-IC article into a hub: drop-in replacement, DMSMS, last-time-buy, form-fit-function, reverse-engineering.	Expand existing post
Decision-stage blog	ASIC vs FPGA, NRE cost, when-to-go-custom, buyer's checklist — the citable top-of-funnel cluster.	NEW cluster (Section 8)
Proof	Outcome-based case studies from named customers (with permission); portfolio hub surfacing the 23 product pages.	NEW + relink
Conversion path	High-intent CTA, gated lead magnet, short qualifier form, direct email + response window on /contact.	NEW (highest ROI)

On-page template (every page)

Single clear H1 on the target query · a direct 2–3 sentence answer up top · keyword-aligned title + meta (Yoast) · FAQ block + schema · 3–5 internal links (up to pillar, across to siblings) · a primary CTA. Consistency here is what makes the long-tail compound.

08 The 52-Week Content Calendar

A full year of weekly content, engineered to close the keyword gaps, cover all four personas, and move buyers through the funnel — front-loaded with the most citable decision-stage education. Cadence is one post per week; pair each with a short LinkedIn post and a glossary cross-link. Working titles are starting points for the copy team; the full grid (with secondary keywords, content type, and target page) is in the CSV.

Quarter	Theme	Emphasis
Q1 · Wks 1–13	Foundation — decision-stage education + core capability	AEO citability, defend core terms
Q2 · Wks 14–26	Verticals — Medical & Industrial depth	Medical + Industrial gap terms
Q3 · Wks 27–39	Aerospace/Defense, Obsolescence, RF & turnkey ops	Hi-rel + obsolescence wedge
Q4 · Wks 40–52	Authority, comparisons, glossary & pillar refresh	Consolidate + link equity

Persona key: Ind = Industrial / IoT · Med = Medical · A&D = Aerospace & Defense · Obs = Obsolescence · All = cross-persona. Stage: TOFU (awareness/education) · MOFU (evaluation) · BOFU (proof/decision). Four application case studies (Wks 26, 39, 50 + the obsolescence story) anchor proof.

Q1 — Foundation (Weeks 1–13)

Wk	Working title	Persona	Primary keyword	Stage
1	ASIC vs. FPGA: When Does Custom Silicon Actually Win?	All	<i>asic vs fpga</i>	TOFU
2	When to Move From Discrete Parts to a Custom ASIC	Ind	<i>when to move to a custom asic</i>	TOFU
3	What an ASIC Really Costs: NRE, Masks, and Unit Economics	All	<i>asic nre cost</i>	MOFU
4	Custom ASIC vs. Off-the-Shelf IC: BOM, Size, Power & IP	Ind	<i>custom asic vs standard ic</i>	TOFU
5	A Practical Guide to the Custom ASIC Design Flow	All	<i>asic design flow</i>	MOFU

Wk	Working title	Persona	Primary keyword	Stage
6	Mixed-Signal ASIC Design: Analog + Digital on One Chip	Ind	<i>mixed-signal asic design</i>	MOFU
7	Analog ASIC Design Services: What to Look For in a Partner	Ind	<i>analog asic design</i>	MOFU
8	Choosing the Right Process Node for Your Analog/Mixed-Signal ASIC	All	<i>asic process nodes</i>	MOFU
9	How a Fabless, Fab-Agnostic Partner De-Risks Your ASIC	All	<i>fabless asic partner</i>	MOFU
10	Precision Data Converters: SAR, Sigma-Delta & Flash ADCs in an ASIC	Ind	<i>data converter asic</i>	MOFU
11	The Volume Question: When a Custom ASIC Pays Off	All	<i>asic volume threshold</i>	MOFU
12	Protecting Your IP in Silicon: Custom ASIC vs. Reverse-Engineering	All	<i>protect ip with a custom asic</i>	MOFU
13	In-House Wafer Probe & Final Test: Why a Test Floor Matters	All	<i>asic production test</i>	MOFU

Q2 — Verticals: Medical & Industrial (Weeks 14–26)

Wk	Working title	Persona	Primary keyword	Stage
14	Medical-Device ASIC Design: Ultra-Low Power, Long Battery Life	Med	<i>medical device asic design</i>	MOFU
15	Designing ASICs for Implantable & Wearable Medical Devices	Med	<i>implantable asic design</i>	MOFU
16	Sensor-Interface ASICs: Turning Raw Signals Into Clean Data	Ind	<i>sensor interface asic</i>	MOFU
17	Ultra-Low-Power ASIC Design: Nanoamp & Energy-Harvesting Techniques	Med	<i>ultra low power asic</i>	MOFU
18	MEMS-Interface ASICs: Pressure, Inertial & Environmental Sensing	Ind	<i>mems interface asic</i>	MOFU
19	Industrial ASIC Design: Drivers, PMICs & Rugged Mixed-Signal	Ind	<i>industrial asic design</i>	MOFU
20	ASICs for Smart Metering & Energy Systems	Ind	<i>metering asic</i>	MOFU
21	High-Voltage ASIC Design: Gate Drivers and Beyond	Ind	<i>high-voltage asic design</i>	MOFU
22	Power-Management ASICs (PMIC): Custom vs. Catalog	Ind	<i>power asic design</i>	MOFU

Wk	Working title	Persona	Primary keyword	Stage
23	Biosensor & Diagnostic ASICs: Designing for Accuracy & Compliance	Med	<i>biosensor asic</i>	MOFU
24	Medical-Device Longevity: Supply, Quality & Traceability	Med	<i>long life medical ic supply</i>	MOFU
25	From Sensor to System: Consolidating a Node Into One ASIC	Ind	<i>sensor node asic integration</i>	MOFU
26	Application Story: Mixed-Signal Integration for an Industrial OEM	Ind	<i>mixed-signal asic case study</i>	BOFU

Q3 — A&D, Obsolescence, RF & Ops (Weeks 27–39)

Wk	Working title	Persona	Primary keyword	Stage
27	Aerospace & Defense ASIC Design: Reliability for 20-Year Programs	A&D	<i>aerospace asic design</i>	MOFU
28	Radiation-Hardened ASIC Design: When and How	A&D	<i>rad-hard asic design</i>	MOFU
29	Hi-Rel ASICs: Screening, Qualification & Trusted US Supply	A&D	<i>hi-rel asic</i>	MOFU
30	The Drop-In ASIC Replacement Playbook for Obsolete Parts	Obs	<i>obsolete ic replacement</i>	MOFU
31	DMSMS & Last-Time-Buy: Engineering Out of an EOL Crisis	Obs	<i>dmsms ic replacement</i>	MOFU
32	Form-Fit-Function: Recreating an Obsolete Part Without the Original Design	Obs	<i>form fit function ic replacement</i>	MOFU
33	When the Original Chip Is Gone: From Sample to Compliant ASIC	Obs	<i>recreate obsolete ic</i>	MOFU
34	RF & Wireless ASIC Design: LNAs, Mixers, VCOs and PAs	Ind	<i>rf asic design</i>	MOFU
35	ASIC Packaging Options: From Bare Die to Custom Packages	All	<i>asic packaging</i>	MOFU
36	Production Test & Characterization: Guaranteeing Every Shipped Die	All	<i>asic characterization</i>	MOFU
37	Tape-Out Readiness: A Checklist Before You Commit to Masks	All	<i>asic tape-out checklist</i>	MOFU
38	Prototype to Production: Scaling a Custom ASIC Program	All	<i>prototype asic</i>	MOFU

Wk	Working title	Persona	Primary keyword	Stage
39	Application Story: Keeping a Long-Lifecycle System Alive (Obsolescence)	Obs	<i>obsolete part replacement case study</i>	BOFU

Q4 — Authority, Comparisons & Refresh (Weeks 40–52)

Wk	Working title	Persona	Primary keyword	Stage
40	Choosing a Custom ASIC Design Company: A Buyer's Checklist	All	<i>custom asic design company</i>	MOFU
41	ASIC Design Services Explained: What "Turnkey" Really Includes	All	<i>asic design services</i>	MOFU
42	Analog IC Design Services: Specifying Performance That Survives Production	Ind	<i>analog ic design services</i>	MOFU
43	Energy Harvesting + Ultra-Low Power: Designing Battery-Free Devices	Med	<i>energy harvesting asic</i>	MOFU
44	EMI, Temperature & Ruggedization in Industrial ASICs	Ind	<i>rugged industrial asic</i>	MOFU
45	Wearable Health Tech: ASIC Design for Continuous Monitoring	Med	<i>wearable health asic</i>	MOFU
46	The Hidden Cost of NOT Going Custom (Discrete & Catalog Parts)	Ind	<i>asic vs discrete cost</i>	MOFU
47	ASIC Design for Phased-Array & Downhole Applications	A&D	<i>phased array asic</i>	MOFU
48	Building a Multi-Year Supply Plan for Your Custom ASIC	All	<i>asic lifecycle support</i>	MOFU
49	Glossary Deep-Dive: 20 ASIC Terms Every Hardware Buyer Should Know	All	<i>asic glossary</i>	TOFU
50	Application Story: A Sensor-Interface ASIC From Sketch to Production	Med	<i>sensor asic case study</i>	BOFU
51	Custom-Silicon Trends: Reshoring, AI, and the Sensor Boom	All	<i>custom silicon trends</i>	TOFU
52	The Complete Guide to Custom ASIC Development (Pillar Refresh)	All	<i>custom asic design</i>	TOFU

09 Link-Building & Digital PR Plan

CSS starts from a real base — ~4.0K backlinks across 423 referring domains — so the job is relevance and authority, not raw volume. The biggest lever is more topically-relevant referring domains from the semiconductor, ASIC, embedded, and engineering world, earned by linkable technical assets.

Channel	Targets / approach	Priority
Industry directories	AnySilicon supplier listing, GlobalSpec supplier profile, semiconductor/ASIC marketplaces, Design-Reuse, EE directories — verify and enrich the listing + NAP.	High (quick win)
Ecosystem / partner links	Foundry and assembly partner ecosystem pages, IP and EDA partner directories, “ASIC design partner” lists.	Medium
Linkable assets	The design-flow, packaging, test, process-node, glossary, and obsolescence resource pages — built to attract technical citations naturally.	High
Guest / contributed content	Custom ASIC design, mixed-signal IC development, obsolete-IC replacement, industrial/medical applications — EE trade outlets and engineering communities.	Medium
Case studies / PR	Customer-approved success stories (Curtis, Itron, Transoma where permitted); trade-show announcements (Sensors Converge, MD&M West, GOMACTech) as news hooks.	Medium
Digital hygiene	Keep PDF/asset URLs from distracting crawl focus from core service pages; disavow only if a clearly toxic pattern appears.	Low (monitor)

Backlink profile to monitor monthly: total links, referring domains, RD topical relevance, and new/lost domains. The May 2026 baseline (4.0K / 423 RD / 230 IPs, 68% text / 32% image) is month-zero.

10 Competitor SEO Benchmark

Two competitor sets matter: the direct service-overlap houses we benchmark keyword gaps against, and the names AI answer engines surface on non-geo queries. Watch both in SEMrush position tracking.

Competitor	How they out-target CSS	Set
System to ASIC	Names ASIC Design Flow, Mixed-Signal, Process Nodes, Test, Packaging, and Medical/Industrial/Aerospace ASIC directly in titles & nav.	Service-overlap
EnSilica	Strong “turnkey ASIC” framing — specification, design, verification, manufacturing, packaging, testing — as explicit page targets.	Service-overlap
Mindcet	Owns High-Voltage, Rad-Hard, and Power ASIC language; “concept to production-tested ASICs.”	Service-overlap
ICsense	Surfaces in AI answers for analog/mixed-signal ASIC design services; deep published content + tape-out track record.	AI-answer
ASIC North	US analog/mixed-signal peer cited by assistants; strong capability content.	AI-answer / peer
Cactus Semiconductor · Comport Data	Appear in AI answers for medical / custom mixed-signal ASIC queries; entity + content presence.	AI-answer

The takeaway

CSS’s differentiators (in-house test floor, 100% tape-out record, obsolescence niche, US-domiciled) are real and largely absent from competitors — but invisible online. Beating this set is less about outspending and more about naming the gap terms on dedicated pages and out-publishing them on decision-stage and obsolescence content.

11 KPIs, Reporting & Cadence

Measure what matters for a niche, high-consideration B2B account — lead quality and authority, not vanity traffic. Attribution lags content by months, so track leading indicators too.

KPI	What / why	Cadence
Ranked keywords (gap set)	Count + average position for the 15 gap terms and the per-persona set. The clearest growth signal.	Weekly / monthly
AI-citation share	Whether CSS is named in ChatGPT/Perplexity/Gemini answers for the persona AEO queries, vs. the named competitors.	Monthly
RFQ / quote-form leads	Submissions on the new feasibility/quote CTA + lead-magnet downloads — the real business outcome.	Weekly
Indexed / published pages	New capability/vertical pages live + indexed; blog cadence held (1/wk).	Weekly
Organic + assisted conversions	GA4 organic sessions to key pages and assisted conversions (long sales cycle — assists matter).	Monthly
Referring domains (relevant)	Net new topically-relevant RDs vs. the 423 baseline.	Monthly
Technical health	Site-audit score, CWV on core pages, crawl errors trending down.	Monthly

Reporting rhythm

- **Weekly:** the contracted weekly SEO report (DOCX) + status-review deck — GA4 + GSC + site health + work done + next week (the existing deliverable, now mapped to this plan).
- **Monthly:** a strategy review — rankings on the gap/persona set, AI-citation check, content shipped vs. calendar, lead/RFQ trend, and the next month's priorities.
- **Quarterly:** recalibrate the calendar and keyword priorities against what is actually ranking and converting.

12 Team, Roles & Week-1 Onboarding Checklist

Who owns what, and the first-week tasks to stand the account up. Roles map to the SEO-OS agent functions; assign a named person to each.

Function	Owns	Lead
Research (01)	Keyword/competitor/SERP research; pull SEMrush MSV/KD for the per-persona + gap set; maintain the keyword map.	TBD
Strategy (02)	Owns this plan + the 52-week calendar; monthly recalibration; persona/content mapping.	TBD
Copy (03)	Writes the weekly post + capability/vertical pages; holds the editorial cadence.	TBD
UX-Design (04)	Conversion path: high-intent CTA, lead magnet, qualifier form, portfolio hub.	TBD
Technical (05)	Schema, internal linking, URL/indexation cleanup, CWV, on-page fixes.	TBD
Measurement (09)	KPI dashboard, GA4/GSC instrumentation, weekly + monthly reporting.	Puneet
GEO / AEO (10)	AI-citation baseline + monthly tracking; FAQ/entity content; GBP verification.	TBD

Puneet's standing weekly tickets (per-client norm)

- **Data generation** — pull GA4 + GSC + site-health for the week.
- **Weekly report** — build the branded DOCX + status-review deck.
- **Client communication** — send the update and capture replies/requests.

Week-1 checklist

- **1.** Confirm access: WordPress, GA4, GSC, GTM, SEMrush project (Section 3). Lock month-zero baselines (Section 2).
- **2.** Run the AEO baseline (persona queries on ChatGPT/Perplexity/Gemini) and record citations.
- **3.** Pull SEMrush MSV/KD for the keyword map; finalise the keyword-priority CSV.

- **4.** Spec the conversion path (CTA + lead magnet + qualifier) and the schema build.
- **5.** Load weeks 1–4 of the calendar into the Client Portal ticket queue and start the first post.

13 Expansion / Upsell Roadmap

The current scope is weekly reporting only. This plan needs content production and a technical build to deliver — both are natural expansions, and they line up with the AI Growth Blueprint’s land-and-expand path. Present as the program matures, not all at once.

Expansion	Why now	Maps to
Content production	The 52-week calendar + capability/vertical pages need a writer/editor cadence — the engine that closes the gap terms and earns AI citations.	My SEO content add-on
AI-Search (AEO/GEO) add-on	Entity/FAQ content + AI-citation tracking — the frontier traditional SEO does not cover, and the blueprint’s headline.	My SEO AI-Search add-on
Technical SEO build	Schema, conversion path, internal-link architecture, CWV — one-time build that lifts every page.	Fixed-scope project
Obsolescence cross-ref tool	A parametric “dead part → CSS drop-in” tool turns the highest-intent searches into leads.	My Dev (blueprint expansion)
LinkedIn ABM / paid	B2B chip buyers respond to LinkedIn ABM and high-intent paid search; low-volume but precise.	Paid amplification (later)

Sequencing

Land: extend reporting into the content engine + AEO and ship the technical/conversion build.

Expand: the obsolescence tool and deeper automation. Scale: paid/ABM once organic + AEO prove the lead quality. Keep each step paying for itself before the next — and model ROI on RFQ/lead quality, not traffic.

About Technijian

Technijian is an AI strategy and implementation firm and full-spectrum IT services company founded in 2000 by Ravi Jain, headquartered in Irvine, California — minutes from Custom Silicon Solutions. The My SEO practice runs a multi-model SEO + AEO platform (Claude, GPT, and Gemini with SEMrush, GA4, and Perplexity) that produces and optimises authority content and tracks AI-assistant citations. This onboarding report is the operating plan for the CSS account.

Contact	Detail
Primary contact	Ravi Jain, Founder & CEO — rjain@technijian.com
Main line	+1 949.379.8499
US headquarters	18 Technology Dr., Ste 141, Irvine, CA 92618
Web	technijian.com · technology as a solution

Appendix — Sources & Deliverables

Companion files (delivered with this report)

- `css-52-week-content-calendar.csv` — the full 52-week grid (week, suggested publish date, quarter/theme, working title, persona, content pillar, primary + secondary keyword, funnel stage, content type, target page/internal link) for the content workflow and Client Portal tickets.
- `css-keyword-map.csv` — the per-persona + cross-cutting keyword set (keyword, persona, type, intent, priority, target page) for SEMrush position tracking; pull MSV/KD per term to complete it.

Data sources

- SEMrush — domain overview pull (`customsiliconsolutions.com`, June 16 2026): 124 organic keywords, ~105 monthly organic visits, domain rank ~3.65M, 0 paid; plus the May 27 2026 backlink audit (~4.0K backlinks, 423 referring domains, 230 IPs).
- Google — GA4 property 397845611, Search Console (`sc-domain + https`), and Google Tag Manager (6083523785 / 108259178) connection status from the SEO workspace.
- Onboarding intake — `customsiliconsolutions.com` onboarding strategy report, June 16 2026 (site audit, personas, 90-day outline, content gaps).
- Keyword-gap & backlink follow-up — May 27 2026 (15 named gap terms; competitor set System-to-ASIC, EnSilica, Mindcet; live-site/GSC validation).
- AI Growth & Integration Blueprint — Custom Silicon Solutions, June 26 2026 (personas, GTM motion, capability and obsolescence positioning).
- Company — `customsiliconsolutions.com` (capabilities, markets, leadership) and LinkedIn (trade-show activity).

Search volumes and difficulty are intentionally not asserted per keyword — they are pulled per term in SEMrush at onboarding (niche B2B terms are low-volume, high-intent). Prepared by Technijian, June 26, 2026.