

TECHNIJIAN

Cybersecurity-First Managed IT Services

ONSITE VISIT CHECKLIST

Home Cybersecurity Remediation — Technician Worksheet

FOR TECHNICIAN USE

This worksheet is filled out during the onsite visit and returned to the operations team for final report generation. Complete every field accurately — notes here become the basis for the client's final report and the handoff package to the 24/7 remote support team.

Visit Summary (complete at check-in)

Client Name(s)	
Service Address	
Visit Date	
Technician Name	
Arrival Time	
Departure Time	
Client Present?	☐ Yes ☐ No — who was present: _____
Authorization form signed?	☐ Yes ☐ No (work must not proceed until signed)
Pre-visit prep completed?	☐ Fully ☐ Partially — note gaps: _____ ☐ Not at all

Section 1 — Check-In & Pre-Flight (First 30 Minutes)

Complete all items below before beginning any configuration work. If any item is blocked, note the blocker and determine whether to proceed or reschedule.

Initial Walkthrough

☐	Task	Notes
☐	Greet client, introduce self, confirm scope of visit matches client understanding	
☐	Review authorization form with client; obtain signature before any configuration changes	
☐	Walk through the home to physically locate each device in the inventory	
☐	Verify inventory matches actual equipment; note any additions, removals, or substitutions	
☐	Confirm client has pre-visit prep items ready (account credentials, physical access)	
☐	Take baseline photos of current network equipment locations (cable runs, rack area)	
☐	Test current WiFi: connect tech laptop, note current SSID(s) and confirm admin access to Orbi	

Inventory Deltas from Assessment

List any devices found onsite that were NOT in the original inventory, or devices in the inventory that are no longer present:

Added / Removed	Device	Location

Known Blockers / Issues at Start

Section 2 — Credentials & Account Security (Hours 1-2)

This section covers the work that requires the homeowner present and typing their own passwords. Front-load this to free the client afterward. Do NOT record any client passwords in this document — only confirm actions were completed.

2.1 Password Manager Setup

☐	Task	Details / Value
☐	Password manager product selected	Product: _____ (1Password / Bitwarden / Apple Passwords / other)
☐	Account created using client's primary email	
☐	Master passphrase set by client (not observed by tech; 5+ words)	
☐	Recovery codes printed and given to client in sealed envelope	
☐	Installed on Dell XPS browser	Browser: _____
☐	Installed on client's phone	iOS / Android
☐	Installed on spouse's phone (if applicable)	

2.2 WiFi & Router Credentials

☐	Task	Findings / Actions
☐	Old Orbi WiFi password — was it written on the client's physical document?	☐ Yes — destroyed onsite ☐ No ☐ Client had other copies: _____
☐	New Orbi WiFi password generated (20+ char, stored in password manager only)	
☐	Orbi admin password changed (separate from WiFi password)	
☐	AT&T gateway admin password — changed if possible, or documented if carrier-locked	☐ Changed ☐ Carrier-locked ☐ Currently unknown
☐	Shredded any credential-bearing paper documents on-site	Description of items destroyed: _____

2.3 Two-Factor Authentication Enabled

For each account, note whether 2FA was already enabled, enabled today, or not enabled (with reason).

Account	Already On	Enabled Today	Not Enabled	Method
Primary email (client)	☐	☐	☐	
Primary email (spouse)	☐	☐	☐	
Apple ID / Google / Microsoft	☐	☐	☐	
Amazon / Ring	☐	☐	☐	
Bank (primary)	☐	☐	☐	
Brokerage	☐	☐	☐	
AT&T account	☐	☐	☐	
Password manager	☐	☐	☐	
Orbi / Netgear account	☐	☐	☐	

2FA method legend: App = authenticator app, SMS = text message, HW = hardware key (YubiKey), N/A = not available

Section 3 — Device-by-Device Audit (Hour 3)

Log into each network-connected device, record the current firmware version, note whether default credentials were still in place, and record the action taken. Every device in the inventory has a row; add rows for any devices found onsite that weren't in the assessment.

Column key: FW Before = firmware version found | FW After = firmware after update | Default PW? = was device still using default credentials? | PW Chg = password changed to managed credential?

Location	Device	FW Before	FW After	Default PW?	PW Chg	Notes
NETWORK						
Barb's Ofc	AT&T Gateway 5268AC FXN					
Living Rm	Orbi Router (primary)					
Tom's Ofc	Orbi Satellite					
Barb's Ofc	AT&T Wireless AP					
SECURITY						
Exterior	HikVision Cam 1 (loc:____)					
Exterior	HikVision Cam 2 (loc:____)					
Exterior	HikVision Cam 3 (loc:____)					
Exterior	HikVision Cam 4 (loc:____)					
Tom's Ofc	Northern NVR					
Kitchen	NetworX NX8V2 Alarm					
Front Door	Ring Doorbell					
SMART TVs						
Family Rm	Samsung UHTV 8 Series					
Kitchen	Vizio TV					
Tom's Ofc	Samsung TV					
Master BR	Vizio TV 1080p					
STREAMERS						

Location	Device	FW Before	FW After	Default PW?	PW Chg	Notes
Family Rm	Apple TV					
Family Rm	AT&T U-verse STB					
Kitchen	AT&T U-verse STB					
Tom's Ofc	AT&T U-verse STB					
Master BR	AT&T U-verse STB					
PRINTERS						
Tom's Ofc	HP OfficeJet Pro 9015e					
Barb's Ofc	HP DeskJet 3755					
ENDPOINTS						
Tom's Ofc	Dell XPS Laptop					
OTHER						

Section 4 — HikVision Camera Hardening (Priority)

Given the elevated risk level of HikVision devices (F-03 CRITICAL), complete the camera-specific hardening tasks below. These are in addition to the standard password/firmware work in Section 3.

☐	Hardening Task	Finding / Notes
☐	Verified Hik-Connect / EZVIZ cloud relay is DISABLED on each camera	
☐	Disabled any cloud sync or remote-access features on NVR	
☐	Confirmed no port-forwards point to camera or NVR IPs on router	
☐	Disabled UPnP on Orbi and AT&T gateway	
☐	Checked for CVE-2025-66177 patch status; applied if available	
☐	Verified cameras are reachable only from NVR (not general LAN) — test from tech laptop	
☐	Outbound internet access blocked for camera IPs at router firewall	
☐	NVR outbound internet limited to firmware update endpoints only (or manual updates)	
☐	Documented each camera's physical location, MAC address, and model number	See Section 3 notes
☐	Discussed replacement timeline with client (recommended 90 days)	Client decision: _____

Camera Physical Inventory

Record the details of each HikVision camera for the replacement planning handoff to the remote team:

Cam #	Mount Location	Model #	MAC Address	PoE or 12V?	Field of View Notes
1					
2					
3					
4					
5					
6					

Section 5 — Network Segmentation Build-Out (Hours 3-5)

This is the largest single task of the day. Configure the Orbi mesh to broadcast three networks: Trusted, IoT, and Guest. Migrate each device to its appropriate network. Test extensively before moving on.

5.1 SSID Configuration

SSID Purpose	SSID Name	Band	Security	Client Isolation
Trusted (primary)			WPA3 / WPA2-AES	No
IoT (devices)			WPA2-AES	Yes (recommended)
Guest			WPA2-AES	Yes (required)

5.2 Device Migration

Check off each device as it's migrated to the correct network. If a device cannot join the new network, note the reason.

☐	Device	Target Net	Migrated?	Issues
☐	Dell XPS Laptop	Trusted		
☐	Client's phone(s)	Trusted		
☐	Spouse's phone(s)	Trusted		
☐	Apple TV (Family Rm)	Trusted		
☐	Samsung TV (Family Rm)	IoT		
☐	Vizio TV (Kitchen)	IoT		
☐	Samsung TV (Tom's Ofc)	IoT		
☐	Vizio TV (Master BR)	IoT		
☐	HP OfficeJet 9015e	IoT		
☐	HP DeskJet 3755	IoT		
☐	HikVision Cams (via NVR)	IoT		
☐	Ring Doorbell	IoT		
☐	NetworX Alarm (if IP)	IoT (isolated)		
☐	AT&T U-verse STBs	IoT or separate		

☐	Device	Target Net	Migrated?	Issues
☐	Other: _____			
☐	Other: _____			

5.3 Firewall Rules

☐	Rule	Verified Working?
☐	IoT → Trusted: BLOCKED	
☐	Guest → Trusted: BLOCKED	
☐	Guest → IoT: BLOCKED	
☐	Trusted → IoT: ALLOWED (needed for casting, printing)	
☐	Camera IPs → Internet: BLOCKED (except NVR for firmware)	
☐	UPnP: DISABLED on router	
☐	Remote admin (WAN): DISABLED on router	

5.4 Connectivity Verification (Hour 6)

Before moving on, walk through these real-world scenarios with the client to confirm nothing broke:

☐	Test	Result
☐	Client's phone connects to Trusted network and browses internet	
☐	Dell XPS prints to HP OfficeJet	
☐	AirPlay / Cast from phone to Samsung TV works	
☐	Ring app on phone shows live doorbell feed	
☐	NVR in Tom's Office displays all camera feeds	
☐	Apple TV streams content (Netflix / etc.) successfully	
☐	AT&T U-verse STBs receive video signal	
☐	Guest network verified isolated — guest device cannot see Trusted devices	

Section 6 — Endpoint Hardening: Dell XPS (Hour 7)

Complete the laptop security baseline. The homeowner should be briefly available for password entry and recovery key acknowledgment.

6.1 Operating System & Updates

☐	Task	Value / Notes
☐	OS name & version documented	
☐	All pending OS updates applied (reboot if required)	
☐	Automatic updates enabled	
☐	Microsoft Defender (or equivalent) confirmed active, cloud protection on	Product: _____
☐	Dell firmware / BIOS updated via Dell Update utility	

6.2 Disk Encryption

☐	Task	Notes
☐	BitLocker / FileVault enabled on primary drive	
☐	Recovery key backed up to Microsoft account (or Apple ID)	
☐	Recovery key ALSO printed and given to client in sealed envelope	
☐	Client verbally acknowledged recovery key importance and storage location	

6.3 Backup

☐	Task	Notes
☐	Cloud backup provider selected and account created	Provider: _____
☐	Backup agent installed and initial backup started	Est. completion: _____
☐	Backup scope confirmed with client (which folders)	
☐	Encryption passphrase set by client (not known to tech)	

6.4 Password & Browser Migration

☐	Task	Notes
☐	Browser-stored passwords exported to password manager	
☐	Browser password saving DISABLED after migration	
☐	Password manager audit run — flagged weak/duplicate passwords noted for client	# flagged: _____
☐	Standard (non-admin) user account created for daily use (if applicable)	

Section 7 — 24/7 Remote Support Handoff (Hour 8)

This is the critical handoff to the Technijian India-based 24/7 support team. If this section isn't completed properly, the remote team cannot provide ongoing support. Do NOT skip or rush.

7.1 Remote Access Tool

☐	Task	Notes
☐	Remote access tool installed on Dell XPS	Product: _____
☐	Dedicated Technijian admin account created on XPS (separate from client account)	Username: _____
☐	Unattended access configured with notification to client on session start	
☐	Test remote connection from tech's phone/laptop — confirmed working	
☐	Client informed about how they'll receive notifications when remote team connects	

7.2 Credential Handoff to Remote Team

Record which credentials have been provisioned for the remote team's use. Do NOT record actual passwords in this form — only confirm accounts exist in the Technijian shared vault.

☐	System	Remote Admin Acct?	In Shared Vault?
☐	Orbi admin portal	☐ Yes ☐ No ☐ N/A	☐ Yes ☐ No
☐	AT&T gateway admin	☐ Yes ☐ No ☐ N/A	☐ Yes ☐ No
☐	Dell XPS (admin user)	☐ Yes ☐ No ☐ N/A	☐ Yes ☐ No
☐	HikVision NVR	☐ Yes ☐ No ☐ N/A	☐ Yes ☐ No
☐	HP OfficeJet 9015e admin	☐ Yes ☐ No ☐ N/A	☐ Yes ☐ No
☐	HP DeskJet 3755 admin	☐ Yes ☐ No ☐ N/A	☐ Yes ☐ No
☐	Ring / Amazon (shared-user only)	☐ Yes ☐ No ☐ N/A	☐ Yes ☐ No
☐	Cloud backup console	☐ Yes ☐ No ☐ N/A	☐ Yes ☐ No

7.3 Documentation Package for Remote Team

☐	Item
☐	Network diagram (current state) uploaded to client file in Technijian ticketing system

☐	Item
☐	SSID names and segmentation details documented
☐	Device inventory with MAC addresses and assigned networks captured
☐	Client preferences documented (preferred contact method, best hours for remote sessions)
☐	Outstanding items from this visit logged as tickets for remote team
☐	Month 1 handoff call with assigned remote pod scheduled

7.4 Client Briefing on Remote Support

☐	Client Briefed On
☐	How to reach Technijian 24/7 support (phone, email, portal)
☐	What remote team will do proactively (monthly patching, backup verification, etc.)
☐	What to do if they see a remote-access notification they don't expect
☐	What's NOT covered by remote (physical replacements, installer work)
☐	Client received Technijian welcome email / portal login

Section 8 — Deferred Items & Issues Encountered

Record anything that could not be completed during this visit and must be handled by the remote team, a future onsite visit, or a specialist. Be specific — this section drives the final report's open-items list.

8.1 Deferred to Remote Team

Item	Target Month	Priority

8.2 Deferred to Onsite Follow-Up or Specialist

Item	Vendor/Specialist	Target Date

8.3 Issues Encountered During Visit

Document anything that didn't go as planned — devices that wouldn't update, features that were unavailable, client decisions that changed scope.

8.4 Recommendations to Communicate in Final Report

Items you want emphasized in the final report to the client beyond the standard findings:

Section 9 — Visit Sign-Off

Both technician and client sign at the end of the visit. The client receives a copy of this completed worksheet before the tech departs; the original returns to Technijian operations for final report generation.

Technician Summary

In your own words, summarize the outcome of the visit for the final report:

Post-Visit Risk Level Assessment

Based on work completed today, what is the new risk level of the environment?

Finding	Now Rated	Reason / Residual Risk
F-01: WiFi Credentials		
F-02: AT&T Gateway		
F-03: HikVision Cameras		
F-04: Network Segmentation		
F-05: NetworX Alarm		
F-06: Smart TVs		
F-07: HP Printers		
F-08: Dell XPS Hardening		
F-09: Ring Doorbell		
F-10: AT&T Redundant		

Finding	Now Rated	Reason / Residual Risk
AP		
F-11: Orbi WiFi		
F-12: Inactive Phone HW		
F-13: Laptop Backup		

Risk levels: CRITICAL / HIGH / MEDIUM / LOW / RESOLVED

Overall Environment Risk After Visit

☐ CRITICAL ☐ HIGH ☐ MEDIUM ☐ LOW ☐ BASELINE ACHIEVED

Signatures

Technician	Client
Signature: _____	Signature: _____
Printed Name: _____	Printed Name: _____
Date / Time: _____	Date / Time: _____

Return This Form

The original completed form returns to Technijian operations within 24 hours of visit completion for final report generation. Submit by: (1) uploading scan to the client ticket in Technijian's ticketing system, or (2) returning the physical copy to the Irvine office.