

ACTIVITY PERTEMUAN 7

NAMA : MAULANA ABDUL AZIZ

NPM : 50425612





KELAS : 1IA04

MATERI : IMPLEMENTASI PYQT


MATA PRAKTIKUM : ALGORITMA PEMROGRAMAN 2B

(Screenshoot langkah-langkah sesuai video pembelajaran dan jelaskan dengan ringkas)

1. Pembuatan folder M7_5042561



2. Hasil QT Designer



3. Code program (bagian atas)

mahasiswa.py :

```
EXPLORER
...
Welcome
mahasiswa.py • conndb.py •
loadData

mahasiswa.py > MainWindow > loadData
1 import sys
2 from PyQt5 import QtWidgets, uic
3 import conndb
4
5 class MainWindow(QtWidgets.QMainWindow):
6     def __init__(self, *args, **kwargs):
7         super().__init__(*args, **kwargs)
8         uic.loadUi("Mahasiswa.ui", self)
9         self.setWindowTitle("MAHASISWA")
10        #self.pushButton.clicked.connect(self.loadData)
11        self.pushButtonSimpan.clicked.connect(self.createData)
12        self.pushButtonUpdate.clicked.connect(self.updateData)
13        self.pushButtonDelete.clicked.connect(self.deleteData)
14        self.tableWidget.clicked.connect(self.getData)
15        self.tableWidget.setColumnWidth(0, 220)
16        self.tableWidget.setColumnWidth(3, 220)
17        pass
18
19    def getData(self):
20        row = self.tableWidget.currentRow()
21        print(str(row))
22        rowItemNama = self.tableWidget.item(row, 0).text()
23        rowItemNpm = self.tableWidget.item(row, 1).text()
24        rowItemKelas = self.tableWidget.item(row, 2).text()
25        rowItemJurusan = self.tableWidget.item(row, 3).text()
26
27        self.lineEdit_nama.setText(rowItemNama)
28        self.lineEdit_npm.setText(rowItemNpm)
29        self.lineEdit_kelas.setText(rowItemKelas)
30        self.lineEdit_jurusan.setText(rowItemJurusan)
31
32    def createData(self):
33        nama = self.lineEdit_nama.text()
34        npm = self.lineEdit_npm.text()
35        kelas = self.lineEdit_kelas.text()
36        jurusan = self.lineEdit_jurusan.text()
37        strsql = "INSERT INTO tbl_mahasiswa VALUES ('"+nama+"', '"+npm+"', '"+kelas+"', '"+jurusan+"')"
38        conn = conndb.conndb()
39        conn.queryExecute(strsql)
40        self.loadData()
```

Conndb.py :

```
PERT7_50425612
conndb.py
mahasiswa.py

mahasiswa.py > MainWindow > loadData
5 class MainWindow(QtWidgets.QMainWindow):
6
7     def updateData(self):
8         nama = self.lineEdit_nama.text()
9         npm = self.lineEdit_npm.text()
10        kelas = self.lineEdit_kelas.text()
11        jurusan = self.lineEdit_jurusan.text()
12        strsql = "UPDATE tbl_mahasiswa SET npm='"+npm+"', kelas='"+kelas+"', jurusan='"+jurusan+"' WHERE nama='"+nama+"'"
13        conn = conndb.conndb()
14        conn.queryExecute(strsql)
15        self.loadData()
16
17    def loadData(self):
18        conn = conndb.conndb()
19        strsql = "SELECT * FROM tbl_mahasiswa"
20        result = conn.queryResult(strsql)
21        print(result)
22        row=0
23        self.tableWidget.setRowCount(len(result))
24        for user in result:
25            self.tableWidget.setItem(row, 0, QtWidgets.QTableWidgetItem(user[0]))
26            self.tableWidget.setItem(row, 1, QtWidgets.QTableWidgetItem(user[1]))
27            self.tableWidget.setItem(row, 2, QtWidgets.QTableWidgetItem(user[2]))
28            self.tableWidget.setItem(row, 3, QtWidgets.QTableWidgetItem(user[3]))
29            row = row+1
30
31    def deleteData(self):
32        nama = self.lineEdit_nama.text()
33        strsql = "DELETE FROM tbl_mahasiswa WHERE nama='"+nama+"'"
34        conn = conndb.conndb()
35        conn.queryExecute(strsql)
36        self.loadData()
37
38    app = QtWidgets.QApplication(sys.argv)
39    window = MainWindow()
40    window.show()
41    app.exec_()
```

mahasiswa.ui :

```
> PERIT_50425612
> _pycache_
> conddb.py
> mahasiswa.db
> mahasiswa.py
> Mahasiswa.ui
1 <?xml version="1.0" encoding="UTF-8"?>
2 <ui version="4.0">
3 <class>MainWindow</class>
4 <widget class="QMainWindow" name="MainWindow">
5 <property name="geometry">
6 <rect>
7 <x>0</x>
8 <y>0</y>
9 <width>1045</width>
10 <height>775</height>
11 </rect>
12 </property>
13 <property name="windowTitle">
14 <string>MainWindow</string>
15 </property>
16 <widget class="QWidget" name="centralwidget">
17 <widget class="QLabel" name="label">
18 <property name="geometry">
19 <rect>
20 <x>370</x>
21 <y>170</y>
```

```
PERT7_S0425612
conndb.py > conndb.py > _init_
conndb.py
mahasiswa.py

class conndb:
    def __init__(self):
        cnx = sqlite3.connect('mahasiswa.db')
        conn = cnx.cursor()
        conn.execute('''
            CREATE TABLE IF NOT EXISTS tbl_mahasiswa (
                nama TEXT,
                npm TEXT,
                kelas TEXT,
                jurusan TEXT
            )
        ''')
        cnx.commit()
        cnx.close()

    def queryResult(self, strsql):
        cnx = sqlite3.connect('mahasiswa.db')
        conn = cnx.cursor()
        conn.execute(strsql)
        result = conn.fetchall()
        cnx.close()
        return result

    def queryExecute(self, strsql):
        cnx = sqlite3.connect('mahasiswa.db')
        conn = cnx.cursor()
        conn.execute(strsql)
        cnx.commit()
        cnx.close()
```

4. Terminal VsCode

```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
PS C:\Users\S0425612\Documents\AP2B_50425612\pert7_50425612> pip install PyQt5
Requirement already satisfied: PyQt5 in C:\Users\S0425612\AppData\Local\Programs\Python\Python314\Lib\site-packages (5.15.11)
Requirement already satisfied: PyQt5-sip<13, >=12.15 in C:\Users\S0425612\AppData\Local\Programs\Python\Python314\Lib\site-packages (from PyQt5) (12.18.0)
Requirement already satisfied: PyQt5-Qt5<5.16.0, >=5.15.2 in C:\Users\S0425612\AppData\Local\Programs\Python\Python314\Lib\site-packages (from PyQt5) (5.15.2)

[notice] A new release of pip is available: 26.0.1 -> 26.1.1
[notice] To update, run: python.exe -m pip install --upgrade pip
PS C:\Users\S0425612\Documents\AP2B_50425612\pert7_50425612>

```

```
PS C:\Users\S0425612\Documents\AP2B_S0425612\pert7_S0425612> pip install pyqt5designer
Collecting pyqt5designer
  Downloading PyQt5Designer-5.14.1-py3-none-win_amd64.whl.metadata (694 bytes)
    Downloading PyQt5Designer-5.14.1-py3-none-win_amd64.whl (40.8 MB)
      Downloading PyQt5Designer-5.14.1-py3-none-win_amd64.whl (40.8 MB)
        40.8/40.8 MB 515.0 kB/s 0:00:59
Installing collected packages: pyqt5designer
Successfully installed pyqt5designer-5.14.1

[notice] A new release of pip is available: 26.0.1 -> 26.1.1
[notice] To update, run: python.exe -m pip install --upgrade pip
PS C:\Users\S0425612\Documents\AP2B_S0425612\pert7_S0425612>
```

```
PS C:\Users\50425612\Documents\AP2B_50425612\pert7_50425612> designer
```

```
PS C:\Users\50425612\Documents\AP2B_50425612\pert7_50425612> python mahasiswa.py
[('Maulana Abdul Aziz', '50425612', '1IA04', 'Informatika')]
[('Maulana Abdul Aziz', '50425612', '1IA04', 'Informatika'), ('Zahra Humairah', '51425330', '1IA04', 'Informatika')]
```

5. Hasil Widget

MAHASISWA

Nama

Zahra Humairah

NPM

51425330

Kelas

1IA04

Jurusan

Informatika

Simpan

Update

Delete

	Nama	NPM	Kelas
1	Maulana Abdul Aziz	50425612	1IA04
2	Zahra Humairah	51425330	1IA04