
CATHODE®
POWER | SPREADING GOODNESS WITH TRUST

SMART • RELIABLE • EFFICIENT

No.1 Choice of Solar EPCs Across India




CATHODE POWER | SPREADING GOODNESS WITH TRUST

Empowering Epcs To Build A Sustainable Future With Smart, Efficient & Reliable Inverter Solutions.

On-Grid | Hybrid | Micro | BESS


WHO'S GOT YOUR BACK ON EVERY INSTALLATION?

YOUR POWER PARTNER FROM INSTALLATION TO AFTER - SALES



MICRO INVERTERS

1.6kW | 1.8kW | 2.0kW | 2.2kW | 2.4kW




CATHODE POWER | SPREADING GOODNESS WITH TRUST

TECHNICAL DATA
(CP-1.6-MIC TO CP-2.4-MIC)

MODEL NO.	CP-1.6-MIC	CP-1.8-MIC	CP-2.0-MIC	CP-2.2-MIC	CP-2.4-MIC
Input (DC)					
Max. DC Input Power	1760kWp	1980kWp	2200kWp	2420kWp	2640kWp
Max. DC Input Voltage (Per MPPT)	60V				
MPPT Voltage Range	16V - 60V				
Max. MPPT Current	20A				
Max. Short-Circuit Current	25A				
Quantity of MPPT	4				
Output (AC)					
Rated Voltage	230V				
Max. Current	6.96A	7.83A	8.70A	9.57A	10.44A
Rated Frequency	50Hz				
Rated Power	1600W	1800W	2000W	2200W	2400W
Max. Apparent Power	1600VA	1800VA	2000VA	2200VA	2400VA
Power Factor Range	0.8 Leading To 0.8 Lagging				
Efficiency					
Peak Inverter Efficiency	97.6%				
Nominal MPPT Efficiency	99.9%				
EU Efficiency	96.3%				
Night Time Power Consumption	<50				
General Data					
Dimensions (LxWxH) (mm)	331/218/40mm				
Weight	5.5kg				
Operating Temperature Range	-40°C - 60°C				
Protection Rating	IP67				
Cooling	Natural Convection				
Relative Humidity	0-100%				
Monitoring	WIFI				
Communication	RS485				
Type Of Isolation	Isolated HF Transformer				
Max. Operating Altitude Without Derating	2000m				
Overvoltage Category	DC II : AC III				
Warranty	10 Years				

CATHODE POWER | SPREADING GOODNESS WITH TRUST

PAN INDIA PRESENCE



PAN INDIA

SALES OFFICE & SERVICE CENTERS

We have sales cum service centers in every 300kms in selected regions, the replacement can be provided through the nearest center on the basis of nature of fault in the inverter.

#YEHSWADESHIHAI

CATHODE® POWER

SPREADING GOODNESS WITH TRUST

Cathode Power Private Limited.

Corporate Office: SF 201-203, Fortune Platinum, Nr. Tulsidham Circle, Manjalpur, Vadodara, Gujarat - 390011

Factory Address: R.S. No.229, Sugar Factory, Ta. Karjan, Opp. Gandhara, Gandhara, Gujarat-391210

Contact: +91 98002 68002

Email: hello@cathodepower.com

Website: www.cathodepower.com