MentorDE — Sistem Genel ve Detay Dokümanı

Proje: MentorDE — Almanya Eğitim Danışmanlığı ERP **Stack:** Laravel 12 · PHP 8.4 · MySQL 8 · Vite · Blade **Son güncelleme:** 15 Nisan 2026 **Production:** panel.mentorde.com (KASSERVER)

İçindekiler

1. Proje Özeti
2. Mimari ve Katmanlar
3. Portal Kılavuzu (7 Portal)
4. Rol ve İzin Matrisi
5. Veritabanı Şeması
6. Eloquent Modelleri ve İlişkiler
7. Servis Katmanı
8. Controllers ve Routing
9. Middleware ve Güvenlik
10. Core Modüller
11. Dış Entegrasyonlar
12. Queue, Jobs ve Scheduled Commands
13. Multi-Tenant Architecture
14. Deploy Pipeline
15. Development Workflow
16. Sık Yapılan Hatalar

1. Proje Özeti

MentorDE, Türkiye'den Almanya'ya lisans/yüksek lisans eğitimi için eğitim danışmanlığı hizmeti veren kurumsal bir ERP sistemidir. Multi-tenant çalışır (tek codebase üzerinden birden fazla şirket yönetebilir), 7 farklı kullanıcı rolü için ayrı portaller sunar ve aday → öğrenci → mezun yaşam döngüsünü eksiksiz destekler.

Ana Kullanım Senaryoları

- **Aday başvurusu:** Potansiyel öğrenci web formundan kayıt olur, otomatik senior'a atanır, kayıt formunu doldurur, belgelerini yükler
- **Sözleşme ve ödeme:** Aday → öğrenci dönüşümünde hukuki sözleşme üretilir, dijital imza, milestone bazlı ödeme takibi
- **Süreç yönetimi:** Senior ekip öğrencinin üniversite başvurusu, vize, konaklama süreçlerini takip eder
- **Bayi ağı:** 3 tip bayi (Lead Generation, Freelance, Operasyon) aday getirir, komisyon kazanır
- **İç iletişim:** Slack-tarzı IM sistemi (DM, grup, oda, duyuru kanalı), telefon rehberi, bildirim altyapısı
- **Dijital varlık yönetimi:** DAM modülü — dosya, versiyon, paylaşım linki, toplu bildirim
- **Pazarlama:** Lead scoring, campaign tracking, attribution, A/B test, sosyal medya entegrasyonu

Teknoloji Stack'i

| Katman | Teknoloji | |---|---| | Backend | PHP 8.4, Laravel 12 | | Veritabanı | MySQL 8.0+ (prod), SQLite (test) | | Frontend | Blade + Vanilla JS + Vite bundling | | CSS | Tailwind-less, custom `portal-unified-v2.css` + per-portal override | | Queue | Database (default), Redis (opsiyonel) | | Cache | Database (default), Redis (opsiyonel) | | Mail | SMTP (Sendgrid/Mailgun/Resend) | | Storage | Local disk (prod), S3 destekli | | Auth | Laravel Breeze tabanlı + 2FA (pragmarx/google2fa) | | PDF | barryvdh/laravel-dompdf | | Office | phpoffice/phpword (docx üretimi) | | Deploy | GitHub Actions → lftp → KASSERVER |

Composer Paketleri (Production)

- `laravel/framework:^12.0`
- `pragmarx/google2fa:^9.0` — 2FA TOTP
- `bacon/bacon-qr-code:^3.0` — 2FA QR üretim
- `barryvdh/laravel-dompdf:^3.0` — PDF export
- `phpoffice/phpword:^1.1` — Word belge üretimi
- `stripe/stripe-php:^20.0` — Ödeme altyapısı (hazır, tam aktif değil)
- `google/cloud-storage:^1.49` — GCS (S3 alternatif)

---

2. Mimari ve Katmanlar

MentorDE, klasik Laravel MVC üzerine **service layer** + **trait-based multi-tenant scoping** ekleyen bir yapı kullanır.

Dizin Yapısı

```
app/
├── Console/
│   ├── Commands/           # 40+ artisan command (scheduler'da çağrılır)
│   └── Kernel.php          # Command + schedule kayıtları
├── Http/
│   ├── Controllers/        # ~120 controller (portal bazında klasörlü)
│   │   ├── Api/            # REST API controllers
│   │   ├── Auth/           # Login, register, 2FA
│   │   ├── Dealer/         # Bayi portal
│   │   ├── Guest/          # Aday portal
│   │   ├── Hr/             # İnsan Kaynakları
│   │   ├── Manager/        # Manager portal
│   │   ├── MarketingAdmin/ # Marketing
│   │   ├── Senior/         # Eğitim danışmanı
│   │   ├── Shared/         # Çok rollü (ör. DigitalAssetController)
│   │   ├── Student/        # Öğrenci portal
│   │   └── TaskBoard/      # Görev panosu
│   ├── Middleware/         # 24 custom middleware
│   └── Requests/           # Form request validators
├── Jobs/                   # Queued background jobs
├── Mail/                   # Mailable sınıflar
├── Models/                 # ~100 Eloquent model
│   └── Concerns/           # Trait'ler (BelongsToCompany vb.)
├── Services/               # ~60 servis sınıfı (business logic)
│   ├── DigitalAsset/       # DAM alt servisleri
│   ├── Integrations/       # Dış API entegrasyonları
```

```
│   └── Marketing/          # Marketing-specific servisler
├── Support/                # Helper sınıflar
└── Providers/              # Service provider'lar
config/                     # Laravel config + custom config
database/
├── migrations/             # 80+ migration
├── seeders/                # Dev + prod seeder'ları
└── factories/              # Model factory'leri
resources/
├── views/                  # Blade template'ler (portal bazında)
├── js/                     # Vanilla JS (Vite bundled)
└── css/                    # Premium.css + minimalist.css
routes/
├── api.php                 # 328 line — REST API
├── web.php                 # 139 line — auth + misc
├── common.php              # Shared routes
├── manager.php             # Manager portal
├── senior.php              # Senior portal
├── marketing-admin.php     # Marketing portal
├── dealer.php              # Dealer portal
├── guest.php               # Guest portal
├── student.php             # Student portal
├── tasks.php               # Task board + IM
└── console.php             # Artisan scheduler
tests/                      # PHPUnit Feature + Unit
```

MVC + Service Layer

```
HTTP Request
    ↓
Middleware (auth, company.context, role, permission)
    ↓
Controller (thin — validation + response)
    ↓
Service (business logic + DB ops)
    ↓
Model (Eloquent ORM + traits + scopes)
    ↓
Database (MySQL)
```

---

3. Portal Kılavuzu

MentorDE **7 farklı portal** sunar. Her portal kendi layout'u, sidebar yapısı ve route prefix'i ile çalışır.

3.1 Manager Portal

- **Layout:** `resources/views/manager/layouts/app.blade.php`
- **Route prefix:** `/manager`
- **Middleware:** `company.context` + `auth` + `verified` + `manager.role` + `require.2fa`
- **Kullanan roller:** `ROLE_MANAGER`
- **2FA:** Zorunlu
- **Branding:** "MentorDE Manager Panel"

Sidebar grupları:

1. **Genel** → Dashboard, Duyurular
2. **İletişim & Görevler** → Görevlerim, Ticket Merkezi, IM, Müsaitlik, Manager Talep
3. **Kullanıcı Yönetimi** → Adaylar, Öğrenciler, Eğitim Danışmanları, Bayiler
4. **İnsan Kaynakları** → HR Dashboard, Personel, Performans, İzin, Sertifika, Devam, İşe Alım, Maaş
5. **Finans** → Finance Dashboard, Raporlar, İşlemler, Komisyonlar, Ödemeler
6. **Belgeler & Sözleşmeler** → Dijital Varlıklar, Üniversite Gereklilikleri, Doküman Şablonları, Sözleşmeler, Sözleşme Analitiği
7. **Sistem** → Sistem Ayarları, Güvenlik, Rol Yönetimi, IP Kuralları, Denetim Günlüğü, GDPR Dashboard, Bildirim Stats, Webhooks, Tema, Branding, Config

3.2 Senior Portal (Eğitim Danışmanı)

- **Layout:** `resources/views/senior/layouts/app.blade.php`
- **Route prefix:** `/senior`
- **Middleware:** `company.context` + `auth` + `senior.role`
- **Kullanan roller:** `ROLE_SENIOR`, `ROLE_MENTOR`
- **Branding:** "Danışman Paneli"

Sidebar grupları:

1. **Genel** → Dashboard, Duyurular
2. **İletişim** → Gelen Kutusu, Danışan İletişim (/im), Ticket, Görevlerim, Şablon Yanıtlar, Manager'a Talep
3. **Öğrenci İşleri** → Öğrencilerim, Belge Onayları, Başvuru & Süreç, Aday Pipeline, Kanban, Randevular, Sözleşmeler, Toplu İnceleme
4. **Lojistik** → Gizli Notlar, Hesap Kasası
5. **İçerik** → Doküman Oluştur, AI Asistan, Materyaller & KB, Servisler, Dijital Varlıklar
6. **Kişisel** → Performansım, Profil, Ayarlar, Müsaitlik, İzin Taleplerim

Senior DM istisnası (15 Nisan 2026): Senior DM picker'ı iç ekip + kendi aday öğrencileri (guest) — telefon rehberi mantığı.

3.3 Marketing-Admin Portal

- **Layout:** `resources/views/marketing-admin/layouts/app.blade.php`
- **Route prefix:** `/mktg-admin`
- **Middleware:** `company.context` + `auth` + `marketing.access`
- **Kullanan roller:** `ROLE_MARKETING_ADMIN`, `ROLE_MARKETING_STAFF`, `ROLE_SALES_ADMIN`, `ROLE_SALES_STAFF`, `ROLE_MANAGER`

Sidebar grupları:

1. **Genel** → Dashboard, Duyurular
2. **İletişim Merkezi** → IM, Görevler, Manager Talep
3. **Satış Süreci** → Pipeline (tablo), Pipeline Kanban
4. **İçerik & Kampanya** → Kampanyalar, İçerik, Email, Sosyal Medya, Tracking Links, Etkinlikler, Workflows, A/B Test
5. **Analiz & Raporlar** → Attribution, KPI, Raporlar, Bütçe
6. **Yönetim** → Entegrasyonlar, Takım, Ayarlar
7. **Satış Panel** → Pipeline & Scoring, Attribution, Bayi Yönetimi, Lider Tablosu
8. **Hesap** → Bildirimler, Profil

3.4 Dealer Portal

- **Layout:** `resources/views/dealer/layouts/app.blade.php`
- **Route prefix:** `/dealer`
- **Middleware:** `company.context` + `auth` + `dealer.role`
- **Kullanan roller:** `ROLE_DEALER`

Sidebar grupları:

1. **Genel** → Dashboard
2. **Öğrenci İşleri** → Aday Ekle, Adaylarım, Süreç Takibi
3. **Finans** → Kazançlar, Hesapla, Ödemeler, Sözleşmeler
4. **Araçlar** → Danışman Desteği, Eğitim, Referral Bağlantıları, Performans, Takvim
5. **Hesap** → Bildirimler, Profil, Ayarlar
6. **Belgeler** → Dijital Varlıklar

3.5 Guest Portal (Aday)

- **Layout:** `resources/views/guest/layouts/app.blade.php`
- **Route prefix:** `/guest`
- **Middleware:** `company.context` + `auth` + `verified` + `guest.role` + `throttle:600,1`
- **Kullanan roller:** `ROLE_GUEST`

Sidebar grupları:

1. **Genel** → Dashboard, Başvuru Formu, Belgelerim, Hizmetler, Sözleşme, Zaman Çizelgesi, Maliyet Hesaplayıcı, AI Asistan
2. **İletişim** → Mesajlar, Destek Talepleri, Geri Bildirim
3. **Keşfet** → Üniversite/Doküman/Başarı/Yaşam/Vize Rehberi, Keşfet, Kaydedilenler
4. **Hesap** → Profil, Ayarlar

3.6 Student Portal

- **Layout:** `resources/views/student/layouts/app.blade.php`
- **Route prefix:** `/student`
- **Middleware:** `company.context` + `auth` + `verified` + `student.role` + `throttle:600,1`
- **Kullanan roller:** `ROLE_STUDENT`

Sidebar grupları:

1. **Genel** → Dashboard
2. **Kayıt Süreci** → Kayıt Bilgileri, Belgelerim, Sözleşme, Süreç Takibi, Üniversite Başvuruları, Randevular
3. **İletişim** → Mesajlar, Destek
4. **Araçlar** → Servisler, AI Asistan, Doküman Oluştur, Maliyet Hesaplayıcı
5. **Keşfet** → Vize, Konut, Materyaller, Keşfet, Kaydedilenler
6. **Hesap** → Ödemeler, Profil, Ayarlar

3.7 Staff Layout (Ortak)

- **Layout:** `resources/views/layouts/staff.blade.php`

- **Kullanım:** HR ve iç araç sayfalarında (system_admin, finance_*, operations_*, sales_*, marketing_staff)
- **İçerik:** Dashboard, İş Araçları (Duyurular, Görevler, Ticket, IM, Manager Talep), Kişisel (İzin, Devam, Sertifika, Onboarding)

B3 Pattern: `/tasks`, `/tickets-center`, `/messages`, `/bulletins`, `/hr/my/*` gibi ortak sayfalar kullanıcı rolüne göre **dinamik layout seçer** — staff layout yerine senior/manager layout kullanılır, böylece portal değiştirme hissi oluşmaz.

---

4. Rol ve İzin Matrisi

Rol Listesi (`app/Models/User.php` — ROLE_* sabitleri)

Rol Kodu	Rol Adı	Katman	Açıklama
`manager`	Yönetici	1	Full access, 2FA zorunlu
`system_admin`	Sistem Yöneticisi	2	Config + sistem yönetimi, 2FA zorunlu
`system_staff`	Sistem Personeli	4	Sistem desteği
`operations_admin`	Operasyon Yöneticisi	2	Operasyon yönetimi, 2FA zorunlu
`operations_staff`	Operasyon Personeli	4	Operasyon icracı
`finance_admin`	Finans Yöneticisi	2	Finansal raporlar, 2FA zorunlu
`finance_staff`	Finans Personeli	4	Finansal işlem giriş
`marketing_admin`	Pazarlama Yöneticisi	2	Marketing + DAM
`marketing_staff`	Pazarlama Personeli	4	İçerik + DAM
`sales_admin`	Satış Yöneticisi	2	Satış pipeline
`sales_staff`	Satış Personeli	4	Lead takibi
`senior`	Eğitim Danışmanı	3	Öğrenci havuzu, DAM yetkili
`mentor`	Mentor	3	Senior'a bağlı yardımcı
`dealer`	Bayi	5	Komisyonlu referral
`guest`	Aday	6	Başvuru süreci
`student`	Öğrenci	6	Aktif müşteri

ROLE_GROUPS (Hiyerarşi)

```
manager (katman 1)
  └── system_admin → system_staff
  └── operations_admin → operations_staff
  └── finance_admin → finance_staff
  └── marketing_admin → marketing_staff
  └── sales_admin → sales_staff
  └── senior → mentor
```

Varsayılan İzinler (User.php — ROLE_DEFAULT_PERMISSION_CODES)

Rol	İzinler
manager	config.view/manage, student.*, revenue.manage, approval.manage, notification.manage, role.template.manage, ticket.center.*, dam.* (full)
senior	student.assignment.manage, student.card.view, dam.view/download/upload/update/folder.manage
mentor	senior ile aynı (daha kısıtlı klasör erişimi)
dealer	dam.view, dam.download
marketing_admin	marketing.dashboard.view, marketing.campaign.manage, dam.* (full)
marketing_staff	marketing.dashboard.view, dam.view/download/upload/update/folder.manage
sales_admin	marketing.dashboard.view, dam.view/download
sales_staff	marketing.dashboard.view, dam.view/download
system_admin	config.view/manage, notification.manage, role.template.manage, ticket.center.view, dam.view/download
operations_admin	config.view, student.assignment.manage, approval.manage, notification.manage, ticket.center.view, dam.view/download
finance_admin	config.view, revenue.manage, notification.manage, dam.view/download

İzin Sistemi Altyapısı

Roller *statik değil* — `role_templates` tablosundan dinamik okunur:

```
User → user_role_assignments → role_templates → permissions (many-to-many)
```

- **permissions** tablosu: tüm sistem izinlerini tutar (`code` unique, `category` gruplar için)

- **role_templates**: versionlu şablonlar (`version_applied` ile eski kullanıcı eski izinleri kullanabilir)
- **user_role_assignments**: kullanıcı → şablon eşleşmesi (bir kullanıcıda birden fazla template olabilir)
- `User::hasPermissionCode($code)`: effective izinleri kontrol eder

---

5. Veritabanı Şeması

MentorDE ~100 tabloya sahip. Aşağıda modüller bazında organize edilmiştir.

5.1 Auth & Authorization

Tablo	Ana Kolonlar	Açıklama
`users`	id, email (UNIQUE), name, password, role, company_id, senior_code, student_id, dealer_code, is_active, deleted_at	Tüm rollerin ortak tablosu
`sessions`	id (string PK), user_id, ip_address, user_agent, payload, last_activity	Laravel session
`password_reset_tokens`	email (PK), token, created_at	Şifre sıfırlama
`permissions`	id, code (UNIQUE), category, description, is_system	Sistem izinleri (dam.upload, config.view vb.)
`role_templates`	id, code (UNIQUE), name, parent_role, version, is_system, is_active	Rol şablonları (versionlu)
`role_template_permissions`	id, role_template_id, permission_id	Rol ↔ izin many-to-many
`user_role_assignments`	id, user_id, role_template_id, assigned_by_user_id, version_applied, is_active, assigned_at, revoked_at	User → role template atamaları
`role_change_audits`	id, actor_user_id, action, target_type, target_id, payload (JSON)	Rol değişiklikleri audit
`user_two_factor`	id, user_id, secret (TEXT, encrypted), backup_codes (JSON), is_enabled, last_used_at	2FA state
`ip_access_rules`	id, user_id, ip_address, is_allowed, expires_at	IP whitelist/blacklist

5.2 Guest Applications & Student Conversion

Tablo	Ana Kolonlar	Açıklama
`guest_applications`	id, company_id, tracking_token (UNIQUE), guest_user_id, first_name, last_name, email, phone, application_type, assigned_senior_email, lead_source, dealer_code, campaign_code, lead_status, priority, risk_level, converted_to_student, converted_student_id, registration_form_draft (JSON), selected_package_code, contract_status, notify_inapp, is_archived, deleted_at	Danışan başvuruları (90+ kolon)
`guest_registration_snapshots`	id, guest_application_id, snapshot_version, submitted_by_email, payload_json, meta_json, submitted_at	Kayıt formu versiyonları
`guest_required_documents`	id, guest_application_id, document_code, status, doc_category_code	Aday için gereken belgeler
`guest_onboarding_steps`	id, guest_id, step_number, step_name, status, completed_at	Onboarding progress
`guest_achievements`	id, guest_id, achievement_code, awarded_at	Milestones
`guest_referrals`	id, guest_id, referred_guest_id, status	Referral sistemi
`guest_tickets` + `guest_ticket_replies`	—	Aday destek talepleri
`guest_feedback`	id, guest_id, rating, feedback_text	Feedback
`guest_payment_requests`	id, company_id, guest_id, amount, status	Ödeme talepleri

5.3 Student Management

Tablo	Ana Kolonlar	Açıklama
`student_assignments`	id, student_id (UNIQUE), senior_email, branch, risk_level, payment_status, dealer_id, student_type, is_archived, company_id	Student → Senior eşleşmesi
`student_appointments`	id, student_id, senior_email, title, scheduled_at, duration_minutes, channel, meeting_url, status	Randevu yönetimi
`student_checklists` + `student_checklist_items`	—	Onboarding checklists
`student_onboarding_steps`	—	Progress tracking
`student_achievements`	—	Başarı takibi
`student_material_reads`	—	Materyal okuma
`student_shipments`	—	Paket takibi
`student_visa_applications`	—	Vize başvurusu
`student_accommodations`	—	Konaklama
`student_institution_documents`	—	Kurumsal belgeler
`student_university_applications`	—	Üniversite başvurusu
`student_language_courses`	—	Dil kursu
`student_payments`	—	Ödeme geçmişi
`student_process_task_completions`	—	Süreç adım tamamlama
`student_risk_scores`	—	Risk skoru

5.4 Dealer Management

| Tablo | Ana Kolonlar | Açıklama | |---|---|---| | `dealers` | id, company_id, code (UNIQUE), name, email, phone, whatsapp, dealer_type_code, is_active, is_archived, deleted_at | Bayi master | | `dealer_types` | id, code (UNIQUE), name_tr, name_de, name_en, description_*, permissions (JSON), default_commission_config (JSON), is_active, sort_order | 5 tip: lead_generation, referrer, freelance_danisman, b2b_partner, operational | | `dealer_type_histories` | id, dealer_id, old_type, new_type, changed_at | Tip değişiklik audit | | `dealer_student_revenues` | id, dealer_id, student_id, dealer_type, milestone_progress (JSON), total_earned, total_pending | Gelir payı tracking | | `dealer_revenue_milestones` | id, dealer_id, milestone_name, achieved_at, revenue_amount | Milestone log | | `dealer_payout_accounts` | id, dealer_code, bank_name, iban, account_holder, is_default | Ödeme hesabı | | `dealer_payout_requests` | id, dealer_code, payout_account_id, amount, currency, status, requested_by_email, approved_by, approved_at, paid_at, receipt_url | Ödeme talep lifecycle | | `dealer_utm_links` | — | UTM tracking linkler | | `dealer_material_reads` | — | Materyal okuma takibi |

5.5 Conversations (Internal Messaging)

| Tablo | Ana Kolonlar | Açıklama | |---|---|---| | `conversations` | id, company_id, type (direct/group/room/announcement), title, created_by_user_id, context_type, context_id, is_archived, archived_at, archived_by_user_id, last_message_at, last_message_preview, deleted_at | IM core — Slack tarzı Conversation | | `conversation_participants` | id, conversation_id, user_id, role (admin/member), joined_at, last_read_at, is_muted, is_pinned | Pivot + metadata | | `messages` | id, conversation_id, sender_id, body, reply_to_message_id, attachment_path, attachment_name, attachment_size, attachment_mime, is_system, is_edited, edited_at, deleted_at | Mesaj | | `message_reactions` | id, message_id, user_id, emoji | Emoji reaksiyonları | | `message_templates` | id, code (UNIQUE), name, content, category | Şablon mesajlar |

5.6 Direct Messaging (Guest/Student Support)

| Tablo | Ana Kolonlar | Açıklama | |---|---|---| | `dm_threads` | id, company_id, thread_type, guest_application_id, student_id, advisor_user_id, status, sla_hours, next_response_due_at, last_message_at, last_message_preview | Destek sohbeti thread'i | | `dm_messages` | id, thread_id, sender_user_id, sender_role, message, is_quick_request, attachment_*, is_read_by_advisor, is_read_by_participant | Destek mesajları |

5.7 Digital Asset Management (DAM)

| Tablo | Ana Kolonlar | Açıklama | |---|---|---| | `digital_asset_folders` | id, company_id, parent_id, name, slug, path, depth, description, color, icon, is_system, allowed_roles (JSON), created_by, deleted_at | Klasör hiyerarşisi | | `digital_assets` | id, company_id, folder_id, uuid, name, original_filename, mime_type, extension, size_bytes, disk, path, thumbnail_path, category, tags (JSON), description, metadata (JSON), download_count, last_downloaded_at, is_pinned, external_url, source_type, doc_code, version_group_id, version_number, created_by, deleted_at | Dosya/link master | | `digital_asset_favorites` | id, asset_id, user_id | Favori dosyalar | | `digital_asset_folder_favorites` | id, folder_id, user_id | Favori klasörler | | `digital_asset_activity_log` | id, asset_id, user_id, action (upload/view/download/share/delete/mention), metadata (JSON), ip | Aktivite log (audit) | | `digital_asset_share_links` | id, asset_id, created_by, share_token, password_hash, expires_at, max_downloads, download_count | Dış paylaşım linkleri | | `digital_asset_saved_searches` | id, user_id, name, query_params (JSON) | Kullanıcı saved searches |

5.8 Business Contracts

| Tablo | Ana Kolonlar | Açıklama | |---|---|---| | `business_contract_templates` | id, company_id, contract_type (dealer/staff), template_code (UNIQUE), name, body_text, notes, is_active | Sözleşme şablonları | | `business_contracts` | id, company_id, contract_type, dealer_id, user_id, template_id, contract_no (UNIQUE), title, body_text, meta (JSON), status (draft→issued→signed_uploaded→approved/cancelled), issued_at, signed_at, approved_at, signed_file_path, issued_by, approved_by, notes, deleted_at | Sözleşme lifecycle | | `contract_audit_logs` | id, contract_id, action, actor_id, changes (JSON) | Sözleşme audit |

State machine: `draft → issued → signed_uploaded → approved` veya `cancelled`

5.9 Company Bulletins

| Tablo | Ana Kolonlar | Açıklama | |---|---|---| | `company_bulletins` | id, company_id, author_id, title, body, category (genel/duyuru/acil/ik/kutlama/motivasyon), is_pinned, published_at, expires_at, target_roles (JSON), target_departments (JSON) | Şirket duyuruları | | `bulletin_reads` | id, bulletin_id, user_id, read_at | Okunma takibi | | `bulletin_reactions` | id, bulletin_id, user_id, emoji | Emoji reaksiyonları |

5.10 Marketing & Tasks

| Tablo | Ana Kolonlar | Açıklama | |---|---|---| | `marketing_campaigns` | id, company_id, code, name, type, status, start_date, end_date, budget | Kampanyalar | | `marketing_tasks` | id, company_id, title, description, status (todo/in_progress/in_review/done), priority, due_date, assigned_user_id, created_by_user_id, process_type, workflow_stage, parent_task_id, depends_on_task_id, checklist_total, checklist_done, template_id, estimated_hours, is_recurring, escalate_after_hours, mentioned_user_ids (JSON), deleted_at | Görev panosu (Kanban) | | `task_comments`, `task_attachments`, `task_checklists`, `task_checklist_items`, `task_activity_logs`, `task_watchers`, `task_templates`, `task_template_items` | — | Task detay tabloları | | `marketing_teams`, `marketing_reports`, `marketing_tracking_links`, `marketing_tracking_clicks`, `marketing_external_metrics`, `marketing_budget`, `lead_source_data`, `lead_source_options`, `marketing_admin_settings` | — | Marketing destek tabloları |

5.11 Notifications

| Tablo | Ana Kolonlar | Açıklama | |---|---|---| | `notification_dispatches` | id, user_id, guest_id, student_id, company_id, template_id, channel (email/sms/push/in_app), category, subject, body, variables (JSON), status (pending/queued/sent/failed/skipped), source_type, source_id, triggered_by, queued_at, sent_at, failed_at | Bildirim gönderim log | | `notification_preferences` | id, user_id, channel, category, is_enabled | Per-user tercihler | | `scheduled_notifications` | — | Zamanlanmış bildirimler |

5.12 Documents & HR

| Tablo | Ana Kolonlar | Açıklama | |---|---|---| | `documents` | id, document_id, student_id, category_id, process_tags (JSON), original_file_name, standard_file_name, storage_path, mime_type, status, uploaded_by, approved_by, approved_at, review_note, deleted_at | Öğrenci belge merkezi | | `document_categories` | id, code (UNIQUE), name_tr, name_de, name_en, is_active, sort_order, top_category | Belge kategorileri | | `document_builder_templates` | — | Dinamik belge şablonları | | `hr_person_profiles`, `hr_recruitment_posts`, `hr_onboarding_checklists`, `hr_leave_requests`, `hr_certifications`, `hr_attendances` | — | HR modülü tabloları | | `staff_kpi_targets` | — | KPI hedefleri |

5.13 System, Audit, Automation

| Tablo | Ana Kolonlar | Açıklama | |---|---|---| | `audit_trails` | id, user_id, action, entity_type, entity_id, old_values (JSON), new_values (JSON) | Genel audit | | `system_event_logs` | — | Sistem events | | `account_access_logs` | — | Login/logout geçmişi | | `account_vaults` | id, user_id, vault_key, encrypted_data | Şifreli kullanıcı verileri | | `field_rules`, `field_rule_approvals` | — | Alan doğrulama kuralları | | `consent_records` | — | GDPR/KVKK consent log | | `data_retention_policies` | — | Veri saklama | | `automation_workflows`, `automation_workflow_nodes`, `automation_enrollments`, `automation_enrollment_logs` | — | Otomasyon altyapısı | | `ab_tests`, `ab_test_variants`, `ab_test_assignments` | — | A/B testing | | `lead_scoring_rules`, `lead_score_logs`, `lead_touchpoints` | — | Lead scoring | | `internal_notes` | — | Öğrenci üzerine iç notlar | | `escalation_rules`, `escalation_events` | — | Eskalasyon kuralları | | `knowledge_base_articles` | — | Yardım merkezi | | `currency_rates` | — | Döviz kurları | | `germany_cities` | — | Alman şehir listesi | | `senior_performance_snapshots`, `senior_response_templates`, `senior_performance_targets` | — | Senior performans |

6. Eloquent Modelleri

Kritik modellerin özellikleri, relations ve scopes tabloda:

Core Models

| Model | Trait/Extends | Relations | Scopes | SoftDelete | |---|---|---|---|---|---| | `User` | Authenticatable, MustVerifyEmail, BelongsToCompany | HasMany: conversations, messages; BelongsTo: company | `active`, `visibleToUser` | ✓ | | `Company` | Model | HasMany: users, guests, tasks | — | — | | `GuestApplication` | BelongsToCompany, SoftDeletes | BelongsTo: senior, guestUser; HasOne: studentAssignment; HasMany: snapshots, tickets | `active`, `byStatus`, `visibleToUser` | ✓ | | `StudentAssignment` | BelongsToCompany | BelongsTo: senior, guestApplication | `archived` | — | | `Dealer` | BelongsToCompany, SoftDeletes | HasMany: payouts, revenues; BelongsTo: dealerType | `active`, `byType` | ✓ | | `Conversation` | BelongsToCompany, SoftDeletes | HasMany: messages, participants; BelongsToMany: participantUsers | `notArchived`, `forUser` | ✓ | | `Message` | SoftDeletes | BelongsTo: conversation, sender, replyTo; HasMany: reactions | `system`, `mentions` | ✓ | | `DigitalAsset` | BelongsToCompany, SoftDeletes | BelongsTo: folder, creator; BelongsToMany: favoritedBy | `inFolder`, `byCategory`, `pinned` | ✓ | | `DigitalAssetFolder` | BelongsToCompany, SoftDeletes | HasMany: children, assets; BelongsTo: parent | `roots`, `accessibleByRole` | ✓ | | `BusinessContract` | BelongsToCompany, SoftDeletes | BelongsTo: dealer, staffUser, template, issuedByUser, approvedByUser | `byStatus`, `byType` | ✓ | | `CompanyBulletin` | BelongsToCompany | HasMany: reads, reactions; BelongsTo: author | `active`, `visibleToUser` | — | | `MarketingTask` | BelongsToCompany, SoftDeletes | HasMany: subtasks, comments, attachments, checklists, watchers; BelongsTo: assignedUser | `pendingOrInProgress`, `byStatus`, `overdue` | ✓ | | `NotificationDispatch` | Model | BelongsTo: template | `pending`, `sent`, `failed` | — | | `Document` | SoftDeletes | BelongsTo: category | `approved`, `pending` | ✓ |

Önemli Cast'lar (JSON/Array)

- `guest_applications`: `language_skills`, `registration_form_draft`, `selected_extra_services` → array
- `digital_assets`: `tags`, `metadata`, `is_pinned` → array/boolean
- `digital_asset_folders`: `allowed_roles` → array
- `company_bulletins`: `target_roles`, `target_departments` → array
- `marketing_tasks`: `mentioned_user_ids`, `recurrence_pattern` → array
- `notification_dispatches`: `variables` → json
- `dealer_student_revenues`: `milestone_progress` → array

7. Servis Katmanı

`app/Services/` altında **~60 servis sınıfı** bulunur. Business logic controller'lar yerine servislerde toplanır.

İletişim & Bildirim Servisleri

| Servis | Sorumluluk | Önemli Metodlar | |---|---|---| | **NotificationService** | Tüm bildirim dağıtımı (email/sms/push/in_app) | `send($params)`, `sendToMany($userIds, $params)` | | **NotificationPreferenceService** | Per-user opt-out/opt-in kontrolü | `isEnabled($userId, $channel, $category)` | | **NotificationScopeService** | Bildirim hedef kitlesi hesaplama | `scopeFor($event)` | | **TemplateRenderer** | Mesaj şablonları render | `render($template, $vars, $lang)` | | **ConversationService** | IM core (DM, grup, oda, duyuru) | `findOrCreateDm`, `createGroup`, `sendMessage`, `markRead`, `unreadCountForUser`, `canPerform`, `archiveConversation`, `destroyConversation`, `promoteToAdmin` | | **PresenceService** | Online/offline durum | `updatePresence`,

`isOnline` | | **AutoReplyService** | Otomatik yanıt | `autoReplyIfApplicable` |

DAM Servisleri

| Servis | Sorumluluk | |---|---| | **DigitalAssetService** | Dosya yükleme, indirme, silme, favori toggle | | **DigitalAssetFolderService** | Klasör ağacı, taşıma, silme, role-based erişim | | **DocumentTagService** | Tag normalizasyonu | | **DocumentNamingService** | Standart dosya adlandırma (doc_code üretimi) | | **ImageOptimizationService** | Görsel optimizasyon/resize |

Student/Guest Servisleri

| Servis | Sorumluluk | |---|---| | **GuestRegistrationFieldSchemaService** | Dinamik form şema (B11/B14/B15 validation) | | **GuestResolverService** | Guest ID resolve (email/tracking_token/user_id) | | **GuestListService** | Guest listeleme + filtre | | **GuestTimelineService** | Guest etkinlik timeline | | **GuestViewDataService** | Guest portal view data hazırlama | | **StudentListService** | Öğrenci listeleme | | **StudentSearchService** | Öğrenci arama | | **StudentCardService** | Öğrenci kart verisi | | **StudentAchievementService** | Milestone takibi | | **StudentGuestResolver** | Student ↔ Guest eşleşme | | **LeadScoreService** | Lead skorlama | | **LeadSourceTrackingService** | Kaynak takibi (UTM) | | **AttributionService** | Kaynak atama (ilk/son touch) |

Sözleşme & Finans

| Servis | Sorumluluk | Metodlar | |---|---|---| | **BusinessContractService** | İş sözleşmeleri | `create($type, $templateId, $dealerId, $userId, ...)`, `issue`, `uploadSigned`, `approve`, `cancel`, `dealerPlaceholders` | | **ContractTemplateService** | Şablon yönetimi | `render($template, $vars)` | | **DealerRevenueService** | Bayi gelir hesaplama | `getActiveMilestones`, `initializeDealerStudentRevenue`, `triggerMilestonesForStudent`, `syncMilestonePaidForStudent` | | **RevenueMilestoneService** | Milestone trigger | `evaluate($student, $event)` | | **CurrencyRateService** | Döviz kur çekme/cache | `rate($from, $to)` |

Task & Automation

| Servis | Sorumluluk | |---|---| | **TaskAutomationService** | Task otomasyonu (auto-assign, escalation) | | **TaskEscalationService** | Süresi geçmiş task'ları manager'a eskalasyon | | **TaskFeedbackService** | Task feedback yönetimi | | **TaskRecurringService** | Recurring task oluşturma | | **TaskTemplateService** | Task şablonları | | **WorkflowEngineService** | Otomasyon workflow engine | | **EscalationService** | Genel eskalasyon kuralları (dm_threads, tasks, tickets) | | **SeniorAutomationService** | Senior events (student_added, status_changed → otomatik aksiyonlar) |

AI & Asistan

| Servis | Sorumluluk | |---|---| | **AiGuestAssistantService** | Guest portal AI asistan (multi-provider: Claude, Gemini, ChatGPT, OpenRouter) | | **AiWritingService** | İçerik yazım asistanı | | **SeniorAiAssistantService** | Senior için AI asistan |

Marketing

| Servis | Sorumluluk | |---|---| | **ABTestingService** | A/B test variant assignment | | **DashboardKPIService** | KPI hesaplama | | **DashboardPayloadService** | Dashboard veri hazırlama | | **StaffKpiService** | Personel KPI | | **SeniorPerformanceService** | Senior performans ölçümü |

Güvenlik & Audit

| Servis | Sorumluluk | |---|---| | **AccountVaultService** | Şifreli credential saklama (account_vaults) | | **AnonymizationService** | GDPR kişisel veri anonimize | | **PersonalDataExportService** | GDPR data export | | **SecurityAnomalyService** | Anormal login/erişim tespit | | **EventLogService** | Sistem event log | | **DataScopeService** | Veri scope kontrol | | **FieldRuleEngine** | Alan

doğrulama kuralları | | **EntityCatalogService** | Entity catalog yönetimi |

Diğer

| Servis | Sorumluluk | |---|---| | **WhatsAppService** | WhatsApp Cloud API entegrasyonu | | **InternalNoteService** | Öğrenci iç notları | | **PipelineProgressService** | Satış pipeline ilerleme | | **ProcessOutcomeService** | Süreç sonuç yönetimi | | **DocumentBuilderService** | Dinamik doküman üretimi | | **CvTemplateService** | CV şablon render | | **StudentAchievementService** | Milestone tracking | | **RiskScoreService** | Öğrenci risk skoru | | **LeadScoreService** | Lead puanı | | **Marketing**/* | Marketing alt servisleri (CampaignService, AttributionService, ReportService vb.) |

---

8. Controllers ve Routing

Route Dosyaları

| Dosya | Satır | Amaç | |---|---|---| | `routes/api.php` | 328 | REST API (v1) | | `routes/web.php` | 139 | Auth, public, misc | | `routes/common.php` | 71 | Çok rollü ortak sayfalar | | `routes/manager.php` | 279 | Manager portal | | `routes/senior.php` | 141 | Senior portal | | `routes/marketing-admin.php` | 334 | Marketing portal | | `routes/dealer.php` | 80 | Dealer portal | | `routes/guest.php` | 127 | Guest portal | | `routes/student.php` | 184 | Student portal | | `routes/tasks.php` | 130 | Task board + IM | | `routes/console.php` | 234 | Artisan scheduler + commands |

Önemli Rotalar

Auth flow (`web.php`):

- `GET /login` → `AuthController@showLogin`
- `POST /login` → `AuthController@login`
- `POST /logout` → `AuthController@logout`
- `GET /register` (eğer açıksa) → `AuthController@showRegister`
- `GET /password/reset` → Password reset flow
- `GET /2fa/setup` → `TwoFactorSetupController`
- `POST /2fa/challenge` → `TwoFactorChallengeController`
- `GET /apply` → Public guest application form

IM (`tasks.php`):

- `GET /im` → UnifiedMessagingHubController
- `POST /im/dm/{targetUserId}` → DM start
- `POST /im/group` → Grup/oda oluştur
- `POST /im/conversations/{convId}/send` → Mesaj gönder
- `POST /im/conversations/{convId}/archive` → Arşivle
- `DELETE /im/conversations/{convId}` → Sil
- `POST /im/conversations/bulk-destroy` → Toplu sil
- `POST /im/conversations/{convId}/members` → Üye ekle

DAM (Route::macro('dam') — 4 portal):

- `GET /{portal}/digital-assets` → Index
- `POST /{portal}/digital-assets` → Upload

- `POST /{portal}/digital-assets/{asset}/notify` → Post-upload mention
- `POST /{portal}/digital-assets/bulk-download` → ZIP
- `POST /{portal}/digital-assets/{asset}/share` → Share link
- `GET /{portal}/digital-assets/reports` → Raporlar

---

9. Middleware ve Güvenlik

Custom Middleware (`app/Http/Middleware/`)

| Middleware | Amaç | |---|---| | `SecurityHeaders` | CSP, HSTS, X-Frame-Options, Permissions-Policy | | `SetCompanyContext` | Current company resolve (session/default) | | `SetLocale` | Dil seçimi (tr/de/en) | | `Require2FA` | 2FA zorunlu roller için challenge yönlendirme | | `EnsureManagerRole` | `role == manager` kontrolü | | `EnsureSeniorRole` | `role in [senior, mentor]` | | `EnsureDealerRole` | `role == dealer` | | `EnsureStudentRole` | `role == student` | | `EnsureGuestRole` | `role == guest` | | `EnsureMarketingAccess` | marketing_* + sales_* + manager | | `EnsureMarketingAdminOnly` | marketing_admin only | | `EnsureMarketingTeam` | Marketing ekip erişimi | | `EnsureTaskAccess` | Task modülü erişimi | | `EnsurePermission` | `permission:dam.upload` gibi dynamic izin kontrolü | | `EnsureManagerOrPermission` | Manager veya spesifik izin | | `EnsureManagerKey` | API key bazlı manager auth | | `EnsureGuestOwnsDocument` | Guest kendi belgesine erişim | | `EnsureStudentOwnsDocument` | Student kendi belgesine erişim | | `EnsureGuestOwnsTicket` | Ticket ownership | | `CheckDealerTypePermission` | Dealer type bazlı izin | | `CheckProcessOutcomeVisibility` | Process outcome görünürlük | | `FieldRuleValidator` | Alan kuralı validation | | `UpdateUserPresence` | Presence status güncelleme |

SecurityHeaders — CSP Detayı

```
default-src 'self'
script-src 'self' 'unsafe-inline' 'nonce-{random}' https://cdn.jsdelivr.net https://cdnjs.cloudflare.com
style-src 'self' 'unsafe-inline' https://fonts.googleapis.com
font-src 'self' https://fonts.gstatic.com data:
img-src 'self' data: https: blob:
connect-src 'self' https:
frame-src 'self' https://www.youtube.com
object-src 'none'
base-uri 'self'
form-action 'self'
```

Önemli: CSP Level 3 kuralı — `nonce-*` ile `unsafe-inline` birlikte olunca `unsafe-inline` görmezden gelinir. Yani inline `onclick="..."` gibi handler'lar **bloklanır**. Doğru pattern: `addEventListener` + nonce'lu script bloğu.

2FA

- **Kütüphane:** `pragmarx/google2fa:^9.0` (TOTP)
- **QR üretim:** `bacon/bacon-qr-code:^3.0`
- **Secret column:** `user_two_factor.secret` TEXT (encrypted)
- **Recovery codes:** 8 adet 10-char, one-time use
- **Zorunlu roller:** manager, system_admin, operations_admin, finance_admin
- **Setup:** `/2fa/setup` → QR göster → confirm 6-digit code
- **Challenge:** Login sonrası `/2fa/challenge`

Rate Limiting

| Endpoint | Limit | Amaç | |---|---|---| | `/login`, `/2fa/*` | 5/min | Brute force | | `/apply` public form | 30/min | DOS | | Guest/Student portal | 600/min | Normal kullanım | | Manager/Senior portal | 60/min | Normal | | DAM upload | 15/min | Dosya yükleme | | DAM bulk download | 10/min | ZIP üretimi | | DAM preview | 240/min | Thumbnail | | DAM download | 120/min | Dosya indirme |

Permission System

```
// Controller veya middleware:
Route::post('/path', ...)->middleware('permission:dam.upload');

// Blade:
@can('dam.upload')
  <button>Yükle</button>
@endcan

// Service:
if ($user->hasPermissionCode('dam.folder.manage')) { ... }
```

---

10. Core Modüller

10.1 Internal Messaging (IM)

Mimari:

- `conversations` tablosunda 4 tip: `direct`, `group`, `room`, `announcement`
- `conversation_participants` her üye için role + pin/mute durumu
- `messages` polymorphic, reply support, attachment, reaction
- Slack-tarzı permission model: `none → member → admin → manager`

Özellikler:

- DM (1-1), Grup (ekip), Oda (konu), Duyuru Kanalı (announcement)
- Mesaj pin, favorite, archive
- Bulk grup silme
- Senior DM telefon rehberi (staff + kendi guest'leri)
- Max 4 pinned conversation
- Kendi mesajın unread sayılmaz
- Arşivli/silinen konuşmalar total unread'e dahil değil

10.2 Digital Asset Management (DAM)

Özellikler:

- Klasör hiyerarşisi (parent_id, path, depth)
- Role-based klasör erişimi (`allowed_roles` JSON)
- Dosya kategorileri: image, video, audio, document, archive, other
- External link desteği (YouTube auto-thumbnail)

- Favori (dosya + klasör)
- Tag sistemi + arama
- Advanced search (uploader, size, category, date range)
- Bulk ZIP download
- Share link (password, expiry, max downloads)
- Saved searches
- Activity log (audit)
- Reports dashboard
- **Mention/Notify sistemi (Nisan 2026):**
  - Upload anında veya post-upload Bildir
  - 3 bayi kategorisi + öğrenci/guest/senior/mentor/marketing rol grupları
  - NotificationService entegrasyonu (in_app + 24h dedup)

10.3 Business Contracts

Template'ler:

- `dealer_referral_v1` → Referans Ortaklığı (Lead Gen + Freelance)
- `dealer_operations_v1` → Operasyon Sözleşmesi
- Staff şablonları (iş sözleşmesi)

3 Bayi Kategorisi:

- **Lead Generation** → `lead_generation`, `referrer`
- **Freelance Danışmanlık** → `freelance_danisman`
- **Operasyon** → `operational`, `b2b_partner`

State Machine:

```
draft → issued → signed_uploaded → approved
                                 └→ cancelled
```

10.4 Bulletins

Özellikler:

- 6 kategori: genel, duyuru, acil, ik, kutlama, motivasyon
- Pin (sabitle)
- Target: roles JSON + departments JSON (OR mantığı ile görünürlük)
- Expires_at (auto deactivate)
- Reactions (emoji)
- Read tracking
- Analytics (read rate, reaction breakdown)

10.5 Task Board (Marketing Tasks)

Özellikler:

- Kanban workflow (todo → in_progress → in_review → done)

- Priority (low/normal/high/urgent)
- Subtask, dependency, parent/child
- Checklist
- Attachments, comments, activity log
- Watchers (notification)
- Recurring
- Escalation (süre geçince manager'a)
- Template'ler
- Workflow stages (process_type)
- @mentions

10.6 Guest Registration Flow

Aşamalar:

1. Public `/apply` form → `guest_applications` kaydı + `guest_user_id` (auto User creation)
2. Senior auto-assign (email bazlı, `assigned_senior_email`)
3. Setup link email (password reset token) ile portal aktivasyonu
4. Kayıt formu (multi-step, auto-save)
5. Belge yükleme (document_categories bazlı checklist)
6. Sözleşme seçimi + paket seçimi
7. Ödeme onayı → `converted_to_student=true` → student conversion

---

11. Dış Entegrasyonlar

| Servis | Config | ENV | Kullanım | |---|---|---|---| | **SMTP** | `config/mail.php` | `MAIL_HOST`, `MAIL_USERNAME`, `MAIL_PASSWORD`, `MAIL_FROM_ADDRESS` | Transactional email | | **Postmark** | `config/services.php` | `POSTMARK_API_KEY` | Alternative email provider | | **Resend** | `config/services.php` | `RESEND_API_KEY` | Alternative email | | **AWS SES** | `config/services.php` | `AWS_ACCESS_KEY_ID`, `AWS_SECRET_ACCESS_KEY`, `AWS_DEFAULT_REGION` | Alt email | | **AWS S3** | `config/filesystems.php` | `AWS_BUCKET`, `AWS_USE_PATH_STYLE_ENDPOINT` | Dosya depolama (opsiyonel) | | **Giphy** | `config/services.php` | `GIPHY_API_KEY` | IM GIF picker | | **WhatsApp Cloud** | `config/services.php` | `WHATSAPP_PHONE_NUMBER_ID`, `WHATSAPP_ACCESS_TOKEN`, `WHATSAPP_VERIFY_TOKEN`, `WHATSAPP_API_VERSION` | WhatsApp bildirimi | | **Stripe** | `config/services.php` | `STRIPE_KEY`, `STRIPE_SECRET`, `STRIPE_WEBHOOK_SECRET` | Ödeme (hazır, tam aktif değil) | | **AI Writer** | `config/services.php` | `AI_WRITER_API_KEY`, `AI_WRITER_BASE_URL`, `AI_WRITER_MODEL` | OpenAI-compatible API (Claude/Gemini/ChatGPT/OpenRouter) | | **Slack** | `config/services.php` | `SLACK_BOT_USER_OAUTH_TOKEN` | Sistem bildirim kanalı | | **Meta/Facebook Ads** | Marketing config | `MKTG_META_ACCESS_TOKEN`, `MKTG_META_AD_ACCOUNT_ID`, `MKTG_META_API_VERSION` | Campaign sync | | **Google Ads** | Marketing config | `MKTG_GOOGLE_ADS_*` | Campaign sync | | **LinkedIn Ads** | Marketing config | `MKTG_LINKEDIN_*` | Campaign sync | | **TikTok Ads** | Marketing config | `MKTG_TIKTOK_*` | Campaign sync | | **Instagram** | Marketing config | `MKTG_INSTAGRAM_*` | Social sync |

AI Multi-Provider

Guest portal'da `AiGuestAssistantService` **4 provider** destekler:

- Claude (Anthropic)
- Gemini (Google)
- ChatGPT (OpenAI)

- OpenRouter (multi-model)

Config: Marketing-admin panelinden provider + API key + model seçilir.

---

12. Queue, Jobs ve Scheduled Commands

Queue Config

- **Connection:** `database` (default), Redis destekli
- **Worker:** `php artisan queue:work --tries=1`
- **Failed jobs:** `failed_jobs` tablosu

Jobs (`app/Jobs/`)

| Job | Amaç | |---|---| | `SendNotificationJob` | Tek bildirim gönderimi | | `SendBulkNotificationJob` | Toplu bildirim | | `SendEmailCampaignJob` | Email kampanyası | | `ExportCsvJob` | CSV export | | `GenerateReportJob` | Rapor üretimi | | `CleanupExpiredDataJob` | Süresi geçmiş veri temizliği |

Console Commands (`app/Console/Commands/` — 40+ komut)

Bildirim & İletişim:

- `DispatchNotificationsCommand` — Pending notification'ları dispatch et
- `DispatchScheduledEmailCampaignsCommand` — Zamanlanmış email kampanyaları
- `ProcessScheduledNotificationsCommand` — Zamanlı bildirim
- `ProcessEmailDripCommand` — Email drip kampanyası
- `ProcessEmailQueueCommand` — Email queue process
- `BirthdayBulletinCommand` — Doğum günü duyuru otomasyonu
- `SendScheduledReportsCommand` — Zamanlanmış raporlar
- `SendTaskDueRemindersCommand` — Task due reminder
- `SeniorRemindersCommand` — Senior için hatırlatıcı
- `UniversityDeadlineReminderCommand` — Üniversite son başvuru
- `MilestoneApproachingReminderCommand` — Milestone yaklaşıyor
- `GuestInactivityReminderCommand` — Guest inactivity
- `ContractReminderCommand` — Sözleşme hatırlatma

Task & Workflow:

- `CheckTaskEscalationsCommand` — Task escalation check
- `CloneRecurringTasksCommand` — Recurring task oluşturma
- `ProcessEscalationsCommand` — Escalation trigger
- `ProcessTaskAutomationCommand` — Task automation
- `ProcessWaitingWorkflowsCommand` — Pending workflow'lar
- `CheckWorkflowGoalsCommand` — Workflow goal check
- `PublishScheduledPostsCommand` — Sosyal medya post scheduling

Analytics & Scoring:

- `LeadScoreRecalculateCommand` — Lead skorları tekrar hesapla
- `ApplyScoreDecayCommand` — Skor decay
- `CalculateRiskScoresCommand` — Öğrenci risk skoru
- `RecalculateAttributionCommand` — Attribution tekrar
- `LeadReengagementCheckCommand` — Re-engagement check
- `CheckABTestWinnersCommand` — A/B test kazanan
- `SeniorSnapshotCommand` — Senior performance snapshot

Sistem & Ops:

- `CriticalCheckCommand` — Kritik sistem kontrolü
- `SelfHealCommand` — Self-heal routines
- `ArchiveInactiveRecordsCommand` — Inaktif kayıt arşivle
- `EnforceDataRetentionCommand` — Veri saklama politikası
- `RunCleanupCommand` — Genel temizlik
- `SecurityAnomalyCheckCommand` — Güvenlik anomali
- `SyncContractPaymentsCommand` — Sözleşme ödeme sync
- `SyncCurrencyRatesCommand` — Döviz kuru sync
- `SyncExternalMetricsCommand` — Dış metrik sync
- `SyncLeadSourceCommand` — Lead source sync
- `SocialMetricsSyncCommand` — Sosyal medya metric
- `CheckMarketingIntegrationsHealthCommand` — Marketing entegrasyon sağlık
- `IntegrationHealthCheckCommand` — Genel entegrasyon sağlık
- `ProbeThirdPartyCommand` — Dış servis probe
- `ExportAuditReportCommand` — Audit raporu
- `GenerateScheduledReportsCommand` — Zamanlanmış rapor
- `ManagerReportSnapshotCommand` — Manager rapor snapshot
- `ApiRegressionSmokeCommand` — API smoke test
- `MvpSmokeCommand` — MVP smoke
- `SeedMulticompanyDemoCommand` — Çok-şirketli demo data

Scheduler (`routes/console.php` veya `Kernel.php`)

Yaklaşık 20+ scheduled job — her saat, her gün, haftalık:

- Saatlik: notification dispatch, task escalation
- Günlük: lead score recalc, reports, inactivity check, cleanup
- Haftalık: audit reports, archive, risk score

---

13. Multi-Tenant Architecture

BelongsToCompany Trait

Dosya: `app/Models/Concerns/BelongsToCompany.php`

Davranış:

- Global scope otomatik `WHERE company_id = ?` ekler
- `creating` event'inde yeni model'e `company_id` otomatik atar
- Console (artisan) komutlarında scope bypass eder
- `forCompany($id)` scope ile specific company query

Current Company Resolution

`SetCompanyContext` middleware'i her request'te:

1. ERP area'sında (manager, student, guest, senior, dealer) → default company
2. Marketing area'sında → session `current_company_id` veya user company_id
3. `app()->instance('current_company_id', $id)` ile DI'ya bind
4. `View::share('currentCompany', $company)` ile view'lara aktarır

Data Isolation

- Tüm multi-tenant tabloların `company_id` kolonu var
- Eloquent query'leri otomatik filter'lanır
- Cross-company erişim sadece `withoutGlobalScope('company')` ile (admin/system_admin)

---

14. Deploy Pipeline

GitHub Actions Workflow

Dosya: `.github/workflows/deploy.yml`

Tetikleyici: `main` branch'e push

Adımlar:

1. `actions/checkout@v4`
2. `shivammathur/setup-php@v2` → PHP 8.4 + extensions
3. Composer cache (key: `${{ runner.os }}-php8.4-composer-${{ hashFiles('**/composer.lock') }}`)
4. `composer install --no-dev --prefer-dist --optimize-autoloader`
5. `actions/setup-node@v4` → Node 20 + npm cache
6. `npm ci`
7. `npm run build` → Vite → `public/build/` (hashed assets)
8. `sudo apt-get install -y lftp`
9. `python3 scripts/lftp-deploy.py` → lftp mirror

KASSERVER Production

- **Host:** `w0217487.kasserver.com` (FTP port 21, plain FTP)
- **User:** `f018350d` chroot to `/panel.mentorde.com/`
- **MySQL host:** `w0216a46.kasserver.com` DB `d046c403` (farklı host!)
- **PHP:** 8.4
- **Web:** Apache

- **.env:** FileZilla ile manuel yüklendi (chroot kökünde `/.env`)

Secret Variables (GitHub Settings)

- `FTP_HOST`, `FTP_USERNAME`, `FTP_PASSWORD`
- `FTP_SERVER_DIR=/`

Post-Deploy (KASSERVER'da manuel)

```
cd /panel.mentorde.com
php artisan config:cache
php artisan route:cache
php artisan view:cache
php artisan migrate --force
php artisan queue:restart
php artisan cache:clear
```

Production .env Kritik Ayarlar

```
APP_ENV=production
APP_DEBUG=false
APP_KEY=base64:xxxxx
APP_URL=https://panel.mentorde.com
DB_CONNECTION=mysql
DB_HOST=w0216a46.kasserver.com
DB_DATABASE=d046c403
SESSION_ENCRYPT=true
SESSION_SECURE_COOKIE=true
SESSION_DOMAIN=.mentorde.com
FILESYSTEM_DISK=local
QUEUE_CONNECTION=database
```

---

15. Development Workflow

composer.json Scripts

```
composer setup   → install + key + migrate + npm build
composer dev     → concurrent: serve + queue:listen + pail + vite dev
composer test    → config:clear + artisan test
composer test:critical → sadece critical suite
```

package.json Scripts

```
npm run build        → Vite production
npm run dev          → Vite dev server (HMR)
npm run build:prod   → build + minify
npm run e2e:*        → Playwright smoke testleri (guest/student/dealer/senior/manager/marketing)
```

CLAUDE.md Workflow Kuralları

- **Plan first** (3+ adım için plan mode)
- **Subagent strategy** (context koruması için)
- **Self-improvement loop** (`memory/lessons.md`)
- **Verification before done** (test, log, diff)
- **Demand elegance** (hack yerine root cause)
- **Autonomous bug fixing** (el tutmayı bekleme)
- **Simplicity first, no laziness, minimal impact**

Test Altyapısı

- **PHPUnit** Feature + Unit
- **Playwright** E2E smoke tests (per-portal)
- **Test DB:** SQLite in-memory
- Kritik testler:
  - `ApiErrorContractTest`
  - `SecurityMiddlewareTest`
  - `StudentAccessControlTest`
  - `GuestCriticalFlowTest`
  - `PasswordResetFlowTest`
  - `OpsCommandsTest`

---

16. Sık Yapılan Hatalar

(`DEV_HANDBOOK.md` §12'den)

| Hata | Kök Neden | Çözüm | |---|---|---|---| | **419 Page Expired** | Session cookie SameSite + cross-site POST | `APP_URL=https://` + `SESSION_SECURE_COOKIE=true` | | **CSP Inline Script Blok** | Nonce + unsafe-inline conflict | `addEventListener` + nonce'lu script bloğu | | **BOM Namespace Error** | PowerShell UTF-8 BOM | Node.js BOM strip (`charCodeAt(0)===0xFEFF`) | | **Queue Job Çalışmıyor** | Worker down | `php artisan queue:work` , `queue:failed` kontrol | | **Edit Tool Cache Stale** | External tool değiştirdi dosyayı | Önce `Read` , sonra `Edit` | | **Test $fillable Kısıtı** | Mass assign exclude | `forceFill([...])->save()` | | **Raw Query Eloquent Scope Bypass** | `DB::table()` global scope'u çalıştırmaz | Manuel `whereNull('deleted_at')` ekle | | **Composer Cache Poisoning** | Eski PHP 8.3 cache 8.4'e yükleniyor | Cache key'e PHP versiyon prefix ekle | | **Alpine.js CI Hatası** | Local'de var, package.json'da yok | `package.json` 'a explicit add | | **Nested max-width cascade** | Parent + child %95 → text crunch | `overflow-wrap: anywhere` + tek max-width | | **Bulletin AND filter** | `target_departments` dolu → herkesten gizli | OR logic (role OR dept) |

Son Değişiklikler (15 Nisan 2026)

Aşağıdaki özellikler bu hafta içinde eklendi:

DAM

- Card aksiyon butonları unified "ghost icon" style
- Upload mention + post-upload Bildir
- Grid card bulk select (checkbox overlay)
- Klasör ayarları sidebar'dan düzenlenebilir
- Senior `dam.folder.manage` izni
- Klasör silme → parent/root redirect
- Turkish upload error messages

IM

- Senior DM directory (staff + kendi guest'leri)
- Bulk group delete (selection mode)
- Group delete grup admin'e genişletildi
- Archive/destroy redirect → tab=internal
- HTML5 validation messages Turkish
- Own messages unread dışı
- Deleted/archived unread dışı
- Message bubble wrap bug fix
- Max 4 pinned cap

Business Contracts

- SQL crash fix (missing columns)
- 3 dealer category optgroup
- Auto-suggest template

Bulletins

- visibleToUser OR logic fix
- Form checkbox grid + Tümünü Seç

Fix'ler

- B5 Senior sidebar CSP inline onclick
- GIF picker manager + marketing layout'lar
- Bulletins dynamic layout swap

Dokümanlar

- `docs/DEALER_ONBOARDING_PROCESS.md` + PDF
- `docs/USER_CREATION_PROCESS.md` + PDF
- `docs/SYSTEM_OVERVIEW_FULL.md` + PDF (bu doküman)