

PO CSV Data Preparation Guide

This guide explains how to prepare a CSV file for bulk-creating Purchase Orders (PO) and PO Items.

Important Notes

- Do **not** provide `poId` in the CSV. The system generates it automatically in the format `OSG-<fiscal-year>-<sequence>` (e.g. `OSG-2025-26-00000001`).
- You can optionally provide a `fiscalYear` column (e.g. `2023-24`) to import historical POs under a past financial year. If left empty, the current fiscal year is used.
- **One row = one PO item.** If a PO has 3 items, use 3 rows with the same PO header details.
- The importer processes each PO independently. If some rows have errors, those POs are skipped but all valid POs are still created. A detailed error report is returned.

How Multiple Rows Become One PO

Rows are grouped into one PO by the combination of `clientPoNo` + `clientPoDate` .

For rows in the same PO group, all PO-level fields (everything except item fields) **must be identical**. If any mismatch is found, that entire PO group is skipped with a clear error.

Example: 1 PO with 2 items

salesPersonUsername	fiscalYear	clientPoNo	clientPoDate	... (same PO fields)	categoryName	productName	quantity	...
john.doe	2024-25	PO-ACME-4501	2025-03-14	...	UPS	UPS 10kVA	2	...
john.doe	2024-25	PO-ACME-4501	2025-03-14	...	Battery	VRLA 100Ah	8	...

Auto-Created Entities

If any of these do not already exist in the system, they are created automatically using the names provided:

- **Client** -- matched by `clientName` (case-insensitive)
- **Category** -- matched by `categoryName` (case-insensitive)
- **OEM** -- matched by `oemName` (case-insensitive)
- **Product** -- matched by the combination of `productName` + `categoryName` + `oemName`

Required CSV Columns

All columns listed below **must be present** in the CSV header row. Columns marked "optional value" can be left empty but the column header must still exist.

PO Header Fields (same for all rows in one PO)

Column	Required	Description
salesPersonUsername	Yes	Username of the sales person who owns this PO (must exist in system). This sets the "created by" on the PO.
fiscalYear	Optional value	Financial year for PO ID generation in YYYY-YY format (e.g. 2023-24). If left empty, the current fiscal year is used automatically. Useful for importing historical data from past financial years.
clientName	Yes	Client / company name
clientAddress	Yes	Full address of the client
clientContact	Yes	Phone number or contact info
clientGST	Optional value	GST registration number
osgPiNo	Yes	OSG Proforma Invoice number
osgPiDate	Yes	OSG PI date
clientPoNo	Yes	Client's PO number (used to group rows)
clientPoDate	Yes	Client's PO date (used to group rows)
poStatus	Yes	See allowed values below
noOfDispatch	Yes	See allowed values below
dispatchPlanDate	Yes	Planned dispatch date
siteLocation	Yes	Delivery site / location name
oscSupport	Yes	See allowed values below
paymentStatus	Yes	See allowed values below
assignDispatchToUsername	Optional value	Username of person assigned for dispatch (must exist in system)
assignServiceToUsername	Optional value	Username of person assigned for service (must exist in system)
remarks	Optional value	Any additional notes

PO Item Fields (unique per row)

Column	Required	Description
categoryName	Yes	Product category name (e.g. UPS, Battery, Stabilizer)
oemName	Yes	Manufacturer / OEM name (e.g. Schneider, Exide)
productName	Yes	Product name / model (e.g. UPS 10kVA)

quantity	Yes	Order quantity (integer, minimum 1)
spareQuantity	Optional value	Spare quantity (integer, default 0)
pricePerUnit	Yes	Price per unit (number, minimum 0)
gstPercent	Yes	GST percentage (see allowed values)
warranty	Yes	Warranty period (see allowed values)

Allowed Values

Date Fields

Accepted formats (all three date columns):

- YYYY-MM-DD (preferred) -- e.g. 2026-03-15
- DD/MM/YYYY -- e.g. 15/03/2026
- DD-MM-YYYY -- e.g. 15-03-2026

fiscalYear

Indian financial year runs April to March. Format is YYYY-YY where YYYY is the starting year.

Value	Financial Year
2023-24	April 2023 – March 2024
2024-25	April 2024 – March 2025
2025-26	April 2025 – March 2026

When left empty, the system uses the current financial year based on today's date.

The generated PO ID includes this fiscal year, e.g. OSG-2024-25-00000001 .

poStatus

Value	Meaning
po_received	PO received
po_confirmed_phone	PO confirmed on phone
on_whatsapp	On WhatsApp
on_mail	On mail

noOfDispatch

Value	Meaning
single	Single dispatch

multiple	Multiple dispatches
----------	---------------------

oscSupport

Value	Meaning
yes	Yes
no	No
maybe	Maybe

paymentStatus

Value	Meaning
advanced	Advanced
received	Received
pending	Pending
cancelled	Cancelled
15_dc	15 DC
30_dc	30 DC
45_dc	45 DC
60_dc	60 DC
15_lc	15 LC
30_lc	30 LC
45_lc	45 LC
60_lc	60 LC
pd_c_15	PDC 15
pd_c_30	PDC 30
pd_c_45	PDC 45
pd_c_60	PDC 60

gstPercent

Only these values are accepted: 5 , 9 , 15 , 18

warranty

Value	Meaning
-------	---------

1_year	1 Year
2_years	2 Years
3_years	3 Years
4_years	4 Years
5_years	5 Years
6_years	6 Years
7_years	7 Years
8_years	8 Years
9_years	9 Years
10_years	10 Years
11_years	11 Years
12_years	12 Years

Automatically Calculated Fields

These are computed by the system -- do **not** include them in the CSV:

- `totalQuantity = quantity + spareQuantity`
- `totalPrice = quantity x pricePerUnit`
- `finalPrice = totalPrice + (totalPrice x gstPercent / 100)`

How Errors Are Handled

- The importer does **not** stop on the first error.
- Each PO group (rows sharing the same `clientPoNo` + `clientPoDate`) is processed independently.
- If a PO group has any validation errors, that entire group is skipped but all other valid POs are still created.
- The response includes a detailed error report showing exactly which row, field, and value caused each problem.

General Rules for Preparing the CSV

1. Save as **plain text CSV** with **UTF-8** encoding and **comma** separator.
2. Keep the header row exactly as shown in the template -- do not rename, reorder, or remove columns.
3. One row per product/item. Repeat PO header fields on every row for the same PO.
4. Avoid extra spaces before or after values.
5. If a text value contains commas, wrap it in double quotes (e.g. `"Tower 4, Sector 62, Noida"`).
6. Leave optional fields empty (do not write `N/A` or `null`).
7. `salesPersonUsername` **must** match an existing username in the system — this is the sales person who owns the PO.

8. `assignDispatchToUsername` and `assignServiceToUsername` must match existing usernames in the system. If unsure, leave them blank.

Sample CSV

See the template file: `po_items_import_sample.csv`