CARGOSHARKS

Marketing and Documentation Set

Everything a buyer reads before signing, and everything a user reads after.

Prepared by	techpotions
Date	17 August 2026; feature claims re-verified against the code on 23 August 2026
Status	First pass. Pricing numbers are placeholders and marked as such.

The name, and what is still a token

The product is **CargoSharks**. It was `Cargolane` — a deliberately disposable find-and-replace token — until 25 August 2026; every document in this directory now carries the decided name. The old one should survive only in this paragraph and in the stale PDFs:

```
grep -rni cargolane docs/marketing --include='*.md' --include='*.mjs' \
  | grep -v 'marketing/README.md'          # expected: nothing
```

The marketing domain in this set is `cargosharks.com`, with `hello@` on it. That is the name, not a registration: `packages/brand/src/brands/cargosharks.ts` says in as many words that its contact block is placeholder-shaped until the domain is actually held. Confirm it is held before website copy ships, because the one-pager and the footer both print it.

One token is still genuinely undecided and wants the same treatment the name just got:

TOKEN	MEANS	DECIDE BEFORE
`[KWD ####]` / `[USD ####]`	an unconfirmed price	pricing sheet is quoted

Every figure on the pricing sheet is a placeholder, and the rendered PDF prints a standing DRAFT warning saying so. Do not quote from it. The per-document fill-ins — `[Customer]`, `[date]`, `[N]`, `[name]` — are a different thing: they are filled in per send, not decided once.

The codebase needed no renaming, and that is the point. `packages/brand` makes the operator a parameter and no component in `apps/web` carries a company name, colour literal or logo path, so the product's own name lives in exactly two places: these documents, and one brand file. That file is now `packages/brand/src/brands/cargosharks.ts`, registered in `packages/brand/src/resolve.ts` as `DEFAULT_BRAND_KEY = 'cargosharks'` — so a demo, a preview deployment or a fresh checkout wears the product's own identity rather than a client's. Al-Qabandi remains registered as `BRAND=qabandi`: still a real identity, now the worked example of whitelabelling rather than the default.

What is here

`sales/` — read by someone deciding whether to buy

FILE	WHAT IT IS	LENGTH
`one-pager.md`	The leave-behind. No jargon.	2 pages
`deck.md`	Fourteen slides with the words to say over each one.	20 minutes
`battlecard.md`	CargoWise, Logistaas, CARGOES Runner, and doing nothing. Internal.	reference
`pricing.md`	Editions, implementation, hosting, support. Numbers are placeholders.	2 pages
`website-copy.md`	Homepage, three product pages, FAQ, Arabic direction.	ready to paste
`pilot-term-sheet.md`	The three-month paid pilot: fee, scope, change requests, what we ask in return.	1 page

`pdf/` — the same thing, ready to send

```
node docs/marketing/render.mjs
```

Rebuilds every PDF from the Markdown. **The Markdown is the source; the PDFs are output.** Never edit a PDF — edit the chapter and re-render, or the two drift and the one you sent is the one you cannot reproduce.

Last rendered 24 August 2026. The customer-facing set now carries product screenshots and drawn figures from `assets/` — `assets/screens/` holds real captures of the running product (1440×900 at 2×; retake them there when the interface changes) and `assets/art/` the drawn pieces. The same revision removed code references and internal jargon from every customer-facing page. If a chapter's date is later than the render, re-render before sending.

Every PDF in `pdf/` is behind the Markdown and says `Cargolane` on it, page footers included — all of them were built before the name was decided, so re-render before anything goes out and do not send a file from that directory in the meantime.

Re-rendering is not enough on its own. **Every capture in `assets/screens/` was taken when the default brand was still Al-Qabandi**, so each one shows their name in the sidebar and their red on the buttons — which is both off-message for a product called CargoSharks and the reference-customer naming that `Q5` has not yet granted. Retake them against the CargoSharks default before the next render.

Needs `pandoc` on `PATH` and Google Chrome installed. pandoc parses; Chrome paginates, driven through the `playwright-core` the end-to-end run already brings in, so nothing is downloaded and no dependency is added for a document build.

Output is A4, with a footer carrying the document name and `Page n of m`. Two documents replace that caption with a standing warning that survives being photocopied: the battlecard prints **INTERNAL — do not circulate**, and the pricing sheet prints **DRAFT — every figure is a placeholder**. Take both off only when they stop being true.

`User-Manual-Complete.pdf` is the bound manual — every chapter in order, each starting on a fresh sheet, 42 pages. It is the one to print for a training room; the individual chapters are for sending one role what they need.

> **Decide whether `pdf/` is committed.** It is generated output, which this repository normally ignores (`dist/` , `out/` , `coverage/`). Against that: these are deliverables somebody will want to grab without a toolchain. If they should not be tracked, add `docs/marketing/pdf/` to `.gitignore` .

`manual/` — read by someone who has already bought

Organised by role, because that is how somebody arrives at it: they have a job title and a problem, not a table of contents.

FILE	WHO READS IT
`00-orientation.md`	everyone, once, on day one
`01-coordinator.md`	the person moving shipments
`02-operations-manager.md`	the person the coordinator escalates to
`03-sales.md`	the person answering enquiries
`04-finance.md`	the person invoicing and chasing
`05-customs-broker.md`	the person filing declarations
`06-administrator.md`	the person who owns the deployment
`07-customer-portal.md`	**hand this to your customers**
`08-agent-portal.md`	**hand this to your agents**
`09-permissions-reference.md`	whoever asks "who can do what" — usually an auditor

The last two are written to be extracted and sent out under the operator's own brand. Nothing in them names a supplier.

The rule these documents were written under

Nothing is claimed that the working tree does not do. Each manual chapter ends with a section called *Not in this release*, and the sales documents carry the same list under a heading a buyer will actually read. This is not modesty. A forwarder who discovers a missing feature in week three cancels; a forwarder who was told about it in week zero plans around it and trusts the rest.

Where a document describes something that is scaffolded but not finished — the agent portal, scheduled reports — it says *in delivery* and names the release. Where something is built but cannot run without the customer's own credentials — carrier tracking for Maersk, Hapag-Lloyd and CMA CGM — it says that, and does not call it live. Where something is not planned at all — Kuwait MicroClear filing — or excluded by decision — WhatsApp — it says so and says why.

The source of truth for that boundary is three places in the repository, and they are worth re-reading before every revision of these documents:

- `apps/service/src/workers/index.ts` — the `PENDING` array is the list of jobs registered but not yet built
- `apps/service/src/ports/index.ts` — the nine interfaces, each with its real first implementation and its named second; the adapter headers under `apps/service/src/adapters/` say what is verified against a live gateway and what is not
- `README.md` §Status — the verified table, schema and test counts

Figures quoted in these documents, and how to re-check them

Every number below appears in the sales material. They drift as the product grows, and a number a prospect can disprove costs more than it earned. Re-run these before any revision goes out.

FIGURE	USED IN	VERIFY WITH
2,700 interface strings, EN and AR in sync	one-pager, deck, website copy	`node -e "const c=o=>Object.values(o).reduce((n,v)=>n+(typeof v==='object'&&v?c(v):1),0);for(const f of ['en','ar'])console.log(f,c(require('./apps/web/messages/'+f+'.json')))"`
197 policies across 82 tables	one-pager, deck, website copy, battlecard	Against a live database at the current migration: `select count(*) from pg_policies where schemaname = 'public'` and `select count(*) from pg_class c join pg_namespace n on n.oid = c.relnamespace where n.nspname = 'public' and c.relkind = 'r' and c.relforcerowsecurity`. `README.md` §Status still quotes the older 75/57 and needs the same refresh.
Seven roles and the permission matrix	`manual/09-permissions-reference.md`	`packages/db/src/seed.ts` → `ROLE_PERMISSIONS`, and `packages/core/src/states.ts` → `ADMIN_PERMISSIONS`
Five transport modes	everywhere	`packages/db/src/schema/enums.ts` → `modeEnum`
Hosting regions offered	website copy, pricing	Commercial decision — not verifiable in code. Confirm before quoting.

The market-analysis document quotes **1,514** strings and the first pass of these documents quoted **1,407**; both figures are now stale. These documents use the working-tree count.

Before any of this goes to a prospect

Four things, in order, from `docs/Gulf_Market_Analysis.md` §8:

1. **Confirm the Al-Qabandi engagement permits resale.** Everything here is void otherwise. (`Q1`, blocking.)
2. **Get Al-Qabandi's written permission to be named** as a reference customer, and agree what may be said. The one-pager, the deck and the website copy all lean on it. (`Q5`.)
3. **Fill in the pricing placeholders.** A prospect who asks for a number and gets a pause has learned something about the vendor.

4. **Have a live deployment to point at.** No amount of documentation substitutes; §8.3 of the market analysis is right that credibility is the gap, not features.