CARGOLANE

Marketing and Documentation Set

Everything a buyer reads before signing, and everything a user reads after.

Prepared by	techpotions
Date	17 August 2026; feature claims re-verified against the code on 23 August 2026
Status	First pass. Pricing numbers are placeholders and marked as such.

The name is a placeholder

Every document in this directory calls the product **Cargolane**. That name is a token, not a decision. It was chosen to be unclaimed-looking, pronounceable in Arabic and English, and unambiguous in find-and-replace — it appears nowhere in the source tree, so renaming the whole set is:

```
grep -rl Cargolane docs/marketing | xargs sed -i 's/Cargolane/<NewName>/g'
grep -rn "cargolane\.com" docs/marketing   # domains, review by hand
```

Two other tokens follow the same rule and want the same treatment before anything goes out:

TOKEN	MEANS	DECIDE BEFORE
`Cargolane`	the product name	anything is sent
`cargolane.com`	the marketing domain	website copy ships
`[KWD ####]` / `[USD ####]`	an unconfirmed price	pricing sheet is quoted

The codebase does not need renaming. `packages/brand` already makes the operator a parameter and no component carries a company name, so the product's own name lives in brand configuration and in these documents — nowhere else.

What is here

`sales/` — read by someone deciding whether to buy

FILE	WHAT IT IS	LENGTH
`one-pager.md`	The leave-behind. No jargon.	2 pages
`deck.md`	Fourteen slides with the words to say over each one.	20 minutes
`battlecard.md`	CargoWise, Logistaas, CARGOES Runner, and doing nothing. Internal.	reference
`pricing.md`	Editions, implementation, hosting, support. Numbers are placeholders.	2 pages

FILE	WHAT IT IS	LENGTH
`website-copy.md`	Homepage, three product pages, FAQ, Arabic direction.	ready to paste
`pilot-term-sheet.md`	The three-month paid pilot: fee, scope, change requests, what we ask in return.	1 page

`pdf/` — the same thing, ready to send

```
node docs/marketing/render.mjs
```

Rebuilds every PDF from the Markdown. **The Markdown is the source; the PDFs are output.** Never edit a PDF — edit the chapter and re-render, or the two drift and the one you sent is the one you cannot reproduce.

> **The PDFs currently lag the Markdown.** They were last rendered on 20 August 2026; the sales documents were revised on 23 August to match the code (the generated documents, email intake, payables, the assistant, the corrected policy and string counts). Re-render before sending any of them.

Needs `pandoc` on `PATH` and Google Chrome installed. pandoc parses; Chrome paginates, driven through the `playwright-core` the end-to-end run already brings in, so nothing is downloaded and no dependency is added for a document build.

Output is A4, with a footer carrying the document name and `Page n of m`. Two documents replace that caption with a standing warning that survives being photocopied: the battlecard prints **INTERNAL — do not circulate**, and the pricing sheet prints **DRAFT — every figure is a placeholder**. Take both off only when they stop being true.

`User-Manual-Complete.pdf` is the bound manual — every chapter in order, each starting on a fresh sheet, 42 pages. It is the one to print for a training room; the individual chapters are for sending one role what they need.

> **Decide whether `pdf/` is committed.** It is generated output, which this repository normally ignores (`dist/`, `out/`, `coverage/`). Against that: these are deliverables somebody will want to grab without a toolchain. If they should not be tracked, add `docs/marketing/pdf/` to `.gitignore`.

`manual/` — read by someone who has already bought

Organised by role, because that is how somebody arrives at it: they have a job title and a problem, not a table of contents.

FILE	WHO READS IT
`00-orientation.md`	everyone, once, on day one
`01-coordinator.md`	the person moving shipments
`02-operations-manager.md`	the person the coordinator escalates to
`03-sales.md`	the person answering enquiries

FILE	WHO READS IT
`04-finance.md`	the person invoicing and chasing
`05-customs-broker.md`	the person filing declarations
`06-administrator.md`	the person who owns the deployment
`07-customer-portal.md`	**hand this to your customers**
`08-agent-portal.md`	**hand this to your agents**
`09-permissions-reference.md`	whoever asks "who can do what" — usually an auditor

The last two are written to be extracted and sent out under the operator's own brand. Nothing in them names a supplier.

The rule these documents were written under

Nothing is claimed that the working tree does not do. Each manual chapter ends with a section called *Not in this release*, and the sales documents carry the same list under a heading a buyer will actually read. This is not modesty. A forwarder who discovers a missing feature in week three cancels; a forwarder who was told about it in week zero plans around it and trusts the rest.

Where a document describes something that is scaffolded but not finished — the agent portal, scheduled reports — it says *in delivery* and names the release. Where something is built but cannot run without the customer's own credentials — carrier tracking for Maersk, Hapag-Lloyd and CMA CGM — it says that, and does not call it live. Where something is not planned at all — Kuwait MicroClear filing — or excluded by decision — WhatsApp — it says so and says why.

The source of truth for that boundary is three places in the repository, and they are worth re-reading before every revision of these documents:

- `apps/service/src/workers/index.ts` — the `PENDING` array is the list of jobs registered but not yet built
- `apps/service/src/ports/index.ts` — the nine interfaces, each with its real first implementation and its named second; the adapter headers under `apps/service/src/adapters/` say what is verified against a live gateway and what is not
- `README.md` §Status — the verified table, schema and test counts

Figures quoted in these documents, and how to re-check them

Every number below appears in the sales material. They drift as the product grows, and a number a prospect can disprove costs more than it earned. Re-run these before any revision goes out.

FIGURE	USED IN	VERIFY WITH
2,700 interface strings, EN and AR in sync	one-pager, deck, website copy	`node -e "const c=o=>Object.values(o).reduce((n,v)=>n+(typeof v==='object'&&v?c(v):1),0);for(const f of ['en','ar'])console.log(f,c(require('./apps/web/messages/'+f+'.json')))"`

FIGURE	USED IN	VERIFY WITH
197 policies across 82 tables	one-pager, deck, website copy, battlecard	Against a live database at the current migration: `select count(*) from pg_policies where schemaname = 'public'` and `select count(*) from pg_class c join pg_namespace n on n.oid = c.relnamespace where n.nspname = 'public' and c.relkind = 'r' and c.relforcerowsecurity` . `README.md` §Status still quotes the older 75/57 and needs the same refresh.
Seven roles and the permission matrix	`manual/09-permissions-reference.md`	`packages/db/src/seed.ts` → `ROLE_PERMISSIONS` , and `packages/core/src/states.ts` → `ADMIN_PERMISSIONS`
Five transport modes	everywhere	`packages/db/src/schema/enums.ts` → `modeEnum`
Hosting regions offered	website copy, pricing	Commercial decision — not verifiable in code. Confirm before quoting.

The market-analysis document quotes **1,514** strings and the first pass of these documents quoted **1,407**; both figures are now stale. These documents use the working-tree count.

Before any of this goes to a prospect

Four things, in order, from `docs/Gulf_Market_Analysis.md` §8:

1. **Confirm the Al-Qabandi engagement permits resale.** Everything here is void otherwise. (`Q1` , blocking.)
2. **Get Al-Qabandi's written permission to be named** as a reference customer, and agree what may be said. The one-pager, the deck and the website copy all lean on it. (`Q5` .)
3. **Fill in the pricing placeholders.** A prospect who asks for a number and gets a pause has learned something about the vendor.
4. **Have a live deployment to point at.** No amount of documentation substitutes; §8.3 of the market analysis is right that credibility is the gap, not features.