CARGOLANE

Marketing and Documentation Set

Everything a buyer reads before signing, and everything a user reads after.

Prepared by	techpotions
Date	17 August 2026; feature claims re-verified against the code on 23 August 2026
Status	First pass. Pricing numbers are placeholders and marked as such.

The name is a placeholder

Every document in this directory calls the product **Cargolane**. That name is a token, not a decision. It was chosen to be unclaimed-looking, pronounceable in Arabic and English, and unambiguous in find-and-replace — it appears nowhere in the source tree, so renaming the whole set is:

```
grep -rl Cargolane docs/marketing | xargs sed -i 's/Cargolane/<NewName>/g'
grep -rn "cargolane\.com" docs/marketing   # domains, review by hand
```

Two other tokens follow the same rule and want the same treatment before anything goes out:

TOKEN	MEANS	DECIDE BEFORE
`Cargolane`	the product name	anything is sent
`cargolane.com`	the marketing domain	website copy ships
`[KWD ####]` / `[USD ####]`	an unconfirmed price	pricing sheet is quoted

The codebase does not need renaming. `packages/brand` already makes the operator a parameter and no component carries a company name, so the product's own name lives in brand configuration and in these documents — nowhere else.

What is here

`sales/` — read by someone deciding whether to buy

FILE	WHAT IT IS	LENGTH
`one-pager.md`	The leave-behind. No jargon.	2 pages
`deck.md`	Fourteen slides with the words to say over each one.	20 minutes
`battlecard.md`	CargoWise, Logistaas, CARGOES Runner, and doing nothing. Internal.	reference
`pricing.md`	Editions, implementation, hosting, support. Numbers are placeholders.	2 pages

FILE	WHAT IT IS	LENGTH
`website-copy.md`	Homepage, three product pages, FAQ, Arabic direction.	ready to paste
`pilot-term-sheet.md`	The three-month paid pilot: fee, scope, change requests, what we ask in return.	1 page

`pdf/` — the same thing, ready to send

```
node docs/marketing/render.mjs
```

Rebuilds every PDF from the Markdown. **The Markdown is the source; the PDFs are output.** Never edit a PDF — edit the chapter and re-render, or the two drift and the one you sent is the one you cannot reproduce.

Last rendered 23 August 2026, after the whole set was revised against the code (the generated documents, email intake, payables, the assistant, the corrected policy and string counts). If a chapter's date is later than that, re-render before sending.

Needs `pandoc` on `PATH` and Google Chrome installed. pandoc parses; Chrome paginates, driven through the `playwright-core` the end-to-end run already brings in, so nothing is downloaded and no dependency is added for a document build.

Output is A4, with a footer carrying the document name and `Page n of m`. Two documents replace that caption with a standing warning that survives being photocopied: the battlecard prints **INTERNAL — do not circulate**, and the pricing sheet prints **DRAFT — every figure is a placeholder**. Take both off only when they stop being true.

`User-Manual-Complete.pdf` is the bound manual — every chapter in order, each starting on a fresh sheet, 42 pages. It is the one to print for a training room; the individual chapters are for sending one role what they need.

> **Decide whether `pdf/` is committed.** It is generated output, which this repository normally ignores (`dist/`, `out/`, `coverage/`). Against that: these are deliverables somebody will want to grab without a toolchain. If they should not be tracked, add `docs/marketing/pdf/` to `.gitignore`.

`manual/` — read by someone who has already bought

Organised by role, because that is how somebody arrives at it: they have a job title and a problem, not a table of contents.

FILE	WHO READS IT
`00-orientation.md`	everyone, once, on day one
`01-coordinator.md`	the person moving shipments
`02-operations-manager.md`	the person the coordinator escalates to
`03-sales.md`	the person answering enquiries
`04-finance.md`	the person invoicing and chasing

FILE	WHO READS IT
`05-customs-broker.md`	the person filing declarations
`06-administrator.md`	the person who owns the deployment
`07-customer-portal.md`	**hand this to your customers**
`08-agent-portal.md`	**hand this to your agents**
`09-permissions-reference.md`	whoever asks "who can do what" — usually an auditor

The last two are written to be extracted and sent out under the operator's own brand. Nothing in them names a supplier.

The rule these documents were written under

Nothing is claimed that the working tree does not do. Each manual chapter ends with a section called *Not in this release*, and the sales documents carry the same list under a heading a buyer will actually read. This is not modesty. A forwarder who discovers a missing feature in week three cancels; a forwarder who was told about it in week zero plans around it and trusts the rest.

Where a document describes something that is scaffolded but not finished — the agent portal, scheduled reports — it says *in delivery* and names the release. Where something is built but cannot run without the customer's own credentials — carrier tracking for Maersk, Hapag-Lloyd and CMA CGM — it says that, and does not call it live. Where something is not planned at all — Kuwait MicroClear filing — or excluded by decision — WhatsApp — it says so and says why.

The source of truth for that boundary is three places in the repository, and they are worth re-reading before every revision of these documents:

- `apps/service/src/workers/index.ts` — the `PENDING` array is the list of jobs registered but not yet built
- `apps/service/src/ports/index.ts` — the nine interfaces, each with its real first implementation and its named second; the adapter headers under `apps/service/src/adapters/` say what is verified against a live gateway and what is not
- `README.md` §Status — the verified table, schema and test counts

Figures quoted in these documents, and how to re-check them

Every number below appears in the sales material. They drift as the product grows, and a number a prospect can disprove costs more than it earned. Re-run these before any revision goes out.

FIGURE	USED IN	VERIFY WITH
2,700 interface strings, EN and AR in sync	one-pager, deck, website copy	`node -e "const c=o=>Object.values(o).reduce((n,v)=>n+(typeof v==='object'&&v?c(v):1),0);for(const f of ['en','ar'])console.log(f,c(require('./apps/web/messages/'+f+'.json')))"`

FIGURE	USED IN	VERIFY WITH
197 policies across 82 tables	one-pager, deck, website copy, battlecard	Against a live database at the current migration: `select count(*) from pg_policies where schemaname = 'public'` and `select count(*) from pg_class c join pg_namespace n on n.oid = c.relnamespace where n.nspname = 'public' and c.relkind = 'r' and c.relforcerowsecurity` . `README.md` §Status still quotes the older 75/57 and needs the same refresh.
Seven roles and the permission matrix	`manual/09-permissions-reference.md`	`packages/db/src/seed.ts` → `ROLE_PERMISSIONS` , and `packages/core/src/states.ts` → `ADMIN_PERMISSIONS`
Five transport modes	everywhere	`packages/db/src/schema/enums.ts` → `modeEnum`
Hosting regions offered	website copy, pricing	Commercial decision — not verifiable in code. Confirm before quoting.

The market-analysis document quotes **1,514** strings and the first pass of these documents quoted **1,407**; both figures are now stale. These documents use the working-tree count.

Before any of this goes to a prospect

Four things, in order, from `docs/Gulf_Market_Analysis.md` §8:

1. **Confirm the Al-Qabandi engagement permits resale.** Everything here is void otherwise. (`Q1` , blocking.)
2. **Get Al-Qabandi's written permission to be named** as a reference customer, and agree what may be said. The one-pager, the deck and the website copy all lean on it. (`Q5` .)
3. **Fill in the pricing placeholders.** A prospect who asks for a number and gets a pause has learned something about the vendor.
4. **Have a live deployment to point at.** No amount of documentation substitutes; §8.3 of the market analysis is right that credibility is the gap, not features.