Cucumber Report

| **Start : Oct 16, 7:58:01.440 am**	**End : Oct 16, 7:58:12.142 am**	**Duration : 10.702 s**
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 10

1

1

12

Pass % 0 %

Pass % 0 %

Pass % 8 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
create a room	*10.702 s*	*1*	*0*	*1*	*0*	*12*	*1*	*1*	*10*

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@create_room	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	create a room	1	0	1	0	10.702 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	create a room	creating a room	12	1	1	10	10.699 s

create a room

FAILED	DURATION - 10.702 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 12 Pass - 1 Fail - 1 Skip - 10	
/ 7:58:01.440 am // 7:58:12.142 am /					

creating a room

FAILED	DURATION - 10.699 s		Steps Total - 12 Pass - 1 Fail - 1 Skip - 10	
/ 7:58:01.443 am // 7:58:12.142 am /				
create a room				
@create_room				

#	Step / Hook Details	Status	Duration
1	Given user navigates to "https://www.medunna.com/login"	PASSED	10.446 s
2	Given user enters credentials to medunna	FAILED	0.009 s

username	password
techproed	Techpro123.

io.cucumber.core.exception.CucumberException: Failed to instantiate class stepdefinitions.MedunnaRegistrationStepDefs
   at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)
   at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)
   at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
   at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
   at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
   at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)
   at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
   at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)
   at io.cucumber.core.runner.TestStep.run(TestStep.java:53)
   at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
   at io.cucumber.core.runner.TestCase.run(TestCase.java:84)
   at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)

#	Step / Hook Details	Status	Duration
	at io.cumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:147)		
	at io.cumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162)		
	at io.cumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145)		
	at io.cumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38)		
	at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:74)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at io.cumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	... 46 more Caused by: org.openqa.selenium.InvalidSelectorException: Compound class names not permitted For documentation on this		

#	Step / Hook Details	Status	Duration

	error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.25.0', revision: '8a8aea2337' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: driver. version: unknown
	   at org.openqa.selenium.By$ByClassName.<init>(By.java:309)
	   at org.openqa.selenium.By.className(By.java:100)
	   at org.openqa.selenium.support.AbstractFindByBuilder.buildByFromShortFindBy(AbstractFindByBuilder.java:42)
	   at org.openqa.selenium.support.FindBy$FindByBuilder.buildIt(FindBy.java:83)
	   at org.openqa.selenium.support.pagefactory.Annotations.buildBy(Annotations.java:82)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.<init>(DefaultElementLocator.java:58)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.<init>(DefaultElementLocator.java:46)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocatorFactory.createLocator(DefaultElementLocatorFactory.java:32)
	   at org.openqa.selenium.support.pagefactory.DefaultFieldDecorator.decorate(DefaultFieldDecorator.java:55)
	   at org.openqa.selenium.support.PageFactory.proxyFields(PageFactory.java:109)
	   at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:101)
	   at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:88)
	   at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:76)
	   at pages.Medunna_RegistrationPage.<init>(Medunna_RegistrationPage.java:11)
	   at stepdefinitions.MedunnaRegistrationStepDefs.<init>(MedunnaRegistrationStepDefs.java:14)
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		

3	And user clicks on medunna login button	SKIPPED	0.000 s
4	Then user clicks itemsButton	SKIPPED	0.000 s
5	Then user clicks roomButton	SKIPPED	0.000 s
6	And user clicks create a new room button	SKIPPED	0.000 s
7	When page opened gives room credentials roomNumber price description 1596 178 room tested	SKIPPED	0.000 s
8	And user selects deluxe room type	SKIPPED	0.001 s
9	Then user clicks status button	SKIPPED	0.000 s
10	Then user gives a "20/15/2024"	SKIPPED	0.001 s
11	And user clicks medunnaRoom save button	SKIPPED	0.000 s
12	And user verify room number is same;	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario) screenshot of failed step	PASSED	0.225 s

#	Step / Hook Details	Status	Duration