



Dr. Ram Manohar Lohia Institute of Medical Sciences

Vibhuti Khand, Gomti Nagar, Lucknow 226010

Ph. No. 0522-4918555, 504. Fax No. 0522-4918506

CR No.	: PP:2015/030012	Age	: 39 Y, Sex - F
Name	: SHIKHA SAXENA	Bill No.	: SV:2018-081122
Bill Date	: 30/06/2018	Lab.Ref.No.	: LB2018193545
Date of Collection	: 30/06/2018	Report Delivery No	:
Report Delivery Date	:	Specimen	: Blood
Referred By	: Dr. Ritu Karoli,		

Immunopathology Report

Test Description	Result	Unit	Reference Range
THYROID PROFILE			
T3 <i>Method : Chemiluminescent Immuno Assay</i>	142.76	ng/dl	81-178
T4 <i>Method : Chemiluminescent Immuno Assay</i>	11.10	ng/dl	4.5-12.5
THYROID STIMULATING HORMONE (TSH) <i>Method : Chemiluminescent Immuno Assay</i>	3.19	uIU/ml	0.4 - 4

Machines Used:ADVIA_CENTAUR

Manish

Dr. Manish Raj Kulshrestha
Assistant Professor

Report printed by : Patient. Printed on :08/07/2018 - 13:32:19