



Aesthetic Treatment Consultation & Consent Forms

I'll create comprehensive consultation and consent forms for each procedure listed in your Aesthetic EMR Platform document. These forms will be clinically appropriate, legally protective, and professionally formatted.

LASER TREATMENT CONSULTATION & CONSENT FORM

CONSULTATION SECTION

Patient Information

- Name: Date of Birth:
- Contact: Date:

Skin Assessment

- Skin Type (Fitzpatrick): ☐ I ☐ II ☐ III ☐ IV ☐ V ☐ VI
- Tan/Recent Sun Exposure: ☐ Yes ☐ No
- Current Skincare Products:
- Previous Laser Treatments: ☐ Yes ☐ No (Details:)

Medical History

- History of Keloids/Hypertrophic Scarring: ☐ Yes ☐ No
- Active Infections/Herpes Simplex: ☐ Yes ☐ No
- Photosensitivity Disorders: ☐ Yes ☐ No
- Medications (especially photosensitizing):
- Isotretinoin use in past 6 months: ☐ Yes ☐ No
- Pregnancy/Breastfeeding: ☐ Yes ☐ No

Treatment Plan

- Treatment Area:
- Device: Wavelength:
- Spot Size: Fluence:
- Pulse Duration: Cooling Method:
- Estimated Number of Sessions:
- Interval Between Sessions:

CONSENT SECTION

Risks and Side Effects (Initial each)

I understand that laser treatment may result in:

- ☐ Temporary redness, swelling, and warmth lasting hours to days
- ☐ Mild discomfort or stinging sensation during and after treatment
- ☐ Temporary pigment changes (darkening or lightening of skin)
- ☐ Rare risk of blistering, scarring, or infection
- ☐ Unsatisfactory results requiring additional treatments
- ☐ Eye injury if protective eyewear is not worn (I agree to wear provided eye protection)

Pre-Treatment Instructions

- ☐ I have avoided sun exposure/tanning for 2-4 weeks prior
- ☐ I have discontinued photosensitizing medications as directed
- ☐ I have not used self-tanners on the treatment area
- ☐ I understand I must use SPF 30+ post-treatment

Patient Consent

I confirm that:

- I have disclosed my complete medical history
- I understand the proposed treatment, expected outcomes, and potential risks
- I have had the opportunity to ask questions and all have been answered
- I consent to photography for medical records (☐ Yes ☐ No)
- I understand results are not guaranteed and additional treatments may be needed

Patient Signature: Date:

Provider Signature: Date:

BOTOX (BOTULINUM TOXIN) CONSULTATION & CONSENT FORM

CONSULTATION SECTION

Patient Information

- Name: Date:

Aesthetic Concerns

- Primary Concern: ☐ Forehead lines ☐ Frown lines ☐ Crow's feet ☐ Brow lift ☐ Bunny lines ☐ Other:
- Desired Outcome:

Medical History

- Neuromuscular Disorders (Myasthenia Gravis, ALS, etc.): ☐ Yes ☐ No
- Previous Botulinum Toxin Treatments: ☐ Yes ☐ No
- Last Treatment Date: Product Used:
- Allergies (especially to albumin, botulinum toxin): ☐ Yes ☐ No
- Current Medications (blood thinners, muscle relaxants):
- Pregnancy/Breastfeeding: ☐ Yes ☐ No
- Planned Surgery/Dental Work in next 2 weeks: ☐ Yes ☐ No

Treatment Plan

- Indication:
- Product Brand: Lot Number:
- Dilution:
- Total Units Planned:
- Injection Mapping (to be completed by provider):
- Forehead: units | Glabella: units | Crow's feet: units
- Other areas:

CONSENT SECTION

Risks and Side Effects (Initial each)

I understand that Botulinum Toxin injections may result in:

- ☐ Temporary bruising, swelling, redness at injection sites
- ☐ Headache or flu-like symptoms for 24-48 hours
- ☐ Temporary drooping of eyelid or eyebrow (ptosis)
- ☐ Asymmetry or uneven results
- ☐ Difficulty with facial expressions (temporary)
- ☐ Rare allergic reactions or spread of toxin effects
- ☐ Resistance may develop with repeated treatments

Post-Treatment Instructions Acknowledged

- ☐ Remain upright for 4 hours post-injection
- ☐ Avoid rubbing/massaging treated areas for 24 hours
- ☐ No strenuous exercise for 24 hours
- ☐ Results take 3-14 days to fully appear
- ☐ Effects last approximately 3-4 months
- ☐ Follow-up review scheduled in 2 weeks

Patient Consent

I confirm that:

- I understand this is a temporary treatment requiring maintenance
- I am not pregnant or breastfeeding
- I have disclosed all medical conditions and medications
- I understand the risks and accept them voluntarily
- I consent to emergency treatment if complications arise

Patient Signature: Date:

Provider Signature: Date:

DERMAL FILLER CONSULTATION & CONSENT FORM

CONSULTATION SECTION

Patient Information

- Name: Date:

Aesthetic Assessment

- Treatment Area(s): ☐ Lips ☐ Nasolabial folds ☐ Marionette lines ☐ Cheeks ☐ Under eyes ☐ Jawline ☐ Chin ☐ Other:
- Skin Quality: ☐ Good ☐ Fair ☐ Poor (thin/fragile)
- Previous Filler Treatments: ☐ Yes ☐ No
- Product: Date: Volume:

Medical History

- Autoimmune Disorders: ☐ Yes ☐ No
- Bleeding Disorders: ☐ Yes ☐ No
- History of Cold Sores: ☐ Yes ☐ No (Antiviral prophylaxis required)
- Allergies (lidocaine, hyaluronic acid, gram-positive bacteria proteins): ☐ Yes ☐ No
- Previous Severe Allergic Reactions/Anaphylaxis: ☐ Yes ☐ No
- Current Blood Thinners/Aspirin/NSAIDs: ☐ Yes ☐ No
- Recent Dental Work: ☐ Yes ☐ No (within 2 weeks)

Treatment Plan

- Product Name: Lot Number:
- Volume per Area:
- : ml
- : ml
- : ml
- Injection Technique: ☐ Linear threading ☐ Serial puncture ☐ Fanning ☐ Cross-hatching ☐ Other:
- Entry Points:
- Anesthetic: ☐ Topical ☐ Local infiltration ☐ Product contains lidocaine

CONSENT SECTION

Risks and Side Effects (Initial each)

I understand that dermal filler injections may result in:

- ☐ Temporary bruising, swelling, redness, tenderness
- ☐ Lumps, bumps, or irregularities (may require massage or correction)
- ☐ Infection (rare but possible)
- ☐ Vascular occlusion (blockage of blood vessels) - rare but serious
- Signs to watch for: severe pain, skin blanching, vision changes
- ☐ Tissue necrosis (skin death) - rare
- ☐ Blindness (extremely rare, emergency)
- ☐ Allergic reaction
- ☐ Tyndall effect (bluish discoloration)
- ☐ Migration of product from injection site
- ☐ Granuloma formation (delayed nodules)

Emergency Protocol Acknowledged

- ☐ I understand vascular occlusion is a medical emergency
- ☐ I know to immediately contact the clinic if severe pain, vision changes, or skin blanching occurs
- ☐ I understand hyaluronidase may be used to dissolve HA fillers if complications occur

Post-Treatment Care

- ☐ No makeup for 12 hours
- ☐ No strenuous exercise for 24-48 hours
- ☐ No extreme temperatures (sauna, hot yoga) for 1 week
- ☐ Massage only if instructed by provider

Patient Consent

I confirm that:

- I understand the risks including rare but serious complications
- I know when and how to seek emergency care
- I consent to the use of hyaluronidase if necessary
- I understand results are temporary (6-18 months depending on product)
- I have realistic expectations about outcomes

Patient Signature: Date:

Provider Signature: Date:

THREAD LIFT CONSULTATION & CONSENT FORM

CONSULTATION SECTION

Patient Information

- Name: Date:

Assessment

- Skin Laxity Grade: ☐ Mild ☐ Moderate ☐ Severe
- Treatment Area: ☐ Mid-face ☐ Jawline ☐ Neck ☐ Brows ☐ Other:
- Skin Quality: ☐ Good thickness ☐ Thin/Fragile ☐ Thick/Oily

Medical History

- Bleeding Disorders: ☐ Yes ☐ No
- Connective Tissue Disorders: ☐ Yes ☐ No
- Previous Facial Surgery: ☐ Yes ☐ No (Details:)
- Facial Nerve Disorders: ☐ Yes ☐ No
- Tendency for Keloid/Abnormal Scarring: ☐ Yes ☐ No
- Current Anticoagulants: ☐ Yes ☐ No

Treatment Plan

- Thread Type: ☐ PDO (Polydioxanone) ☐ PLLA (Poly-L-lactic acid) ☐ PCL (Polycaprolactone) ☐ Barbed ☐ Smooth ☐ Screw/Tornado
- Number of Threads:
- Vector Direction (to be marked on diagram):
- Technique: ☐ U-vector ☐ Z-vector ☐ Cross-hatch ☐ Other:
- Anesthesia: ☐ Topical ☐ Local infiltration ☐ Nerve blocks

CONSENT SECTION

Risks and Side Effects (Initial each)

I understand that thread lift procedures may result in:

- ☐ Temporary bruising, swelling, discomfort (1-2 weeks)
- ☐ Visible dimpling or irregularities (usually temporary)
- ☐ Thread migration or extrusion (thread coming through skin)
- ☐ Infection
- ☐ Asymmetry
- ☐ Nerve irritation or temporary numbness
- ☐ Pain or tightness sensation
- ☐ Palpable or visible threads under skin
- ☐ Foreign body reaction/granuloma
- ☐ Results are temporary (12-18 months for PDO, longer for PLLA/PCL)

Post-Treatment Instructions

- ☐ No facial massage or manipulation for 2 weeks
- ☐ Sleep on back for 1 week
- ☐ Avoid extreme facial expressions for 1 week
- ☐ No dental work for 2 weeks
- ☐ No strenuous exercise for 1 week
- ☐ Follow-up in 1-2 weeks for assessment

Patient Consent

I confirm that:

- I understand this is a minimally invasive procedure with temporary results
- I understand threads may need to be removed if complications occur
- I have realistic expectations (30-50% improvement, not surgical facelift results)
- I consent to the procedure and accept associated risks

Patient Signature: Date:

Provider Signature: Date:

MICRONEEDLING CONSULTATION & CONSENT FORM

CONSULTATION SECTION

Patient Information

- Name: Date:

Skin Concerns

- Primary Concern: ☐ Acne scars ☐ Fine lines ☐ Texture ☐ Pores ☐ Pigmentation ☐ Stretch marks ☐ Hair loss ☐ Other:
- Skin Type:

Contraindications Check

- Active acne/broken skin in treatment area: ☐ Yes ☐ No
- Active cold sores: ☐ Yes ☐ No
- Eczema/Psoriasis in area: ☐ Yes ☐ No
- Keloid tendency: ☐ Yes ☐ No
- Blood thinners: ☐ Yes ☐ No
- Isotretinoin in past 6 months: ☐ Yes ☐ No
- Chemotherapy/Radiation: ☐ Yes ☐ No

Treatment Plan

- Device:
- Needle Depth: mm (Face: 0.5-2.5mm | Body: up to 3mm)
- Number of Passes:
- Treatment Area(s):
- Topical Serums Used:
- Numbing Cream: ☐ Yes ☐ No

CONSENT SECTION

Risks and Side Effects (Initial each)

I understand that microneedling may result in:

- ☐ Redness and swelling (similar to sunburn, 24-72 hours)
- ☐ Pinpoint bleeding during procedure
- ☐ Dryness and flaking (days 2-5)
- ☐ Bruising
- ☐ Infection (if aftercare not followed)
- ☐ Reactivation of cold sores (prophylaxis recommended)
- ☐ Post-inflammatory hyperpigmentation (especially darker skin types)
- ☐ Unsatisfactory results requiring multiple sessions

Aftercare Commitment

- ☐ No makeup for 24 hours
- ☐ No sun exposure, use SPF 30+ daily
- ☐ No retinoids/acids for 1 week
- ☐ No swimming/saunas for 72 hours
- ☐ Use only gentle cleanser and moisturizer for 3 days
- ☐ Series of 3-6 treatments typically needed for optimal results

Patient Signature: Date:

Provider Signature: Date:

CHEMICAL PEEL CONSULTATION & CONSENT FORM

CONSULTATION SECTION

Patient Information

- Name: Date:

Skin Assessment

- Skin Type:
- Glogau Photoaging Type: ☐ I ☐ II ☐ III ☐ IV
- Previous Peel History: ☐ Yes ☐ No (Details:)

Peel Selection

- Peel Type: ☐ Glycolic ☐ Salicylic ☐ Lactic ☐ TCA ☐ Jessner's ☐ Phenol ☐ VI Peel ☐ Other:
- Concentration:
- Number of Layers:
- Treatment Area: ☐ Face ☐ Neck ☐ Décolleté ☐ Hands ☐ Other:
- Pre-conditioning regimen: ☐ Yes ☐ No

Medical History

- History of abnormal scarring: ☐ Yes ☐ No
- History of cold sores: ☐ Yes ☐ No (Antiviral required)
- Isotretinoin use: ☐ Yes ☐ No
- Recent waxing/exfoliation: ☐ Yes ☐ No
- Pregnancy/Breastfeeding: ☐ Yes ☐ No

CONSENT SECTION

Risks and Side Effects (Initial each)

I understand that chemical peels may result in:

- ☐ Stinging/burning sensation during application
- ☐ Redness and swelling (hours to days)
- ☐ Peeling/flaking (days 3-7 depending on depth)
- ☐ Temporary darkening before peeling (expected with some peels)
- ☐ Prolonged erythema (redness lasting weeks)
- ☐ Post-inflammatory hyperpigmentation
- ☐ Scarring (rare, deeper peels)
- ☐ Infection
- ☐ Allergic reaction to peel components
- ☐ Cold sore reactivation
- ☐ Uneven results

Depth-Specific Risks Acknowledged

- ☐ Superficial peel: Minimal downtime, multiple sessions needed
- ☐ Medium peel: 5-7 days downtime, significant peeling
- ☐ Deep peel: 2+ weeks downtime, permanent skin lightening possible

Post-Peel Care

- ☐ Strict sun avoidance, SPF 50+ mandatory
- ☐ No picking/peeling of flaking skin
- Specific home care regimen provided
- Follow-up appointment scheduled

Patient Signature: Date:

Provider Signature: Date:

MORPHEUS8 (RF MICRONEEDLING) CONSULTATION & CONSENT FORM

CONSULTATION SECTION

Patient Information

- Name: Date:

Treatment Goals

- Primary Concern: ☐ Skin laxity ☐ Acne scars ☐ Wrinkles ☐ Texture ☐ Submental fat ☐ Other:

Assessment

- Skin Thickness: ☐ Thin ☐ Medium ☐ Thick
- Fat Layer: ☐ Minimal ☐ Moderate ☐ Significant
- Previous RF/Microneedling: ☐ Yes ☐ No

Treatment Plan

- Treatment Area: ☐ Face ☐ Neck ☐ Body (specify):
- Depth Settings: mm (typically 0.5-4mm, up to 7mm for body)
- Energy Level: (typically 1-8, customized to skin type)
- Number of Passes:
- Number of Sessions Recommended:
- Interval:

Medical History

- Metal implants in treatment area: ☐ Yes ☐ No
- Pacemaker/defibrillator: ☐ Yes ☐ No
- Active skin infection: ☐ Yes ☐ No
- Pregnancy: ☐ Yes ☐ No

CONSENT SECTION

Risks and Side Effects (Initial each)

I understand that Morpheus8 treatment may result in:

- ☐ Significant redness and swelling (2-7 days)
- ☐ Grid pattern marks visible temporarily (hours to days)
- ☐ Bruising and tenderness
- ☐ Warmth/heat sensation in treated area
- ☐ Temporary numbness or tingling
- ☐ Rare risk of burns, blistering, or scarring
- ☐ Hyperpigmentation or hypopigmentation
- ☐ Infection (rare)
- ☐ Suboptimal results requiring additional treatments

Downtime Acknowledgment

- ☐ I understand social downtime of 2-5 days is typical
- ☐ Makeup can typically be applied after 24-48 hours
- ☐ Results develop over 3 months as collagen remodels
- ☐ Multiple sessions (usually 3) recommended for optimal results

Patient Signature: Date:

Provider Signature: Date:

LASER FACIAL (PHOTOFACIAL/IPL) CONSULTATION & CONSENT FORM

CONSULTATION SECTION

Patient Information

- Name: Date:

Treatment Goals

- Target Concerns: ☐ Pigmentation ☐ Redness/Rosacea ☐ Sun damage ☐ Fine lines ☐ Pores ☐ Overall tone/texture

Skin Assessment

- Fitzpatrick Type: ☐ I ☐ II ☐ III ☐ IV ☐ V ☐ VI
- Recent Tan: ☐ Yes ☐ No
- Photosensitizing medications: ☐ Yes ☐ No

Treatment Plan

- Laser/IPL Device: Mode:
- Wavelength/Filters:
- Fluence: Passes:
- Treatment Area: ☐ Full face ☐ Neck ☐ Chest ☐ Hands ☐ Spot treatment
- Number of Sessions Recommended:

CONSENT SECTION

Risks and Side Effects (Initial each)

I understand that laser facial treatment may result in:

- ☐ Mild sunburn-like sensation during and after
- ☐ Redness and mild swelling (few hours to 2 days)
- ☐ Darkening of pigmented spots before flaking off ("coffee grounds")
- ☐ Crusting of treated lesions
- ☐ Rare blistering or burns
- ☐ Temporary or permanent pigment changes
- ☐ Hair reduction in treated areas (if not desired)
- ☐ Unsatisfactory results requiring additional treatments

Pre/Post Care

- ☐ No sun exposure/tanning 2-4 weeks before and after
- ☐ Self-tanners avoided 2 weeks prior
- ☐ SPF 30+ mandatory post-treatment
- ☐ No hot showers/saunas for 24 hours
- ☐ No retinoids for 1 week post-treatment

Patient Signature: Date:

Provider Signature: Date:

GENERAL CONSENT CLAUSE

(Applicable to All Forms)

Medical Photography Consent

☐ I consent to clinical photography before, during, and after treatment for medical records, treatment planning, and educational purposes.

☐ I consent to use of my photos for marketing (with identifying features concealed): ☐ Yes ☐ No

Financial Agreement

I understand that payment is due at time of service. Results are not guaranteed. Additional treatments may be recommended at additional cost.

Emergency Contact

In case of emergency, contact:

Revision/Correction Policy

I understand that touch-ups or corrections may require additional fees depending on the circumstances and timing.