

Como instalar Git en Windows


- 1. Ingresar a la siguiente Liga https://git-scm.com/
- 2. En la pagina principal, seleccionar la opción Downloads




3. En la sección **Downloads**, elegir el sistema operativo **Windows**




4. Una vez en la sección de descargas para Windows, seleccionar en base a tu sistema operativo (Los últimos modelos de equipos han estado utilizando 64bits)





5. Una vez descargado el archivo, Git-2.43.0-64-bit , dar doble clic en el para comenzar a ejecutarlo



8. Seleccionar el IDE que se estará utilizando (de preferencia tener instalado anteriormente tu IDE en el equipo que usaras) en caso de no tenerlo instalado puedes cancelar el proceso, instalar el IDE y ejecutarlo nuevamente una vez ya cuentes con el IDE.








	♦ Git 2.43.0 Setup — □ X
	Configuring the terminal emulator to use with Git Bash Which terminal emulator do you want to use with your Git Bash?
	O Use MinTTY (the default terminal of MSYS2)
	Git Bash will use MinTTY as terminal emulator, which sports a resizable window, non-rectangular selections and a Unicode font. Windows console programs (such as interactive Python) must be launched via `winpty` to work in MinTTY.
	○ Use Windows' default console window
	Git will use the default console window of Windows ("cmd.exe"), which works well with Win32 console programs such as interactive Python or node.js, but has a very limited default scroll-back, needs to be configured to use a Unicode font in order to display non-ASCII characters correctly, and prior to Windows 10 its window was not freely resizable and it only allowed rectangular text selections.
	nttps://gitforwindows.org/ ————————————————————————————————————
	Only show new options Back Next Cancel
16.	En el instalador, presionar Next
	Choose the default behavior of `git pull` What should `git pull` do by default?
	O Fast-forward or merge
	Fast-forward the current branch to the fetched branch when possible, otherwise create a merge commit.
	○ Rebase
	Rebase the current branch onto the fetched branch. If there are no local commits to rebase, this is equivalent to a fast-forward.
	Only ever fast-forward
	Fast-forward to the fetched branch. Fail if that is not possible. This is the standard behavior of `git pull`.
	https://gitforwindows.org/ ————————————————————————————————————
	Only show new options Back Next Cancel

17. En el instalador, presionar Next Git 2.43.0 Setup

Choose a credential helper Which credential helper should be configured?





18. En el instalador, presionar Next



Configuring extra options

Which features would you like to enable?




Enable file system caching File system data will be read in bulk and cached in memory for certain operations ("core.fscache" is set to "true"). This provides a significant performance boost.

Enable symbolic links


Enable symbolic links (requires the SeCreateSymbolicLink permission). Please note that existing repositories are unaffected by this setting.

https://gitforwindows.org/ -Only show new options Back Next Cancel

19. En el instalador, presionar Install



20. Después de este paso, el proceso continuara.



Finish

21. Una vez finalizado, Git ya se encontrará instalado en tu sistema

