

SIGAC — Tabelas e campos

Inventário das tabelas utilizadas pelo SiGAC no PostgreSQL, com campos físicos, chaves primárias, chaves estrangeiras e diagrama visual dos relacionamentos.

Tabelas: 24

Legenda: PK = chave primária; * = campo obrigatório; linhas verdes = relacionamentos FK.

Diagrama ER visual · tabelas 1–3 de 24




Diagrama ER visual · tabelas 4–6 de 24




Diagrama ER visual · tabelas 7–9 de 24




Diagrama ER visual · tabelas 10–12 de 24




Diagrama ER visual · tabelas 13–15 de 24



Diagrama ER visual · tabelas 16–18 de 24




Diagrama ER visual · tabelas 19–21 de 24




Diagrama ER visual · tabelas 22–24 de 24



Inventário de tabelas e campos

Campos físicos, PKs e FKs das tabelas utilizadas pelo SiGAC.

schema_migrations

version · varchar(80) (PK)

applied_at · timestampz (NOT NULL)

profiles

id · varchar(20) (PK)

name · varchar(80) (NOT NULL)

description · varchar(255) (NOT NULL)

created_at · timestampz (NOT NULL)

users

id · varchar(36) (PK)

name · varchar(200) (NOT NULL)

email · varchar(320) (NOT NULL)

job_title · varchar(120)

area · varchar(120)

role · varchar(40) (NOT NULL)

profile_id · varchar(20)

avatar_url · varchar(500)

last_login_at · timestampz

created_at · timestampz (NOT NULL)

modules

id · varchar(80) (PK)
name · varchar(120) (NOT NULL)
route · varchar(180) (NOT NULL)
icon · varchar(80) (NOT NULL)
display_order · integer (NOT NULL)
active · boolean (NOT NULL)

permissions

id · varchar(80) (PK)
module_id · varchar(80) (NOT NULL)
name · varchar(120) (NOT NULL)
description · text (NOT NULL)
active · boolean (NOT NULL)

profile_permissions

profile_id · varchar(20) (PK; NOT NULL)
permission_id · varchar(80) (PK; NOT NULL)
allowed · boolean (NOT NULL)

profile_modules

profile_id · varchar(20) (PK; NOT NULL)
module_id · varchar(80) (PK; NOT NULL)
can_view · boolean (NOT NULL)

project_statuses

id · varchar(40) (PK)
code · varchar(40) (NOT NULL)
name · varchar(100) (NOT NULL)

color · varchar(20) (NOT NULL)
display_order · integer (NOT NULL)
active · boolean (NOT NULL)
allows_edit · boolean (NOT NULL)

project_types

id · varchar(40) (PK)
code · varchar(40) (NOT NULL)
name · varchar(100) (NOT NULL)
description · text (NOT NULL)
active · boolean (NOT NULL)

system_settings

key · varchar(120) (PK)
value · text (NOT NULL)
value_type · varchar(30) (NOT NULL)
description · text (NOT NULL)
group_name · varchar(80) (NOT NULL)
active · boolean (NOT NULL)

report_types

id · varchar(60) (PK)
code · varchar(60) (NOT NULL)
name · varchar(120) (NOT NULL)
description · text (NOT NULL)
formats · text (NOT NULL)
active · boolean (NOT NULL)

report_fields

id · varchar(60) (PK)
report_code · varchar(60) (NOT NULL)
field_key · varchar(100) (NOT NULL)
label · varchar(160) (NOT NULL)
source_key · varchar(160) (NOT NULL)
display_order · integer (NOT NULL)
active · boolean (NOT NULL)

menus

id · varchar(80) (PK)
module_id · varchar(80)
parent_id · varchar(80)
name · varchar(120) (NOT NULL)
route · varchar(180) (NOT NULL)
icon · varchar(80) (NOT NULL)
display_order · integer (NOT NULL)
active · boolean (NOT NULL)

projects

id · varchar(36) (PK)
name · varchar(200) (NOT NULL)
code · varchar(50) (NOT NULL)
responsible_area · varchar(160) (NOT NULL)
managers_ids · jsonb (NOT NULL)
write_group · varchar(160) (NOT NULL)
read_group · varchar(160) (NOT NULL)
write_identity_role · varchar(160) (NOT NULL)
read_identity_role · varchar(160) (NOT NULL)

snow_task_number · varchar(120) (NOT NULL)
parent_folder · varchar(500) (NOT NULL)
description · text (NOT NULL)
status · varchar(30) (NOT NULL)
participants_ids · jsonb (NOT NULL)
created_at · timestamptz (NOT NULL)
updated_at · timestamptz (NOT NULL)

project_members

project_id · varchar(36) (PK; NOT NULL)
user_id · varchar(36) (PK; NOT NULL)
role · varchar(40) (NOT NULL)
created_at · timestamptz (NOT NULL)

files

id · varchar(36) (PK)
project_id · varchar(36) (NOT NULL)
parent_id · varchar(36)
kind · varchar(20) (NOT NULL)
name · varchar(500) (NOT NULL)
size_bytes · bigint (NOT NULL)
mime_type · varchar(160)
created_by · varchar(36) (NOT NULL)
last_viewed_at · timestamptz
created_at · timestamptz (NOT NULL)
updated_at · timestamptz (NOT NULL)

file_shares

file_id · varchar(36) (PK; NOT NULL)
user_id · varchar(36) (PK; NOT NULL)
access_level · varchar(20) (NOT NULL)
created_at · timestampz (NOT NULL)

groups

id · varchar(36) (PK)
name · varchar(160) (NOT NULL)
description · text (NOT NULL)
created_at · timestampz (NOT NULL)

group_members

group_id · varchar(36) (PK; NOT NULL)
user_id · varchar(36) (PK; NOT NULL)
created_at · timestampz (NOT NULL)

file_permissions

file_id · varchar(36) (NOT NULL)
user_id · varchar(36)
group_id · varchar(36)
access_level · varchar(20) (NOT NULL)
inherited_from · varchar(36)
created_at · timestampz (NOT NULL)

access_requests

id · varchar(36) (PK)
project_id · varchar(36) (NOT NULL)
requester_id · varchar(36) (NOT NULL)

status · varchar(30) (NOT NULL)
created_at · timestamptz (NOT NULL)

activity_logs

id · varchar(36) (PK)
user_id · varchar(36)
action · varchar(100) (NOT NULL)
entity · varchar(100) (NOT NULL)
entity_id · varchar(36)
details · text (NOT NULL)
created_at · timestamptz (NOT NULL)

sessions

id · varchar(36) (PK)
user_id · varchar(36) (NOT NULL)
expires_at · timestamptz (NOT NULL)

permission_matrix

id · integer (PK)
matrix · jsonb (NOT NULL)