


# SIGAC — Tabelas e campos

Inventário das tabelas utilizadas pelo SiGAC no PostgreSQL, com campos físicos, chaves primárias, chaves estrangeiras e diagrama visual dos relacionamentos.


## Tabelas: 24

Legenda: PK = chave primária; \* = campo obrigatório; linhas verdes = relacionamentos FK.


## Diagrama ER visual · tabelas 1–3 de 24




## Diagrama ER visual · tabelas 4–6 de 24



## Diagrama ER visual · tabelas 7–9 de 24




## Diagrama ER visual · tabelas 10–12 de 24




## Diagrama ER visual · tabelas 13–15 de 24



## Diagrama ER visual · tabelas 16–18 de 24



## Diagrama ER visual · tabelas 19–21 de 24





## Diagrama ER visual · tabelas 22–24 de 24



# Inventário de tabelas e campos

Campos físicos, PKs e FKs das tabelas utilizadas pelo SiGAC.

**schema\_migrations** · 2 campos ■■ PK: version

version, applied\_at

**profiles** · 4 campos ■■ PK: id

id, name, description, created\_at

**users** · 10 campos ■■ PK: id

id, name, email, job\_title, area, role, profile\_id, avatar\_url, last\_login\_at, created\_at

**modules** · 6 campos ■■ PK: id

id, name, route, icon, display\_order, active

**permissions** · 5 campos ■■ PK: id

id, module\_id, name, description, active

**profile\_permissions** · 3 campos ■■ PK: —

profile\_id, permission\_id, allowed

**profile\_modules** · 3 campos ■■ PK: —

profile\_id, module\_id, can\_view

**project\_statuses** · 7 campos ■■ PK: id

id, code, name, color, display\_order, active, allows\_edit

**project\_types** · 5 campos ■■ PK: id

id, code, name, description, active

**system\_settings** · 6 campos ■■ PK: key

key, value, value\_type, description, group\_name, active

**report\_types** · 6 campos ■■ PK: id

id, code, name, description, formats, active

**report\_fields** · 7 campos ■■ PK: id

id, report\_code, field\_key, label, source\_key, display\_order, active

**menus** · 8 campos ■■ PK: id

id, module\_id, parent\_id, name, route, icon, display\_order, active

**projects** · 16 campos ■■ PK: id

id, name, code, responsible\_area, managers\_ids, write\_group, read\_group, write\_identity\_role, read\_identity\_role, snow\_task\_number, parent\_folder, description, status, participants\_ids, created\_at, updated\_at

**project\_members** · 4 campos ■■ PK: —

project\_id, user\_id, role, created\_at

**files** · 11 campos ■■ PK: id

id, project\_id, parent\_id, kind, name, size\_bytes, mime\_type, created\_by, last\_viewed\_at, created\_at, updated\_at

**file\_shares** · 4 campos ■■ PK: —

file\_id, user\_id, access\_level, created\_at

**groups** · 4 campos ■■ PK: id

id, name, description, created\_at

**group\_members** · 3 campos ■■ PK: —

group\_id, user\_id, created\_at

**file\_permissions** · 6 campos ■■ PK: —

file\_id, user\_id, group\_id, access\_level, inherited\_from, created\_at

**access\_requests** · 5 campos ■■ PK: id

id, project\_id, requester\_id, status, created\_at

**activity\_logs** · 7 campos ■■ PK: id

id, user\_id, action, entity, entity\_id, details, created\_at

**sessions** · 3 campos ■■ PK: id

id, user\_id, expires\_at

**permission\_matrix** · 2 campos ■■ PK: id

id, matrix