

```

Alexnotgoat@raspberrypi:~ $ cd 25cpp-Alexnotgoat/
Alexnotgoat@raspberrypi:~/25cpp-Alexnotgoat $ git pull origin main
remote: Enumerating objects: 28, done.
remote: Counting objects: 100% (28/28), done.
remote: Compressing objects: 100% (21/21), done.
remote: Total 27 (delta 6), reused 27 (delta 6), pack-reused 0
Unpacking objects: 100% (27/27), done.
From github.com:tectijuana/25cpp-Alexnotgoat
* branch      main    -> FETCH_HEAD
   9c80d60..4acceaa main    -> origin/main
Updating 9c80d60..4acceaa
Fast-forward
 25 programas de CPP/programa1.cpp | 10 ++++++++
 25 programas de CPP/programa10.cpp | 31 ++++++++
 25 programas de CPP/programa11.cpp | 37
 ++++++++
 25 programas de CPP/programa12.cpp | 21 ++++++++
 25 programas de CPP/programa13.cpp | 45
 ++++++++
 25 programas de CPP/programa14.cpp | 34 ++++++++
 25 programas de CPP/programa15.cpp | 34 ++++++++
 25 programas de CPP/programa16.cpp | 18 ++++++++
 25 programas de CPP/programa17.cpp | 20 ++++++++
 25 programas de CPP/programa18.cpp | 19 ++++++++
 25 programas de CPP/programa19.cpp | 17 ++++++++
 25 programas de CPP/programa2.cpp | 10 ++++++++
 25 programas de CPP/programa20.cpp | 25 ++++++++
 25 programas de CPP/programa21.cpp | 17 ++++++++
 25 programas de CPP/programa22.cpp | 35 ++++++++
 25 programas de CPP/programa23.cpp | 22 ++++++++
 25 programas de CPP/programa24.cpp | 20 ++++++++
 25 programas de CPP/programa25.cpp | 13 ++++++++
 25 programas de CPP/programa3.cpp | 11 ++++++++
 25 programas de CPP/programa4.cpp | 11 ++++++++
 25 programas de CPP/programa5.cpp | 11 ++++++++
 25 programas de CPP/programa6.cpp | 20 ++++++++
 25 programas de CPP/programa7.cpp | 14 ++++++++
 25 programas de CPP/programa8.cpp | 19 ++++++++
 25 programas de CPP/programa9.cpp | 31 ++++++++
 25 files changed, 545 insertions(+)
 create mode 100644 25 programas de CPP/1.cpp
 create mode 100644 25 programas de CPP/10.cpp
 create mode 100644 25 programas de CPP/11.cpp
 create mode 100644 25 programas de CPP/12.cpp
 create mode 100644 25 programas de CPP/13.cpp
 create mode 100644 25 programas de CPP/14.cpp
 create mode 100644 25 programas de CPP/15.cpp
 create mode 100644 25 programas de CPP/16.cpp

```

```
create mode 100644 25 programas de CPP/17.cpp
create mode 100644 25 programas de CPP/18.cpp
create mode 100644 25 programas de CPP/19.cpp
create mode 100644 25 programas de CPP/2.cpp
create mode 100644 25 programas de CPP/20.cpp
create mode 100644 25 programas de CPP/21.cpp
create mode 100644 25 programas de CPP/22.cpp
create mode 100644 25 programas de CPP/23.cpp
create mode 100644 25 programas de CPP/24.cpp
create mode 100644 25 programas de CPP/25.cpp
create mode 100644 25 programas de CPP/3.cpp
create mode 100644 25 programas de CPP/4.cpp
create mode 100644 25 programas de CPP/5.cpp
create mode 100644 25 programas de CPP/6.cpp
create mode 100644 25 programas de CPP/7.cpp
create mode 100644 25 programas de CPP/8.cpp
create mode 100644 25 programas de CPP/9.cpp
Alexnotgoat@raspberrypi:~/25cpp-Alexnotgoat$ ls
'25 programas de CPP' LICENSE problemas_para_resolver_por_computadora.pdf
README.md
Alexnotgoat@raspberrypi:~/25cpp-Alexnotgoat $ cd 25\ programas\ de\ CPP/
Alexnotgoat@raspberrypi:~/25cpp-Alexnotgoat/25 programas de CPP $ ls
programa10.cpp programa12.cpp programa14.cpp programa16.cpp programa18.cpp
programa1.cpp programa21.cpp programa23.cpp programa25.cpp programa3.cpp
programa5.cpp 7.cpp 9.cpp
programa11.cpp programa13.cpp programa15.cpp programa17.cpp programa19.cpp
programa20.cpp programa22.cpp programa24.cpp programa2.cpp programa4.cpp
programa6.cpp programa8.cpp
Alexnotgoat@raspberrypi:~/25cpp-Alexnotgoat/25 programas de CPP $ g++ 1.cpp
Alexnotgoat@raspberrypi:~/25cpp-Alexnotgoat/25 programas de CPP $ chmod +x ./a.out
Alexnotgoat@raspberrypi:~/25cpp-Alexnotgoat/25 programas de CPP $ ./a.out
```

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43

Alexnotgoat@raspberrypi:~/25cpp-Alexnotgoat/25 programas de CPP \$