


Bases de Datos.

Tarea unidad 7.

Creación de la base de datos.....	2
Ejercicios.....	3
Búsqueda por género.....	3
Películas estrenadas antes del año 2000.....	4
Películas de un director específico.....	5
Películas con un actor determinado.....	6
Actualizar el estado de "emision" a false.....	6
Elimina una película por título.....	7


Creación de la base de datos



Tras pasar por los pasos documentados en el tutorial, comienzo a documentar este ejercicio con la creación de la base de datos.

Dejo anotado aquí las credenciales creadas para el usuario de bbdd por si es necesario en el futuro.


jcgarrido605r_db_user:UsKvqVohrQmyLBGV



Insertando nuestra colección de pelis

Ejercicios

Búsqueda por género



The screenshot shows the MongoDB Data Explorer interface. On the left, the 'Data Explorer' sidebar shows the project structure: 'MiPrimerCluster' > 'TareaUD7_JuanCruz_GarridoSuso' > 'Películas'. The main panel displays the 'Documents' tab for the 'Películas' collection. A query filter is applied: `{genero:"Aventuras"}`. The results show four documents, each representing a movie. The first document is for 'Conan el Bárbaro', the second for 'Willow', the third for 'Tron', and the fourth for 'Krull'. Each document includes fields like `_id`, `titulo`, `titulo_original`, `director`, `genero`, `año`, `emision`, `musica`, `actores`, and `streaming`.

query: `{genero:"Aventuras"}`

The screenshot displays the MongoDB Cloud Portal interface. On the left, the 'Data Explorer' sidebar shows the 'MiPrimerCluster' database with a collection named 'Peliculas'. The main panel shows a query result for the 'Peliculas' collection, filtered by the query `{"año": {"$lt": 2000}}`. The results are displayed as a list of movie documents, including details like title, director, genre, and release year. The interface includes a top navigation bar with the MongoDB logo and a search bar, and a bottom status bar indicating 'System Status: All Good'.

Movie Title	Director	Year	Genre	Release Date
Conan el Bárbaro	John Milius	1982	Array (2)	1982
Dentro del Laberinto	Jim Henson	1986	Array (2)	1986
Blade Runner	Ridley Scott	1982	Array (2)	1982
Excalibur	John Boorman	1981	Array (2)	1981

Películas de un director específico

ORGANIZATION

Juan Cruz's Org - 20...

PROJECT

Project 0

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

MiPrimerCluster

TareaUD7_JuanCruz_GarridoSuso

Películas

admin

local

MiPrimerCluster

TareaUD7_JuanCruz_GarridoSuso

Películas

Documents 9

Aggregations

Schema

Indexes 1

Validation

{ director: "Ridley Scott" }

View monitoring

Visualize Your Data

25

1 - 2 of 2

_id: ObjectId('69e43468b838043edaa29f79')

titulo: "Blade Runner"

titulo_original: "Blade Runner"

director: "Ridley Scott"

genero: Array (2)

año: 1982

emision: false

musica: "Vangelis"

actores: Array (3)

versiones: Array (2)

premios: Object

_id: ObjectId('69e43468b838043edaa29f7e')

titulo: "Legend"

titulo_original: "Legend"

director: "Ridley Scott"

genero: Array (1)

año: 1985

emision: true

actores: Array (3)

versiones: Array (2)


clasificacion: "Todos los públicos"

System Status: All Good

©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales

{ director: "Ridley Scott" }


Películas con un actor determinado.



The screenshot shows the MongoDB Data Explorer interface. On the left, the 'Data Explorer' sidebar shows the project structure: 'MiPrimerCluster' > 'TareaUD7_JuanCruz_GarridoSuso' > 'Películas'. The main panel displays a query filter: `{ actores: "Jennifer Connelly" }`. Below the filter, a document is shown with the following fields: `_id` (ObjectId), `titulo` ("Dentro del Laberinto"), `titulo_original` ("Labyrinth"), `director` ("Jim Henson"), `genero` (Array), `año` (1986), `emision` (true), and `musica` ("David Bowie").

```
{ actores: "Jennifer Connelly" }
```

Actualizar el estado de "emision" a false




The screenshot shows the MongoDB Data Explorer interface with the same query filter. The document is displayed in a table-like view. The 'emision' field is highlighted, and its value is being updated from 'true' to 'false'. A yellow banner at the bottom indicates 'Document modified.' with 'CANCEL' and 'UPDATE' buttons.

1	<code>_id</code>	ObjectId('69e43468b838843eda29f78')
2	<code>titulo</code>	String
3	<code>titulo_original</code>	String
4	<code>director</code>	String
5	<code>genero</code>	Array (2)
6	<code>año</code>	Int32
7	<code>emision</code>	Boolean
8	<code>musica</code>	String
9	<code>actores</code>	Array (2)
10	<code>streaming</code>	Array (2)

Document modified. [CANCEL] [UPDATE]

Cambiando el valor a false

Elimina una película por título



The screenshot shows the MongoDB Atlas web interface. The left sidebar contains the 'Data Explorer' with a tree view of clusters. The main panel displays a document from the 'Películas' collection. The document is highlighted with a red background and a message 'Document flagged for deletion.' with 'CANCEL' and 'DELETE' buttons. The document fields are: `_id`: ObjectId('69e43468b838043edaa29f7d'), `titulo`: "Krull", `titulo_original`: "Krull", `director`: "Peter Yates", `genero`: Array (3), `año`: 1983, `emision`: false, `musica`: "James Horner", and `actores`: Array (3). The bottom of the interface shows the system status as 'All Good' and copyright information for MongoDB, Inc. 2026.

Eliminación de un documento.