Modding Operational Instructions

from ISA's Quantum Artificial Intelligence Laboratory

Supervised by
Dr. Nathan Foster

========== TO BE READ BY ISA'S PERSONNEL ONLY ==========

Version 2.0

Modding Operational Instructions
- Welcome!
- The future is counting on you.
- About this version
  - Supported features
- First and foremost.
  - Setting the mod structure
    - Game Versions
- Embrace change.
  - Creating New Items
  - Stacking your mods
  - Overriding Pre-existing Items
- Try everything.
  - Console Commands
    - General
    - Console Bindings
    - Gameplay
- We're all in this together!
  - Uploading your mod
  - Downloading mods from Workshop
  - Come Join The Community!
- Put your mind to work.
- Annex I - Building YAML description
  - Buildings
- Annex II - Special Project YAML description
  - Special Projects
- Annex III - Languages
  - Languages
    - Extending included Languages



Welcome!

For the last 50 years, the International Space Agency has been breaking barriers to drive advances in science, technology, and space exploration for the benefit of the Oxy-UN. And now, as a new member of the Quantum Artificial Intelligence Laboratory, you can also be part of it!

The future is counting on you.

We are preparing for the unknown, but also, we are forging what the relationship between humans and machines is going to be. A collaboration that with no doubts will define the future to come.

You have been provided with all the necessary tools to generate new and advanced ideas that can be used in our next Mars terraforming plan. In this manual, we will help you get started with mods.

Let’s get started!

About this version

Supported features

Before diving into the world of modding Per Aspera, keep in mind that this version supports some specific features that are ready for implementation, but there are some others that are not.
For instance, you will be able to add or modify buildings, tech-tree technologies, resources, quests, scatter zones, and knowledge base entries as much as you like. But, while it supports custom icons setting, it is **not** possible to add **new** custom prefabs or meshes for things like buildings, special projects, resources, or ways.
We added some extra building prefabs to help you identify your creations from those in the base game. Use the path "*ModBuildings/*" in the yaml file to assign the prefab to your creation.



Although it is not officially supported, you can try as many combinations and modifications as you want. Located inside the "datamodel" folder you will find all the yamls used in the base game. Check how the yamls for the

campaign and sandbox modes were created to have a reference of what can be configured in **setups** and **type lists.**

Warning: Using mods or console commands will permanently disable the achievements for the used savegame.

First and foremost.

Each mod you create must be located in: "*{Per Aspera installation folder}\Per Aspera_Data\StreamingAssets\Mods*"

And remember that each yaml path defined is local to the mod root folder. E.g. "*Icons\MyIcon*" will search in "*{Per Aspera installation folder}\Per Aspera_Data\StreamingAssets\Mods\{Your mod folder}\Icons\MyIcon*" if the mod is local.

Setting the mod structure

You'll need a folder containing the following file:

- manifest.yaml

The manifest.yaml is the entry point of the mod, and defines various things:

- **modId**: it will be the unique identifier of the mod, so think it through. This will allow other mods to reference your mod as a dependency, and it will be its name when the mod is local.
- **requiredMods**: a list of "modIds" of those mods on which yours has dependency.

- **optionalManifests**: a list of optional sub-manifests that will be loaded when their respective requiredMods are found. For example, you could add a sub-manifest called “manifest-campaign.yaml” that has in its requiredMods “campaign”, so it will only add that content if you are in campaign mode.
- **compatibleGameVersions:** a list of game versions compatible with this mod. It will also warn users if the mod is outdated.
- **setups**: Each one of these files are optional, and they define global variables, common system parameters or world initialization variables.

  Surely you’ll be creative with all these choices!
- **type lists**: Each one of these are also optional, and multiple files per entry are allowed. They define the “types” and their variables (Buildings, Resources, Techs, etc).

  Each entry can be set to replace any previously loaded types in that category (set as false works as additive).

The folder must contain all the yaml files referenced in the manifest file.

manifest.yaml

```yaml
# Mod Id
modId: "ModExample"
# Compatible Versions
compatibleGameVersions:
  - "1.3"
  - "1.4"
# Dependencies
requiredMods:
  - "RequiredMod_1"
  - "RequiredMod_2"
# Setups
  initialSetup: InitialSetup.yaml
  droneSetup: DroneSetup.yaml
  frontendSetup: FrontendSetup.yaml
  planetSetup: PlanetSetup.yaml
# ...etc
# Type Lists
building:
  filenames:
    - building.yaml
  replace: false
resource:
  filenames:
    - resource.yaml
  replace: true
technology:
  filenames:
    - technology-engineering.yaml
    - technology-space.yaml
    - technology-biology.yaml
  replace: true
# Optional sub-manifest
optionalManifests:
  - optional-manifest.yaml
```

optional-manifest.yaml*

```yaml
# This mod will only load if mode is campaign
modId: "CampaignModExample"
compatibleGameVersions:
  - "1.4"
requiredMods:
  - "Campaign"
building:
  filenames:
    - newCampaignBuildings.yaml
  replace: false
```

Game Versions

The Game Version is composed of the first two numbers that appear on the upper left corner of the main menu.

v.1.3.0.0.6.12471.2021.5.12

For example, in the picture above, it would be “version 1.3”.

Embrace change.

In order to finally conquer the Red Planet, we must continue to grow and adapt to the unexpected, as well as to improve what we have learned.

Creating New Items

You can add new items to the game, creating your own collection, or just adding them to the existing ones.

Let’s say you want to create a new “power” building that does not produce energy but only expands the power range. To do this, you must:

Create the building.yaml file with the desired settings:

building.yaml

```yaml
building_power_extension:
  categoryType: !buildingCategory category_power
  compactName: PowExt
  description: A building that extends the power range
  maxHealth: 75.0
  name: Power Extension
  powerConsumption: 0.0
  powerPriority: 1.0
  extendsPowerCluster: true
  prefabName: WorkerRelay
  rubblePrefabName: RubblePile_S
  requiredConstructionResources:
    !resource resource_aluminum: 1
  reservedRadius: 20.0
  iconName: BuildIcons/Icon_WorkerRelay
  jumpRadius: 100.0
```

And add it to your mod manifest building type list:

```yaml
modId: "Power Extension"
compatibleGameVersions:
  - "1.3"
building:
  filenames:
    - building.yaml
  replace: false
```

Eager to test your creation? Unlock the new item (building, technology, resource, etc.) in the game by using the proper console command:

We recommend that you use notepad++ and select Yaml as language. But be wary, in this kind of files tabs are not the same as spaces.

Stacking your mods

You can add multiple mods simultaneously. The enabled mods will be stacked and loaded from top to bottom, allowing you to override previous mods, or the base game itself.



Overriding Pre-existing Items

Mod stacking allows you to edit the base game, or even other mods, by overriding specific fields of an item instead of creating new ones.

To do this, add an item in your mod using the same key as the item you want to modify. For example, if you need to modify the Worker Hub, add a new item in the mod whose key is also "building_drone_base", and the changes made to it will override the base game or any previous mod.

Here are some examples of the type of fields that you can override:

- Edit strings and numbers to modify specific properties of the overridden item, the unused fields will remain unchanged.



- Modify an entry that already exists in a **dictionary**, replacing it with a new one.

- Add a new item to a collection.



- Modify a collection using the **!replace** tag to override it entirely.





Try everything.

As you have read on these pages, there are many things you can try to ensure human presence on Mars. And you may want to test your ideas before sharing them with others.

Console Commands

You can do this by accessing the console and entering a command line. When playing the game, simply press the ~ key to open it, and type the desired command.



Here we share a list of commands that you can use to test your mods. But beware, achievements won't compute for the working savegame once you enter one of them. So, use them properly!

General

- **Commands** - Lists all available console commands, with an optional filter string
- **Help** - Show help for the given command
- **History** - Show command history with optional last count
- **TakeScreenshot** - Takes a screenshot, with an optional resolution multiplier.
- **SetEngineTimescale** - Sets engine timescale

Console Bindings

- **Bind** - Binds a specific KeyCode with a Console command. E.g. Bind U UnlockAllBuildings
- **SaveBindings** - Save current bindings to a file
- **Unbind** - Unbinds a previously bound KeyCode from a Console command.
- **UnbindAll** - Unbinds all current bound commands.
- **ShowBindings** - Show current bindings

Gameplay

- **AdditionalLandingSite** - Adds an additional landing site launch to player faction
- **AdditionalOrbitalBuilding** - Adds an additional orbital building launch to player faction by key
- **AddYearsSinceStart** - Adds the specified amount of years to the current time
- **BuildingAddResource** - Adds stock of specified resource on selected building
- **BuildingSetHealth** - Sets the relative health of the currently selected building
- **BuildingSetVeinQuantity** - Set the vein quantity of the currently selected building
- **BunchOfResources** - Add a bunch of non virtual resources to selected building or to main building
- **DespawnAllHazards** - Despawns all hazards on the planet
- **FactionAddResearchPoints** - Adds research points to the selected faction
- **FactionAddResourceDistributed** - Adds stock of specified resource distributed on all buildings of the selected faction
- **FactionDisableEnhancement** - Disables the specified enhancement for the selected faction
- **FactionEnableEnhancement** - Enables the specified enhancement for the selected faction
- **FactionKillMilitaryDrones** - Kills all military drones on the selected faction

- **FactionList** - List all factions
- **FactionListDrones** - Shows a list of all worker drones and their info for the selected faction
- **FactionListEnhancements** - Lists all enhancements for the selected faction
- **FactionListMaintenanceDrones** - Shows a list of all the maintenance drones and their info for the selected faction
- **FactionSelect** - Select a faction as target for Faction commands
- **FactionSpawnDrones** - Spawns a specific amount of worker drones on selected faction. If a building is selected, spawns in that building island
- **FactionSpawnMaintenanceDrone**s - Spawns a specific amount of maintenance drones on the selected faction
- **FactionSpawnMiliDrones** - Spawns a specific amount of military drones on the selected faction
- **FillPopulation** - Increase the population of all colonies to its max capacity
- **FinishConstructions** - Immediately finishes all currently pending constructions
- **FinishUpgrades** - Immediately finishes all current pending upgrades
- **IncreaseGHG** - Increases GHG pressure in Mars by a specified amount
- **IncreaseN2** - Increases N2 pressure in Mars by a specified amount, in mbars
- **IncreaseO2** - Increases O2 pressure in Mars by a specified amount, in mbars
- **IncreaseWater** - Increases liquid water stock in Mars by a specified amount, in meters. The water won't change immediately, it will have a max delta per day as configured in PlanetSetup until reaching the target level.
- **Kill** - Kills the selected building or worker drone
- **ListDialogues** - Shows a list of all the dialogues
- **ListPersons** - Shows a list of the dialogue persons, and their info
- **ListSectors** - Shows a list of the player sectors and their status
- **RevealAllCraters** - Reveals all usable craters on the planet
- **RevealAllResourceVeins** - Reveals all resource veins on the planet, with the exception of special sites

- **RevealAllSpecialSites** - Reveals all special sites on the planet
- **RevealScannerArea** - Reveals a scanner area with radius centered on mouse position
- **RevealSpecialSite** - Reveals a specific special site by key
- **RunInteractionRule** - Runs a specific interaction rule by key
- **RunTextAction** - Runs manually a specific TextAction
- **SetDaysSinceStart** - Sets the current date in days, counted from the game start
- **ShowBlackboard** - Prints blackboard vars to console
- **ShowCurrentTechPopup** - Forces to show the popup of the tech that is currently researching
- **SpawnAsteroid** - Spawns an asteroid at mouse position.
- **SpawnDevil** - Spawns a devil on mouse position.
- **SpawnRivalBase** - Spawns a base for the rival faction.
- **SpawnSandstorm** - Spawns a sandstorm on mouse position.
- **StartDialogue** - Starts a specific dialogue by key.
- **UnlockAllBuildings** - Unlocks all buildings, with an optional parameter for filtering by upgrade level.
- **UnlockAllKnowledges** - Unlocks all knowledge.
- **UnlockAllSpecialProjects** - Unlocks all special projects.
- **UnlockAllTech** - Unlocks all technologies.
- **UnlockAllWays** - Unlocks all ways.
- **UnlockBuilding** - Unlocks a specific building by key.
- **UnlockMilitaryBuildings** - Unlocks all military buildings.
- **UnlockQuest** - Unlock a specific Quest by key.
- **UnlockSector** - Unlocks a sector by index.
- **UnlockSpecialProject** - Unlocks a specific special project by key.


SA-11
SA-12
SA-10

We're all in this together!

Uploading your mod

Once you are done creating your mod, and you're ready to share it with others, upload it to Steam by pressing the "Publish" button in the Mods menu.



It doesn't take much to be a good team player. Please, attach additional information to your mod so other players can understand all the fuss about it.



Press Publish, and share it with the world! Your mod will be ready to be downloaded from the Steam Workshop.

Downloading mods from Workshop

You can also download mods from other users from the [Steam Workshop](#).



Explore the workshop, find a mod that you like, and hit the Subscribe button. Once you restart the game, the selected mod will appear in the Mods menu.

Come Join The Community!

We encourage each one of you to share your creations, exchange ideas, and ask other players for feedback. Be part of our modding community by joining the [#per-aspera-modding](#) channel on the Raw Fury Discord Server.

Put your mind to work.

If you got to this point, it means you know everything you need to know to create a Mod. Put your mind to work, create some amazing new scenarios for ISA's terraforming plan, and push the boundaries of human potential!

- Ad Astra

========== TO BE READ BY ISA'S PERSONNEL ONLY ==========

Annex I - Building YAML description

Buildings

```yaml
building_maintenance_facility:
  categoryType: !buildingCategory category_core
  compactName: MainFac
  description: BE_building_maintenance_facility_description
  droneCapacity: 1
  healthLossPerDay: 0.05
  inputResources:
    !resource resource_polymers: 1
    !resource resource_electronics: 1
  knowledge: !knowledge knowledge_maintenance_facility
  maxHealth: 100.0
  name: BE_building_maintenance_facility_name
  outputQuantity: 3
  outputResource: !resource resource_repair_drone
  powerConsumption: 20.0
  powerPriority: 2.0
  prefabName: MaintenanceFacility
  rubblePrefabName: RubblePile_S
  progressPerDay: 0.02
  requiredConstructionResources:
    !resource resource_aluminum: 3
    !resource resource_steel: 3
    !resource resource_electronics: 3
    !resource resource_polymers: 3
  requiredResourceVein: null
  reservedRadius: 20.0
  waySnapRadius: 10.0
  rivalIconName: BuildIcons_Rival/Icon_MaintenanceFacility
  iconName: BuildIcons/Icon_MaintenanceFacility
  progressBarNames:
    - Progress_Torus
    - Progress_Cylinder
building_water_plant:
```

- **name:** Name of the building, or the localization key of the name.
- **description:** Building description, or the localization key of the description.
- **categoryType:** Building category, which will be displayed in the build panel and the structures panel.
- **knowledge:** Knowledge unlocked in knowledge base when the building is unlocked.
- **inputResources:** What and how many resources will be needed to fulfill the production cycle of the building.
- **extractionLevel:** It is only used for mines and defines which vein levels the building can extract.
- **requiredResourceVein:** Required vein for placing this building. If the building produces output, it will also consume one unit of the required vein each production cycle.
- **scalesToResourceVein:** Indicates if a building mesh should scale to adapt to underlying required vein size. Used in crater buildings.

- **outputResource:** Resource produced by this building on each production cycle(except for gases, in that case use gasReleaseAmount)
- **outputQuantity:** The quantity of the resource that this building will produce each production cycle. Requires outputResource.
- **progressPerDay:** Defines the amount of the production cycle that will progress each day. Each production cycle ends when reaching 1.
- **requiredConstructionResources:** Resources required for constructing this building.
- **initialStock:** Resources that will spawn in the building when added.
- **maxHealth:** Maximum health of the building.
- **healthLossPerDay:** Health lost each day by decay.
- **jumpRadius:** Max distance for connecting to other buildings.
- **prefabName:** Mesh used by the building in close view.
- **rubblePrefabName:** Mesh used by the building when destroyed.
- **iconName:** Icon used by the building in far view and HUD.
- **rivalIconName:** Icon used by the building if it's not from the player faction. If not assigned, it uses the same icon as the player.
- **orbitalIconName:** Icon used by the building in orbital view.
- **emptyHubIconName:** Icon used by the building if it's a drone hub and it's empty.
- **progressBarNames:** Progress indicators used for production cycles when hovering a building.
- **textureOverrides:** List of texture override data for changing building textures. Each override data it's composed by the **index** of the material to change, the **property** name to change(albedo, normal, metallic, emission), the **texture** path, and if the texture **isLinear** or not.
- **colonistCapacity:** Max amount of colonists being able to live in this building. This requires the building to output research points.
- **maxSolarPowerProduction:** Solar power produced by this building.
- **maxEolicPowerProduction:** Eolic power produced by this building.
- **maxThermalPowerProduction:** Thermal power produced by this building.
- **maxFissionPowerProduction:** Fission power produced by this building.
- **maxFusionPowerProduction:** Fusion power produced by this building.

- **powerConsumption:** Power requirement of this building to be operative.
- **powerPriority:** Priority of this building to receive power when having a power deficit. Higher values means higher priority.
- **energyStorageCapacity:** Max storage capacity of this building. It will store surplus power on the building cluster, to use it when needed.
- **extendsPowerCluster:** Enables this building to extend the power network, without necessarily generating power.
- **powerClusterRadius:** Reach of this building in the power network. Requires producing power, having energyStorageCapacity, or extendPowerCluster.
- **militaryDroneCapacity:** Amount that this building adds to the max capacity of military drones of the faction.
- **defensiveMissilesPerDay:** Defensive missiles launched per day.
- **missileRange:** Range of the defensive missiles.
- **missileDamage:** Damage of the defensive missiles.
- **scannerScanTime:** Days needed for this building to reveal one scanner tile in base speed.
- **scannerTimerFactor:** Factor of scannerScanTime added to the scanner reveal time for each tile distance.
- **spawnRevealRadius:** Radius of scanner tiles revealed immediately when this building is spawned. Requires isBaseStarter.
- **isUpgradeTo:** List of other buildingTypes this building is an upgrade to. Currently only supports one building.
- **maintenancePriority:** Priority of this building to receive maintenance. Higher values means higher priority.
- **extendsMaintenanceCluster:** Enables this building to extend the maintenance network, without necessarily generating maintenance drones.
- **maintenanceClusterRadius:** each of this building in the maintenance network. Requires producing maintenance drones, or extendsMaintenanceCluster.
- **enablesHyperloopConnection:** Enables this building to support hyperloop connections.
- **hasStorage:** Enables this building to have extra stockpile capacity, and to act as a storage.

- **hasSpacePort:** Enables this building to launch special projects, and to enable the space view.
- **isBaseStarter:** Enables this building to spawn all the required elements to start a new base, and it also constructs immediately. Spawns a drone, reveals an area around it and places the minimum needed veins if possible.
- **canSpawnLichenAndPlants:** Enables the building to spawn lichen and plants when operative.
- **canSpawnCyanobacteria:**Enables the building to spawn cyanobacteria when operative.
- **co2ConversionPerDay:** Amount of CO2 to O2 conversion per day.
- **gasReleaseAmount:** Amount of gas released as outputResource. Requires outputResource to be one of the supported gases(oxygen, nitrogen, carbon dioxide, ghg)
- **needsEquatorialStrip:** If enabled, this building will require to be placed near the equatorial strip.
- **needsPressure:** If enabled, this building will require a minimum pressure on the planet to be placed. This pressure is configurable in PlanetSetup.humanMinimumPressure.
- **needsBreathableAtmosphere:** If enabled, this building will require a minimum O2 and a maximum CO2 pressure on the planet to be placed. This pressure is configurable in PlanetSetup.humanMinimumOxygenPressure and PlanetSetup.humanCO2Toxicity.
- **orbitalPlacement:** Enables this building to be placed from orbit as the landing site, not from the build panel.
- **waterNeededFactor:** Minimum water level needed close to the building to be operative. Needs waterNeededRadius.
- **waterNeededRadius:** Radius sampled to check water for waterNeededFactor.
- **isWorkerHub:** Enables this building to host a worker drone.
- **isDistrictHub:** Enables this building to create a district and be its district manager.

Annex II - Special Project YAML description

Special Projects

```yaml
my_special_project:
  description: BE_my_special_project_description
  criterions: []
  defaultVisible: true
  index: 14
  launchType: Single
  name: BE_my_special_project_name
  iconName: my_special_project.PNG
  position:
    x: 0
    y: 0
    z: 0
  portProjectType:
    requiredDevelopmentResources:
      !resource resource_aluminum: 10
      !resource resource_parts: 10
      !resource resource_electronics: 10
      !resource resource_chemicals: 10
    requiredDevelopmentTime: 300.0
  launchActions:
    - command: CometDown
      arguments:
        - PlayerFaction
        - 10.0
  specialProjectController:
    !SpecialProjectControllerBase
    spaceportCardPrefab: "SpaceportProjects/SpecialProjectMyProject"
    spaceportCardPrefabPerBuilding:
      building_space_elevator: "SpaceElevatorProjects/SpecialProjectCom
```

- **name:** Project name or localization key.
- **launchType:** Launch type for the project.
  - Single: One-time project
  - Multiple: Requires multiple launches to complete
  - Continuous: Never ending, after completion it will start again automatically. E.g. colonist migration.
- **requiredLaunches:** Only for Multiple launchType. Launches required to complete the project.
- **criterions:** Criteria met to be able to start and/or progress the project.
- **launchActions:** TextActions to be executed on each launch.
- **completeActions:** TextActions to be executed when the project is completed.
- **description:** Description of the project, or description localization key.
- **requiredBuilding:** If assigned, this project can only be launched from the required building type. This building type should have the hasSpacePort flag enabled.

- **position:** 3D position in world space of the project proxy on space. Base projects can't have this overridden.
- **iconName:** Icon used by the project in space, and HUD. Base projects can't have this overridden.
- **resetOnComplete:** If this is enabled, it would reset the project when completed, allowing to have a project with multiple launches that can be completed infinite times.
- **specialProjectController:** Controller for this special project. It mainly defines project stages.
    - **spacePortStages:** List of stages of the project.
        - **key:** Stage key. Used for specific internal behaviours, and for localization purposes.
        - **iconName:** Icon used for the stage in HUD.
        - **cancellable:** If enabled, the project can be cancelled by the user when on this stage.
        - **monthsDuration:** Duration of this stage in months.
        - **specialCriteria:** Special criteria to count a stage as completed. Currently only supports ResourceMet.
        - **onEnter:** TextActionsto be executed when entering this stage.
        - **focusPosition:** If defined, captures the camera when entering this stage, and moves it to the configured position. Supported: Proxy, Port, LandingSite.
        - **focusCondition:** If focusPosition is set, this indicates the condition to capture the camera. Supported. FirstTime, LastLaunch.
        - **focusCameraZoom:** If defined it overrides the camera zoom when capturing the camera with focusPosition.
        - **focusCameraTiltX:** If defined it overrides the camera tilt on X when capturing the camera with focusPosition.
        - **focusCameraTiltY:** If defined it overrides the camera tilt on Y when capturing the camera with focusPosition.
        - **focusOnExitStage:** If true it triggers the camera focus when exiting the stage instead of when entering.

Annex III - Languages

Languages

At ISA we believe that the science that we develop in the Oxy-UN states is a gift to all humanity. That is why it is important to make it accessible to other communities. And you can do your bit by adding new languages to the game.

First, add the reference to your language yaml on the manifest, as with other type lists.

```yaml
modId: "Jeringozo Language Pack"
languages:
  filenames:
    - language.yaml
  replace: false
```

In your language yaml, you'll have to define these things:

- **name:** Name of the language, or localization key for the name.
- **systemLanguage:** System language, used by dialogues.
- **files:** List of csvs used for the localization.

```yaml
jer:
  name: JERINGOZO
  systemLanguage: English
  files:
    - jeringozo_EN.csv
```

Then, your csv files should have this columns:

- Context: Text usage context, used for internal organization. Use Frontend.
- ID: Localization key. This is the key you can use in your mods. E.g. in the "name" field of a new building.
- Text: The localized text for this language
- Comments: Optional comments

```csv
Context,ID,Text,Comments
Frontend,TXT_MainMenu_Buttons_New_campaign,Campapapañapa,
Frontend,TXT_MainMenu_Buttons_Continue,Conpotipinupuarpa,
Frontend,TXT_MainMenu_Buttons_Load,Capargapar,
Frontend,TXT_MainMenu_Buttons_Options,Apajupustepes,
```

If your mod is enabled the new language will be available in the options menu.

Extending included Languages

You can also add localized text for included languages, to localize new texts for your mods.
For this you have to create a language yaml that uses the **same key** as one of the included languages.

Here is a list of all the preexisting languages and their keys, names and systemLanguages:

```
e( key: "base"  , name: "TXT_MainMenu_Options_English"   , SystemLanguage.English);
e( key: "FR"    , name: "TXT_MainMenu_Options_French"    , SystemLanguage.French);
e( key: "DE"    , name: "TXT_MainMenu_Options_German"    , SystemLanguage.German);
e( key: "ES"    , name: "TXT_MainMenu_Options_Spanish"   , SystemLanguage.Spanish);
e( key: "JA"    , name: "TXT_MainMenu_Options_Japanese"  , SystemLanguage.Japanese);
e( key: "PT"    , name: "TXT_MainMenu_Options_Portuguese", SystemLanguage.Portuguese);
e( key: "RU"    , name: "TXT_MainMenu_Options_Russian"   , SystemLanguage.Russian);
e( key: "ZH-Hans", name: "TXT_MainMenu_Options_Chinese"  , SystemLanguage.ChineseSimplified);
```