OTF Profile

Trace Properties

OTF Version: 1.11.1openmpi

Creator: VampirTrace 5.13.1openmpi File: RoadMapProf_dynamic.otf

Number of Processes: 6

Timer Resolution: 3.59137 GHz

Comments:

Trace Times:

Start: Thu Sep 17 00:59:16 2015 (1442444356326943) Stop: Thu Sep 17 00:59:22 2015 (1442444362564533)

Elapsed: 00:00:06 (6237590)
VampirTrace Environment:

VT_MODE: TRACE
VT_BUFFER_SIZE: 32M
VT_SYNC_FLUSH: no
VT_SYNC_FLUSH_LEVEL: 80
VT_SNAPSHOTS: yes

VT_MAX_SNAPSHOTS: 1024

VT_ONOFF_CHECK_STACK_BALANCE: yes

VT_MAX_STACK_DEPTH: 0
VT_MAX_FLUSHES: 50
VT_RUSAGE: <not set>
VT_MPITRACE: yes
VT_MEMTRACE: no
VT_CPUIDTRACE: no
VT_IOTRACE: no


VT_IOTRACE_EXTENDED: no
VT_PTHREAD_REUSE: yes

VT_FILTER_SPEC: mpivt_filter
VT_GROUPS_SPEC: <not set>


Top 11 of 11 Functions

Function	invocations[#]	excl. time[sec] ∇	incl. time[sec]
RoadMap	6	23.3686	34.4624
MPI_Recv	16 050	9.29679	9.29679
CreateMap	510	1.7009	9.78357
main	6	0.589272	35.5799
MPI_Init	6	0.399545	0.470185
sync time	12	0.127485	0.127485
MPI_Send	16 050	0.0960643	0.0960643
MPI_Finalize	6	0.000985942	0.0578315
setup_colors	6	0.000242506	0.000242506
MPI_Comm_rank	66	2.71434e-05	2.71434e-05
MPI_Comm_size	60	1.68662e-05	1.68662e-05

Top 50 Dispersion of Functions (in seconds)



P2P - Message Rate (average)



P2P - Message Rate Histogram

