

OTF Profile

Trace Properties

OTF Version: 1.11.1openmpi
Creator: VampirTrace 5.13.1openmpi
File: RoadMapProf_static.otf

Number of Processes: 11
Timer Resolution: 3.59138 GHz


Comments:

Trace Times:
Start: Thu Sep 17 03:37:13 2015 (1442453833373724)
Stop: Thu Sep 17 03:37:18 2015 (1442453838086917)
Elapsed: 00:00:04 (4713193)
VampirTrace Environment:
VT_MODE: TRACE
VT_BUFFER_SIZE: 32M
VT_SYNC_FLUSH: no
VT_SYNC_FLUSH_LEVEL: 80
VT_SNAPSHOTS: yes
VT_MAX_SNAPSHOTS: 1024
VT_ONOFF_CHECK_STACK_BALANCE: yes
VT_MAX_STACK_DEPTH: 0
VT_MAX_FLUSHES: 50
VT_RUSAGE: <not set>
VT_MPITRACE: yes
VT_MEMTRACE: no
VT_CPUIDTRACE: no
VT_IOTRACE: no
VT_IOTRACE_EXTENDED: no
VT_PTHREAD_REUSE: yes
VT_FILTER_SPEC: mpivt_filter
VT_GROUPS_SPEC: <not set>

Top 12 of 12 Functions

Function	invocations[#]	excl. time[sec] ▽	incl. time[sec]
RoadMap	11	22.8777	42.5523
MPI_Barrier	110	14.4053	14.4053
MPI_Init	11	3.6286	3.84116
MPI_Recv	8 000	3.56207	3.56207
CreateMap	1 010	1.65503	6.953
sync time	22	0.404897	0.404897
main	11	0.372053	46.9609
MPI_Send	8 000	0.0521196	0.0521196
MPI_Finalize	11	0.00269439	0.195038
setup_colors	11	0.000349964	0.000349964
MPI_Comm_rank	121	3.89786e-05	3.89786e-05
MPI_Comm_size	110	1.9999e-05	1.9999e-05

Top 50 Dispersion of Functions (in seconds)



P2P - Message Rate Histogram

