OTF Profile

Trace Properties

OTF Version: 1.11.1openmpi

Creator: VampirTrace 5.13.1openmpi File: RoadMapProf_static.otf

Number of Processes: 6

Timer Resolution: 3.59137 GHz

Comments:

Trace Times:

Start: Thu Sep 17 03:32:48 2015 (1442453568674230) Stop: Thu Sep 17 03:32:57 2015 (1442453577068714)

Elapsed: 00:00:08 (8394484)
VampirTrace Environment:

VT_MODE: TRACE
VT_BUFFER_SIZE: 32M
VT_SYNC_FLUSH: no
VT_SYNC_FLUSH_LEVEL: 80

VT_SNAPSHOTS: yes
VT_MAX_SNAPSHOTS: 1024

VT_ONOFF_CHECK_STACK_BALANCE: yes

VT_MAX_STACK_DEPTH: 0
VT_MAX_FLUSHES: 50
VT_RUSAGE: <not set>
VT_MPITRACE: yes
VT_MEMTRACE: no
VT_CPUIDTRACE: no
VT_IOTRACE: no


VT_IOTRACE_EXTENDED: no
VT_PTHREAD_REUSE: yes

VT_FILTER_SPEC: mpivt_filter
VT_GROUPS_SPEC: <not set>

Top 12 of 12 Functions

Function	invocations[#]	excl. time[sec] ∇	incl. time[sec]
RoadMap	6	23.5209	45.9328
MPI_Barrier	60	12.8174	12.8174
MPI_Recv	8 000	7.41579	7.41579
MPI_Init	6	2.17505	2.24431
CreateMap	510	1.71042	10.727
MPI_Send	8 000	0.468281	0.468281
main	6	0.325368	48.5616
sync time	12	0.127085	0.127085
MPI_Finalize	6	0.00107437	0.0588999
setup_colors	6	0.000217923	0.000217923
MPI_Comm_rank	66	2.95082e-05	2.95082e-05
MPI_Comm_size	60	1.55637e-05	1.55637e-05

Top 50 Dispersion of Functions (in seconds)



P2P - Message Rate Histogram

