

REPORT CARATTERISTICHE PC (MSI)

Il modello usato nello specifico è un laptop MS-I7L5 della Micro-star International Co. con sistema operativo Microsoft Windows 11 Home (vs 10.0.26200) .

- **CPU** : la CPU è la Intel Core i7-I3620H 3.7 GHz x64
- **RAM** : è da 16 GB nello specifico una DDR5 da 2594 MHz dual channel 2T (command rate più lento ma più stabile)
- **Hard Disk** : NVMe Micron2400MTFDKBA1T0QFM SSD

In seguito ecco un report completo realizzato con Novabench.



Novobench Report

3079

Overall Novabench Score

Intel Core i7-13620H · NVIDIA GeForce RTX 4060 Laptop GPU · 16 GB DDR5

Summary

CPU	✓ Pass	1665
GPU	✓ Pass	769
Memory		260
Storage	✓ Pass	385

System Information

Run by	Anonymous	OS (Build)	Microsoft Windows 11 Home (10.0.26200)
Model	MS-17L5 (Micro-Star International Co., Ltd.)	Power Plan	HighPerformance
Battery Health	78%	Device Type	Laptop
BIOS			E17L5IMS.10D (17/04/2023)

Performance



Overall Score

3079

Total Novabench Score

✓ This system ranks higher than 85% of all systems tested

This Novabench score

3079

above 2023 median

Systems since 2023 (median)

2095

this system: 85th percentile

Systems all-time (median)

1041

this system: 85th percentile

CPU Performance

1665

Intel Core i7-13620H

✓ CPU is performing within the expected range


Device

Intel Core i7-13620H

Median (similar)

1583

SIMD	1008 GFLOPS	Scalar float	149 GFLOPS
Scalar int	87 GIOPS	Compress	815 MB/s
Hash			31428 MH/s



Plus

CPU Clock · CPU Temperature · CPU Power

Upgrade to Plus to include:

- detailed comparison breakdowns
- temperature analysis
- sensor (power/frequency) analysis


GPU Performance

769

NVIDIA GeForce RTX 4060 Laptop GPU

✓ GPU is performing within the expected range

Device		NVIDIA GeForce RTX 4060 Laptop GPU	
Median (similar)		746	
Direct3D 11	112 FPS	Compute	15380 GFLOPS
On-device transfer	218632 MB/s	Host-to-device transfer	95663 MB/s



Plus

GPU Bottleneck & Stutter · GPU Temperature · GPU Power

Upgrade to Plus to include:

- detailed comparison breakdowns
- temperature analysis
- sensor (power/frequency) analysis

Memory Performance

260

16 GB DDR5

Size	16 GB	Type	DDR5
Transfer	11774 MB/s	Latency	68 ns

DDR5 · 2594 MHz · CL42 · Dual Channel · 2T

Running at standard JEDEC speeds; no overclock profiles available on installed modules.

Profile	MHz	CL	tRCD	tRP	tRAS	Voltage	Status
JEDEC #9	2800	46	—	—	—	1.10V	
JEDEC #10	2800	50	—	—	—	1.10V	
JEDEC #8	2633	42	—	—	—	1.10V	Active
JEDEC #7	2500	40	—	—	—	1.10V	
JEDEC #6	2267	36	—	—	—	1.10V	
JEDEC #5	2000	32	—	—	—	1.10V	
JEDEC #4	1867	30	—	—	—	1.10V	
JEDEC #3	1767	28	—	—	—	1.10V	
JEDEC #2	1633	26	—	—	—	1.10V	
JEDEC #1	1367	22	—	—	—	1.10V	



Storage Performance

385

ssd

- ✓ Storage read speed is within the expected range
- ✗ Storage write speed is below the typical range

Technologyssd



Storage Health

Technology	ssd	Life Remaining	98%
Power-On Time	3 months	Power Cycles	802
Host Writes	14,718	Host Reads	34,001
Firmware			V3MA001

Plus Sensor Data
Upgrade to Plus to include sensor (power/frequency) analysis.