

STAKE·DXF

UI MARKUP CATALOG

v1.26.3 · Complete control inventory for declutter review

What this is

A printable / markable inventory of every live StakeDXF UI control (Home, Convert, Base, Plot, Layer Properties Manager, and all pickers). Each control has a stable ID so you can reply with precise REMOVE / CHANGE requests.

How to use (30 seconds)

- Print or open in any PDF app that allows markup.
- On each table: check KEEP, REMOVE, or CHANGE — write notes.
- Or reply in chat/email like: REMOVE HOME.STATUS.* · CHANGE PLOT.LPM → full screen
- Orange-tinted rows are suggested clutter / secondary chrome.

Contents

- 01 HOME (14 controls)
- 02 CONVERT (14 controls)
- 03 BASE (15 controls)
- 04 PLOT — core & preview (15 controls)
- 05 PLOT — point inspector (9 controls)
- 06 PLOT — object inspector (7 controls)
- 07 PLOT — options (11 controls)
- 08 PLOT — layers & trim (7 controls)
- 09 PLOT — Layer Properties Manager (29 controls)
- 10 PLOT — objects (8 controls)
- 11 PLOT — title / text (13 controls)
- 12 PLOT — points list (3 controls)
- 13 Sheets & pickers (45 controls)

+ How to mark up · ID index · Blank change-request forms

How to request UI changes

This catalog lists every live control in StakeDXF with a stable ID. Use those IDs when you tell us what to remove or change — no screenshots required (though circling on a printed copy also works).

Preferred reply formats

- One-liners: REMOVE PLOT.OPTS.POINTLIST | CHANGE HOME.STATUS.* → hide on TSC5
- Groups: REMOVE all HOME.RIBBON.* and HOME.STATUS.* (keep rails only)
- Relocate: CHANGE PLOT.LPM → open as full-screen page instead of embedded
- Severity: prefix MUST / NICE — e.g. MUST REMOVE PLOT.OPTS.ANNOT.HINT

On each inventory page

- Circle or check KEEP / REMOVE / CHANGE in the right columns.
- Write a short note in NOTES (e.g. “move under More”, “too big on TSC5”).
- Orange-tinted rows are already flagged as chrome/clutter candidates.

Blank forms

- Last pages are blank change-request forms — list IDs + action + notes if you prefer a clean sheet.

LEGEND

- | | | |
|--|---|---|
|  KEEP — leave as-is |  REMOVE — delete from UI |  CHANGE — keep but redesign / relocate |
|  Flagged clutter / secondary chrome (review first) | | |

App map (entry points)

- HOME → 01 CONVERT (DWG → Trimble DXF)
- HOME → 02 PLOT (points CSV + DXF linework → staking PDF)
- HOME → 03 BASE (combine project DWGs → one base DXF)
- PLOT opens sheets: color · linetype · lineweight · transparency · LTS · symbols · text style · scale

Catalog generated for StakeDXF v1.26.3 · Flutter UI as shipped on TSC5/Android

Quick ID index

All stable IDs in this catalog. Page references are section numbers.

HOME.RIBBON	\$01
HOME.RIBBON.ONLINE	\$01
HOME.RIBBON.LOCAL	\$01
HOME.HERO.BRAND	\$01
HOME.HERO.SUB	\$01
HOME.OPS.HDR	\$01
HOME.RAIL.CONVERT	\$01
HOME.RAIL.PLOT	\$01
HOME.RAIL.BASE	\$01
HOME.STATUS.HDR	\$01
HOME.STATUS.ENGINE	\$01
HOME.STATUS.OUTPUT	\$01
HOME.STATUS.MODE	\$01
HOME.FOOTER	\$01
CONVERT.APPBAR.BACK	\$02
CONVERT.APPBAR.TITLE	\$02
CONVERT.INPUT	\$02
CONVERT.RUN	\$02
CONVERT.PROGRESS.BAR	\$02
CONVERT.PROGRESS.MSG	\$02
CONVERT.PROGRESS.HINT	\$02
CONVERT.ERROR	\$02
CONVERT.RESULT	\$02
CONVERT.LAYERS.HDR	\$02
CONVERT.LAYERS.ALLNONE	\$02
CONVERT.LAYERS.ROW	\$02
CONVERT.SAVE	\$02
CONVERT.SHARE	\$02
BASE.APPBAR.BACK	\$03
BASE.APPBAR.TITLE	\$03
BASE.INPUT	\$03
BASE.INPUT.ROW.RM	\$03
BASE.BUILD	\$03
BASE.PROGRESS.BAR	\$03
BASE.PROGRESS.MSG	\$03
BASE.PROGRESS.HINT	\$03
BASE.ERROR	\$03
BASE.RESULT	\$03
BASE.LAYERS.HDR	\$03
BASE.LAYERS.ALLNONE	\$03
BASE.LAYERS.ROW	\$03
BASE.SAVE	\$03
BASE.SHARE	\$03
PLOT.APPBAR.BACK	\$04
PLOT.APPBAR.TITLE	\$04
PLOT.JOB	\$04
PLOT.IMPORT.CSV	\$04
PLOT.IMPORT.DXF	\$04
PLOT.IMPORT.DXF.CLEAR	\$04
PLOT.MSG.ERROR	\$04
PLOT.MSG.STATUS	\$04
PLOT.PREVIEW.TOGGLE	\$04
PLOT.PREVIEW.CANVAS	\$04
PLOT.CHIP.SPREAD	\$04
PLOT.CHIP.TRIM	\$04
PLOT.CHIP.RESET_LABELS	\$04
PLOT.FOOTER.PDF	\$04
PLOT.FOOTER.CSV	\$04
PLOT.PT.HDR	\$05
PLOT.PT.CLOSE	\$05
PLOT.PT.META	\$05
PLOT.PT.LABEL.CHIP	\$05
PLOT.PT.COLOR.SWATCH	\$05
PLOT.PT.COLOR.DEFAULT	\$05
PLOT.PT.LABEL.TEXT	\$05
PLOT.PT.RESET.DRAG	\$05
PLOT.PT.RESET.ALL	\$05
PLOT.SYM.NAME	\$06
PLOT.SYM.EDIT	\$06
PLOT.SYM.DELETE	\$06
PLOT.SYM.COLOR	\$06
PLOT.SYM.COLOR.PRESET	\$06
PLOT.SYM.SCALE	\$06

PLOT.SYM.OPACITY	\$06	PLOT.LPM.TOOL.INVERT	\$09
PLOT.OPTS.HDR	\$07	PLOT.LPM.TOOL.LOCK_ALL	\$09
PLOT.OPTS.TEMPLATE	\$07	PLOT.LPM.TOOL.UNLOCK_ALL	\$09
PLOT.OPTS.TEXTSTYLE	\$07	PLOT.LPM.TOOL.RESET_SEL	\$09
PLOT.OPTS.MARKER	\$07	PLOT.LPM.TOOL.RESET_ALL	\$09
PLOT.OPTS.LABEL.CHIP	\$07	PLOT.LPM.TOOL.REFRESH	\$09
PLOT.OPTS.SCALE	\$07	PLOT.LPM.FILTER.ALL	\$09
PLOT.OPTS.ANNOT	\$07	PLOT.LPM.FILTER.ON	\$09
PLOT.OPTS.ANNOT.HINT	\$07	PLOT.LPM.FILTER.OFF	\$09
PLOT.OPTS.SPREAD	\$07	PLOT.LPM.FILTER.LOCKED	\$09
PLOT.OPTS.POINTLIST	\$07	PLOT.LPM.FILTER.OVERRIDDEN	\$09
PLOT.OPTS.OBJLABELS	\$07	PLOT.LPM.FILTER.ALLNONE	\$09
PLOT.LW.HDR	\$08	PLOT.LPM.SEARCH	\$09
PLOT.LW.DRAW	\$08	PLOT.LPM.SEARCH.CLEAR	\$09
PLOT.TRIM.BANNER	\$08	PLOT.LPM.COL.NAME	\$09
PLOT.TRIM.EXPLODE	\$08	PLOT.LPM.ROW.NAME	\$09
PLOT.TRIM.DEL_SEG	\$08	PLOT.LPM.COL.ON	\$09
PLOT.TRIM.DEL_NODE	\$08	PLOT.LPM.COL.FRZ	\$09
PLOT.TRIM.DELETE	\$08	PLOT.LPM.COL.LK	\$09
PLOT.LPM.TITLE	\$09	PLOT.LPM.COL.COLOR	\$09
PLOT.LPM.TOOL.ALL_ON	\$09	PLOT.LPM.COL.LINETYPE	\$09
PLOT.LPM.TOOL.ALL_OFF	\$09	PLOT.LPM.COL.LW	\$09
		PLOT.LPM.COL.TRANS	\$09
		PLOT.LPM.COL.LTS	\$09
		PLOT.LPM.FOOTER.LTS	\$09
		PLOT.LPM.FOOTER.HINT	\$09
		PLOT.OBJ.HDR	\$10
		PLOT.OBJ.CLEAR	\$10
		PLOT.OBJ.HINT	\$10
		PLOT.OBJ.PAPER	\$10
		PLOT.OBJ.ADD	\$10
		PLOT.OBJ.ROW	\$10
		PLOT.OBJ.ROW.EDIT	\$10
		PLOT.OBJ.ROW.DEL	\$10
		PLOT.ANN.HDR	\$11
		PLOT.ANN.TITLE.ON	\$11
		PLOT.ANN.TITLE.TEXT	\$11
		PLOT.ANN.TITLE.SIZE	\$11
		PLOT.ANN.TITLE.HINT	\$11
		PLOT.ANN.TITLE.RESET	\$11
		PLOT.ANN.TEXT.ADD	\$11
		PLOT.ANN.TEXT.ROW	\$11
		PLOT.ANN.TEXT.ROW.DEL	\$11
		PLOT.ANN.TEXT.EDIT	\$11
		PLOT.ANN.TEXT.SCALE	\$11
		PLOT.ANN.TEXT.OPACITY	\$11
		PLOT.ANN.TEXT.HINT	\$11
		PLOT.PTS.HDR	\$12
		PLOT.PTS.ALLNONE	\$12
		PLOT.PTS.ROW	\$12
		SHEET.COLOR.TITLE	\$13
		SHEET.COLOR.TAB.ACI	\$13
		SHEET.COLOR.TAB.TRUE	\$13
		SHEET.COLOR.ACI.GRID	\$13
		SHEET.COLOR.ACI.NUM	\$13
		SHEET.COLOR.ACI.SET	\$13
		SHEET.COLOR.ACI.APPLY	\$13
		SHEET.COLOR.TRUE.GRID	\$13
		SHEET.COLOR.TRUE.HUE	\$13
		SHEET.COLOR.TRUE.SAT	\$13
		SHEET.COLOR.TRUE.VAL	\$13
		SHEET.COLOR.TRUE.HEX	\$13
		SHEET.COLOR.TRUE.SET	\$13
		SHEET.COLOR.TRUE.APPLY	\$13
		SHEET.COLOR.BYLAYER	\$13
		SHEET.LTYPE	\$13
		SHEET.LTYPE.BYLAYER	\$13
		SHEET.LW	\$13
		SHEET.LW.BYLAYER	\$13
		SHEET.TRANS	\$13
		SHEET.LTS	\$13
		SHEET.SYM.TITLE	\$13
		SHEET.SYM.CLOSE	\$13
		SHEET.SYM.HINT	\$13
		SHEET.SYM.CAT	\$13
		SHEET.SYM.FILTER	\$13
		SHEET.SYM.GRID	\$13
		SHEET.SYM.PREVIEW	\$13

SHEET.SYM.COLOR	\$13
SHEET.SYM.SCALE	\$13
SHEET.SYM.ROTATE	\$13
SHEET.SYM.ADV	\$13
SHEET.SYM.SNAP	\$13
SHEET.SYM.N	\$13
SHEET.SYM.E	\$13
SHEET.SYM.LABEL	\$13
SHEET.SYM.PLACE	\$13
SHEET.TEXTSTYLE.TITLE	\$13
SHEET.TEXTSTYLE.FILTER	\$13
SHEET.TEXTSTYLE.ROW	\$13
SHEET.SCALE.TITLE	\$13
SHEET.SCALE.AUTO	\$13
SHEET.SCALE.PRESET	\$13
SHEET.SCALE.CUSTOM	\$13
SHEET.SCALE.APPLY	\$13

01 HOME

Entry: App launch · HomePage

LEGEND

- KEEP — leave as-is
- REMOVE — delete from UI
- CHANGE — keep but redesign / relocate
- Flagged clutter / secondary chrome (review first)

ID	DESCRIPTION	KEEP	REMOVE	CHANGE	NOTES
HOME.RIBBON	Top instrument bar (SDX · version) [secondary chrome...	☐	☐	☐	
HOME.RIBBON.ONLINE	ONLINE status chip [secondary chrome...	☐	☐	☐	
HOME.RIBBON.LOCAL	LOCAL status chip [secondary chrome...	☐	☐	☐	
HOME.HERO.BRAND	STAKE·DXF wordmark	☐	☐	☐	
HOME.HERO.SUB	FIELD-KIT / TSC5 / TRIMBLE subtitle [secondary chro...	☐	☐	☐	
HOME.OPS.HDR	OPERATIONS section label [secondary chrome...	☐	☐	☐	
HOME.RAIL.CONVERT	01 CONVERT — open DWG → DXF	☐	☐	☐	
HOME.RAIL.PLOT	02 PLOT — open Export Points	☐	☐	☐	
HOME.RAIL.BASE	03 BASE — open combine DWGs	☐	☐	☐	
HOME.STATUS.HDR	STATUS section label [secondary chrome...	☐	☐	☐	
HOME.STATUS.ENGINE	Engine readout (LIBREDWG) [secondary chrome...	☐	☐	☐	
HOME.STATUS.OUTPUT	Output readout (DXF R2010) [secondary chrome...	☐	☐	☐	
HOME.STATUS.MODE	Mode readout (ON-DEVICE) [secondary chrome...	☐	☐	☐	
HOME.FOOTER	TRIO / FIELD OPS · NO CLOUD footer [secondary ch...	☐	☐	☐	

02 CONVERT

Entry: HOME.RAIL.CONVERT → ConvertDwgPage

LEGEND

- KEEP — leave as-is
- REMOVE — delete from UI
- CHANGE — keep but redesign / relocate
- Flagged clutter / secondary chrome (review first)

ID	DESCRIPTION	KEEP	REMOVE	CHANGE	NOTES
CONVERT.APPBAR.BACK	Back to Home	☐	☐	☐	
CONVERT.APPBAR.TITLE	CONVERT / DWG → DXF title	☐	☐	☐	
CONVERT.INPUT	Pick single DWG/DXF file	☐	☐	☐	
CONVERT.RUN	Run conversion [Android-leaning...	☐	☐	☐	
CONVERT.PROGRESS.BAR	Progress bar while converting [conditional...	☐	☐	☐	
CONVERT.PROGRESS.MSG	Stage / percent text [conditional...	☐	☐	☐	
CONVERT.PROGRESS.HINT	BACKGROUND: SAFE TO SWITCH APPS [secondar...	☐	☐	☐	
CONVERT.ERROR	Error message block [conditional...	☐	☐	☐	
CONVERT.RESULT	Success stats (stakeable, layers, proxies) [conditional...	☐	☐	☐	
CONVERT.LAYERS.HDR	Layer list header + count [conditional...	☐	☐	☐	
CONVERT.LAYERS.ALLNONE	Select all / none layers [conditional...	☐	☐	☐	
CONVERT.LAYERS.ROW	Per-layer toggle + entity count [conditional...	☐	☐	☐	
CONVERT.SAVE	Share DXF for selected layers only [conditional...	☐	☐	☐	
CONVERT.SHARE	Share full unfiltered DXF [conditional...	☐	☐	☐	

03 BASE

Entry: HOME·RAIL·BASE → BaseDwgPage

LEGEND

- KEEP — leave as-is
- REMOVE — delete from UI
- CHANGE — keep but redesign / relocate
- Flagged clutter / secondary chrome (review first)

ID	DESCRIPTION	KEEP	REMOVE	CHANGE	NOTES
BASE·APPBAR·BACK	Back to Home	☐	☐	☐	
BASE·APPBAR·TITLE	BASE / COMBINE DWG title	☐	☐	☐	
BASE·INPUT	Multi-pick project DWG/DXF files	☐	☐	☐	
BASE·INPUT·ROW·RM	Remove one drawing from list	☐	☐	☐	
BASE·BUILD	Combine into one base DXF [Android-leaning...	☐	☐	☐	
BASE·PROGRESS·BAR	Progress bar while combining [conditional...	☐	☐	☐	
BASE·PROGRESS·MSG	Stage / percent text [conditional...	☐	☐	☐	
BASE·PROGRESS·HINT	Background-safe hint [secondary chrome...	☐	☐	☐	
BASE·ERROR	Error message block [conditional...	☐	☐	☐	
BASE·RESULT	Success readout (sources, layers) [conditional...	☐	☐	☐	
BASE·LAYERS·HDR	Layer checklist header [conditional...	☐	☐	☐	
BASE·LAYERS·ALLNONE	Select all / none [conditional...	☐	☐	☐	
BASE·LAYERS·ROW	Per-layer toggle + count [conditional...	☐	☐	☐	
BASE·SAVE	Share selected-layers DXF [conditional...	☐	☐	☐	
BASE·SHARE	Share full base DXF [conditional...	☐	☐	☐	

04 PLOT — core & preview

Entry: HOME.RAIL.PLOT → ExportPointsScreen

LEGEND

- KEEP — leave as-is
- REMOVE — delete from UI
- CHANGE — keep but redesign / relocate
- Flagged clutter / secondary chrome (review first)

ID	DESCRIPTION	KEEP	REMOVE	CHANGE	NOTES
PL0T.APPBAR.BACK	Back to Home	☐	☐	☐	
PL0T.APPBAR.TITLE	Export Points title	☐	☐	☐	
PL0T.JOB	Job name text field	☐	☐	☐	
PL0T.IMPORT.CSV	Import points CSV/TXT (PNEZD)	☐	☐	☐	
PL0T.IMPORT.DXF	Link DXF linework	☐	☐	☐	
PL0T.IMPORT.DXF.CLEAR	Unlink DXF [conditional...	☐	☐	☐	
PL0T.MSG.ERROR	Inline error text [conditional...	☐	☐	☐	
PL0T.MSG.STATUS	Inline status text [conditional...	☐	☐	☐	
PL0T.PREVIEW.TOGGLE	Show / Hide plot preview	☐	☐	☐	
PL0T.PREVIEW.CANVAS	Interactive plan canvas (drag / tap / trim)	☐	☐	☐	
PL0T.CHIP.SPREAD	Spread labels now	☐	☐	☐	
PL0T.CHIP.TRIM	Trim / line-edit mode toggle	☐	☐	☐	
PL0T.CHIP.RESET_LABELS	Reset all label drag offsets [conditional...	☐	☐	☐	
PL0T.FOOTER.PDF	Create / share staking PDF	☐	☐	☐	
PL0T.FOOTER.CSV	Export selected points CSV	☐	☐	☐	

05 PLOT — point inspector

Entry: When a label/point is selected on preview

LEGEND

- KEEP — leave as-is
- REMOVE — delete from UI
- CHANGE — keep but redesign / relocate
- Flagged clutter / secondary chrome (review first)

ID	DESCRIPTION	KEEP	REMOVE	CHANGE	NOTES
PL0T.PT.HDR	Selected point header + DRAGGED badge [conditional...	☐	☐	☐	
PL0T.PT.CLOSE	Deselect point [conditional...	☐	☐	☐	
PL0T.PT.META	N / E / Z · description readout [conditional...	☐	☐	☐	
PL0T.PT.LABEL.CHIP	Per-point label format chips [conditional...	☐	☐	☐	
PL0T.PT.COLOR.SWATCH	Quick color circles [conditional...	☐	☐	☐	
PL0T.PT.COLOR.DEFAULT	Clear color override [conditional...	☐	☐	☐	
PL0T.PT.LABEL.TEXT	Custom label text field [conditional...	☐	☐	☐	
PL0T.PT.RESET.DRAG	Reset this point's drag [conditional...	☐	☐	☐	
PL0T.PT.RESET.ALL	Reset style + drag for point [conditional...	☐	☐	☐	

06 PLOT — object inspector

Entry: When a library object is selected

LEGEND

- KEEP — leave as-is
- REMOVE — delete from UI
- CHANGE — keep but redesign / relocate
- Flagged clutter / secondary chrome (review first)

ID	DESCRIPTION	KEEP	REMOVE	CHANGE	NOTES
PLOT.SYM.NAME	Selected object name [conditional...	☐	☐	☐	
PLOT.SYM.EDIT	Re-open symbol library [conditional...	☐	☐	☐	
PLOT.SYM.DELETE	Remove selected object [conditional...	☐	☐	☐	
PLOT.SYM.COLOR	Open color picker [conditional...	☐	☐	☐	
PLOT.SYM.COLOR.PRESET	Quick preset swatches [conditional...	☐	☐	☐	
PLOT.SYM.SCALE	Object scale slider [conditional...	☐	☐	☐	
PLOT.SYM.OPACITY	Object opacity slider [conditional...	☐	☐	☐	

07 PLOT — options

Entry: Sticky section: PLOT OPTIONS

LEGEND

- KEEP — leave as-is
- REMOVE — delete from UI
- CHANGE — keep but redesign / relocate
- Flagged clutter / secondary chrome (review first)

ID	DESCRIPTION	KEEP	REMOVE	CHANGE	NOTES
PLOT.OPTS.HDR	Expand/collapse PLOT OPTIONS	☐	☐	☐	
PLOT.OPTS.TEMPLATE	Sheet template cards (ANSI A–D × P/L)	☐	☐	☐	
PLOT.OPTS.TEXTSTYLE	Open text-style picker	☐	☐	☐	
PLOT.OPTS.MARKER	Point marker style dropdown	☐	☐	☐	
PLOT.OPTS.LABEL.CHIP	Default label format chips	☐	☐	☐	
PLOT.OPTS.SCALE	Open engineering-scale picker	☐	☐	☐	
PLOT.OPTS.ANNOT	Annotation scale slider	☐	☐	☐	
PLOT.OPTS.ANNOT.HINT	Explains scale vs annotation [secondary chrome...	☐	☐	☐	
PLOT.OPTS.SPREAD	Auto-spread labels switch	☐	☐	☐	
PLOT.OPTS.POINTLIST	Point list table switch (currently no-op) [clutter candida...	☐	☐	☐	
PLOT.OPTS.OBJLABELS	Show labels on library objects	☐	☐	☐	

08 PLOT — layers & trim

Entry: Sticky section: LAYERS (DXF linked)

LEGEND

- KEEP — leave as-is
- REMOVE — delete from UI
- CHANGE — keep but redesign / relocate
- Flagged clutter / secondary chrome (review first)

ID	DESCRIPTION	KEEP	REMOVE	CHANGE	NOTES
PLOT.LW.HDR	Expand/collapse LAYERS section [conditional...	☐	☐	☐	
PLOT.LW.DRAW	Include DXF linework on plot [conditional...	☐	☐	☐	
PLOT.TRIM.BANNER	Selected entity info when Trim ON [conditional...	☐	☐	☐	
PLOT.TRIM.EXPLODE	Explode selected entity [conditional...	☐	☐	☐	
PLOT.TRIM.DEL_SEG	Delete selected segment [conditional...	☐	☐	☐	
PLOT.TRIM.DEL_NODE	Delete selected vertex [conditional...	☐	☐	☐	
PLOT.TRIM.DELETE	Delete whole entity [conditional...	☐	☐	☐	

09 PLOT — Layer Properties Manager

Entry: Embedded Civil-style LPM under LAYERS

LEGEND

- KEEP — leave as-is
- REMOVE — delete from UI
- CHANGE — keep but redesign / relocate
- Flagged clutter / secondary chrome (review first)

ID	DESCRIPTION	KEEP	REMOVE	CHANGE	NOTES
PL0T.LPM.TITLE	LAYER PROPERTIES MANAGER title	☐	☐	☐	
PL0T.LPM.TOOL.ALL_ON	Turn all layers on	☐	☐	☐	
PL0T.LPM.TOOL.ALL_OFF	Turn all layers off	☐	☐	☐	
PL0T.LPM.TOOL.INVERT	Invert on/off	☐	☐	☐	
PL0T.LPM.TOOL.LOCK_ALL	Lock all layers	☐	☐	☐	
PL0T.LPM.TOOL.UNLOCK_ALL	Unlock all layers	☐	☐	☐	
PL0T.LPM.TOOL.RESET_SEL	Reset overrides on current layer	☐	☐	☐	
PL0T.LPM.TOOL.RESET_ALL	Reset all layer overrides	☐	☐	☐	
PL0T.LPM.TOOL.REFRESH	Force refresh / rebuild sort [clutter candidate...	☐	☐	☐	
PL0T.LPM.FILTER.ALL	Filter: all layers	☐	☐	☐	
PL0T.LPM.FILTER.ON	Filter: on only	☐	☐	☐	
PL0T.LPM.FILTER.OFF	Filter: off only	☐	☐	☐	
PL0T.LPM.FILTER.LOCKED	Filter: locked only	☐	☐	☐	
PL0T.LPM.FILTER.OVERRIDDEN	Filter: overridden only	☐	☐	☐	
PL0T.LPM.FILTER.ALLNONE	Parent all/none toggle	☐	☐	☐	
PL0T.LPM.SEARCH	Search layers by name	☐	☐	☐	
PL0T.LPM.SEARCH.CLEAR	Clear search	☐	☐	☐	
PL0T.LPM.COL.NAME	Name column (sortable)	☐	☐	☐	
PL0T.LPM.ROW.NAME	Select layer row	☐	☐	☐	
PL0T.LPM.COL.ON	Lightbulb on/off	☐	☐	☐	
PL0T.LPM.COL.FRZ	Freeze toggle (= On alias) [clutter candidate...	☐	☐	☐	
PL0T.LPM.COL.LK	Lock / unlock	☐	☐	☐	
PL0T.LPM.COL.COLOR	Layer color picker	☐	☐	☐	
PL0T.LPM.COL.LINETYPE	Linetype picker	☐	☐	☐	
PL0T.LPM.COL.LW	Lineweight picker	☐	☐	☐	
PL0T.LPM.COL.TRANS	Transparency picker	☐	☐	☐	
PL0T.LPM.COL.LTS	Per-layer linetype scale	☐	☐	☐	

09 PLOT — Layer Properties Manager — continued

ID	DESCRIPTION	KEEP	REMOVE	CHANGE	NOTES
PLOT.LPM.FOOTER.LTS	Global linetype scale slider	☐	☐	☐	
PLOT.LPM.FOOTER.HINT	Usage tip text [secondary chrome...	☐	☐	☐	

10 PLOT — objects

Entry: Sticky section: OBJECTS

LEGEND

- KEEP — leave as-is
- REMOVE — delete from UI
- CHANGE — keep but redesign / relocate
- Flagged clutter / secondary chrome (review first)

ID	DESCRIPTION	KEEP	REMOVE	CHANGE	NOTES
PLOT.OBJ.HDR	Expand/collapse OBJECTS	☐	☐	☐	
PLOT.OBJ.CLEAR	Clear all placed objects	☐	☐	☐	
PLOT.OBJ.HINT	Scale-independence note [secondary chrome...	☐	☐	☐	
PLOT.OBJ.PAPER	Base paper size (in) for symbols	☐	☐	☐	
PLOT.OBJ.ADD	Open symbol library to place	☐	☐	☐	
PLOT.OBJ.ROW	Select object in list	☐	☐	☐	
PLOT.OBJ.ROW.EDIT	Edit via library sheet	☐	☐	☐	
PLOT.OBJ.ROW.DEL	Remove from list	☐	☐	☐	

11 PLOT — title / text

Entry: Sticky section: TITLE / TEXT

LEGEND

- KEEP — leave as-is
- REMOVE — delete from UI
- CHANGE — keep but redesign / relocate
- Flagged clutter / secondary chrome (review first)

ID	DESCRIPTION	KEEP	REMOVE	CHANGE	NOTES
PLOT.ANN.HDR	Expand/collapse TITLE / TEXT	☐	☐	☐	
PLOT.ANN.TITLE.ON	Show plot title on sheet	☐	☐	☐	
PLOT.ANN.TITLE.TEXT	Title string	☐	☐	☐	
PLOT.ANN.TITLE.SIZE	Title font size (pt)	☐	☐	☐	
PLOT.ANN.TITLE.HINT	Drag-to-reposition hint [secondary chrome...	☐	☐	☐	
PLOT.ANN.TITLE.RESET	Reset title paper position	☐	☐	☐	
PLOT.ANN.TEXT.ADD	Add free text at point centroid	☐	☐	☐	
PLOT.ANN.TEXT.ROW	Select text object	☐	☐	☐	
PLOT.ANN.TEXT.ROW.DEL	Delete text object	☐	☐	☐	
PLOT.ANN.TEXT.EDIT	Selected text content field	☐	☐	☐	
PLOT.ANN.TEXT.SCALE	Text object scale	☐	☐	☐	
PLOT.ANN.TEXT.OPACITY	Text object opacity	☐	☐	☐	
PLOT.ANN.TEXT.HINT	Drag-on-preview hint [secondary chrome...	☐	☐	☐	

12 PLOT — points list

Entry: Sticky section: POINTS

LEGEND

- KEEP — leave as-is
- REMOVE — delete from UI
- CHANGE — keep but redesign / relocate
- Flagged clutter / secondary chrome (review first)

ID	DESCRIPTION	KEEP	REMOVE	CHANGE	NOTES
PLOT.PTS.HDR	Expand/collapse POINTS list	☐	☐	☐	
PLOT.PTS.ALLNONE	Select all / clear selection	☐	☐	☐	
PLOT.PTS.ROW	Include/exclude stake point	☐	☐	☐	

13 Sheets & pickers

Entry: Modals opened from Plot / LPM

LEGEND

- KEEP — leave as-is
- REMOVE — delete from UI
- CHANGE — keep but redesign / relocate
- Flagged clutter / secondary chrome (review first)

ID	DESCRIPTION	KEEP	REMOVE	CHANGE	NOTES
SHEET.COLOR.TITLE	Color picker title + ACI/hex + swatch	☐	☐	☐	
SHEET.COLOR.TAB.ACI	ACI / CTB tab	☐	☐	☐	
SHEET.COLOR.TAB.TRUE	True color tab	☐	☐	☐	
SHEET.COLOR.ACI.GRID	255 ACI swatch grid	☐	☐	☐	
SHEET.COLOR.ACI.NUM	Type ACI 1–255	☐	☐	☐	
SHEET.COLOR.ACI.SET	Apply typed ACI to preview	☐	☐	☐	
SHEET.COLOR.ACI.APPLY	Commit ACI color & close	☐	☐	☐	
SHEET.COLOR.TRUE.GRID	HSV quick grid	☐	☐	☐	
SHEET.COLOR.TRUE.HUE	Hue slider	☐	☐	☐	
SHEET.COLOR.TRUE.SAT	Saturation slider	☐	☐	☐	
SHEET.COLOR.TRUE.VAL	Value slider	☐	☐	☐	
SHEET.COLOR.TRUE.HEX	Hex #RRGGBB field	☐	☐	☐	
SHEET.COLOR.TRUE.SET	Apply typed hex	☐	☐	☐	
SHEET.COLOR.TRUE.APPLY	Commit true color & close	☐	☐	☐	
SHEET.COLOR.BYLAYER	Clear to ByLayer (layers) [conditional...	☐	☐	☐	
SHEET.LTYPE	Linetype list sheet	☐	☐	☐	
SHEET.LTYPE.BYLAYER	ByLayer linetype choice	☐	☐	☐	
SHEET.LW	Lineweight presets sheet	☐	☐	☐	
SHEET.LW.BYLAYER	ByLayer lineweight choice	☐	☐	☐	
SHEET.TRANS	Transparency slider sheet + RESET/APPLY	☐	☐	☐	
SHEET.LTS	Per-layer LTS slider sheet + RESET/APPLY	☐	☐	☐	
SHEET.SYM.TITLE	Symbol library title	☐	☐	☐	
SHEET.SYM.CLOSE	Dismiss without placing	☐	☐	☐	
SHEET.SYM.HINT	Place-then-drag instructions [secondary chrome...	☐	☐	☐	
SHEET.SYM.CAT	Category chips (Utilities, Drainage, ...)	☐	☐	☐	
SHEET.SYM.FILTER	Filter DWG blocks by name [conditional...	☐	☐	☐	
SHEET.SYM.GRID	Symbol / block tile grid	☐	☐	☐	

13 Sheets & pickers — continued

ID	DESCRIPTION	KEEP	REMOVE	CHANGE	NOTES
SHEET.SYM.PREVIEW	Sticky selected glyph + name	☐	☐	☐	_____
SHEET.SYM.COLOR	Color preset circles	☐	☐	☐	_____
SHEET.SYM.SCALE	Scale slider	☐	☐	☐	_____
SHEET.SYM.ROTATE	Rotation slider	☐	☐	☐	_____
SHEET.SYM.ADV	Expand Location / label (optional)	☐	☐	☐	_____
SHEET.SYM.SNAP	Snap to stake point	☐	☐	☐	_____
SHEET.SYM.N	Northing field	☐	☐	☐	_____
SHEET.SYM.E	Easting field	☐	☐	☐	_____
SHEET.SYM.LABEL	Optional label	☐	☐	☐	_____
SHEET.SYM.PLACE	Place / Update object	☐	☐	☐	_____
SHEET.TEXTSTYLE.TITLE	Text style picker title	☐	☐	☐	_____
SHEET.TEXTSTYLE.FILTER	Filter styles	☐	☐	☐	_____
SHEET.TEXTSTYLE.ROW	Pick a text style	☐	☐	☐	_____
SHEET.SCALE.TITLE	Engineering scale title	☐	☐	☐	_____
SHEET.SCALE.AUTO	Auto scale for extents	☐	☐	☐	_____
SHEET.SCALE.PRESET	Preset 1"=N' list	☐	☐	☐	_____
SHEET.SCALE.CUSTOM	Custom ft-per-inch field	☐	☐	☐	_____
SHEET.SCALE.APPLY	Apply custom scale	☐	☐	☐	_____

Change request form · sheet 1

Fill ID + ACTION (KEEP / REMOVE / CHANGE) + NOTES. Attach more sheets if needed.

[illegible]

Change request form · sheet 2

Fill ID + ACTION (KEEP / REMOVE / CHANGE) + NOTES. Attach more sheets if needed.

[illegible]

Change request form · sheet 3

Fill ID + ACTION (KEEP / REMOVE / CHANGE) + NOTES. Attach more sheets if needed.

[illegible]