GAMSA · Gender-Affirming Medicines South Australia

Clinic audit tool

Ventrogluteal intramuscular administration of testosterone undecanoate 1000 mg/4 mL

DOCUMENT ID	VERSION	EFFECTIVE	REVISED	NEXT REVIEW
GAMSA-TU-AUD	2.4	5 October 2025	31 October 2026	24 October 2027, or on any change to the Product Information

Current version

Prepared by Theodore South, BPharm (Hons), registered pharmacist, Adelaide. Questions or corrections: gamsaenquiries@gmail.com. A template for adaptation to local policy, offered freely; not endorsed by any health service. Clinics remain responsible for their own procedures, credentialling and emergency arrangements. Where this document and the Product Information differ, the Product Information prevails [1].

Audit the last 10 injections (or all in the last 3 months) from the clinical record. Tick where the record shows the standard was met; a blank is a gap in care or in documentation. Aim for 10/10 in every column; where not, agree an action and re-audit in 3 months. Cycle: quarterly in the first year, then annually or after any adverse event.

#	Date	Clinician	Screen documented (chest, POME, anticoag.) [1][11]	Needle length matches BMI (38 mm; 50 mm if BMI > 30) [5]	Aspiration documented [5] [10]	Injection time recorded, ≈ 2 min [10]	Observation ≥ 30 min documented (SOP step 8)	Batch, expiry, side recorded [1]	Next due date booked (10–14 wk) [1][3]	No adverse event, or form completed [9]
1			☐	☐	☐	☐	☐	☐	☐	☐
2			☐	☐	☐	☐	☐	☐	☐	☐
3			☐	☐	☐	☐	☐	☐	☐	☐
4			☐	☐	☐	☐	☐	☐	☐	☐
5			☐	☐	☐	☐	☐	☐	☐	☐
6			☐	☐	☐	☐	☐	☐	☐	☐
7			☐	☐	☐	☐	☐	☐	☐	☐
8			☐	☐	☐	☐	☐	☐	☐	☐
9			☐	☐	☐	☐	☐	☐	☐	☐
10			☐	☐	☐	☐	☐	☐	☐	☐
	Total met /10		____ /10	____ /10	____ /10	____ /10	____ /10	____ /10	____ /10	____ /10

Findings and action plan

Gap found	Action agreed	Owner	Re-audit date

Audited by (signature)	Name (print)	Date

Sources Numbered as in the SOP and training guide, where full references are given: [1] Reandron 1000 Australian PI, Aspen, rev. Dec 2025 · [2] Reandron 1000 ARTG 213942 · [3] Reandron 1000 NZ data sheet, Dec 2025 · [4] SA Health ventrogluteal brochure · [5] SESLHD GL/076 v2.6, 2025 · [6] Pastuszak 2020 (POME safety analysis) · [7] Adam 2023 (POME review) · [8] ASCIA anaphylaxis guideline, October 2026 · [9] TGA AEMS adverse event reporting · [10] UK administration guidance (Liconsa), 2024 · [11] Testosterone ADVZ 1000 Australian PI · [12] AusPATH Australian Standards of Care, 2026 (POME typically presents within 30 minutes; the PI gives no fixed observation time). Current package: https://gamsa.au/medicines/testosterone-undecanoate

Amendment history (GAMSA-TU-AUD)

Version	Date	What changed
2.0	2 October 2026	First issue, in the five-document package.
2.1	16 October 2026	Observation column: at least 30 minutes (was 15); AusPATH 2026 [12] added to the sources.
2.2	18 October 2026	New layout; sources line updated (ASCIA October 2026 edition; UK administration guidance).
2.3	24 October 2026	Fillable on screen, with a labelled form field for every box (23 October 2026). Document ID, amendment table, next review date and “uncontrolled when printed” line added.
2.4	31 October 2026	Contact email for questions or corrections added; nothing else changed.