GAMSA · Gender-Affirming Medicines South Australia

Clinic audit tool

Ventrogluteal intramuscular administration of testosterone undecanoate 1000 mg/4 mL

VERSION	EFFECTIVE	REVISED	NEXT REVIEW
2.1	5 October 2025	16 October 2026	October 2027, or on any change to the Product Information

Current version

Prepared by Theodore South, BPharm (Hons), registered pharmacist, Adelaide. A template for adaptation to local policy, offered freely; not endorsed by any health service. Clinics remain responsible for their own procedures, credentialling and emergency arrangements. Where this document and the Product Information differ, the Product Information prevails [1].

Audit the last 10 injections (or all in the last 3 months) from the clinical record. Tick where the record shows the standard was met; a blank is a gap in care or in documentation. Aim for 10/10 in every column; where not, agree an action and re-audit in 3 months. Cycle: quarterly in the first year, then annually or after any adverse event.

#	Date	Clinician	Screen documented (chest, POME, anticoag.) [1][11]	Needle length matches BMI (38 mm; 50 mm if BMI > 30) [5]	Aspiration documented [5] [10]	Injection time recorded, ≈ 2 min [10]	Observation ≥ 30 min documented (SOP step 8)	Batch, expiry, side recorded [1]	Next due date booked (10–14 wk) [1][3]	No adverse event, or form completed [9]
1			☐	☐	☐	☐	☐	☐	☐	☐
2			☐	☐	☐	☐	☐	☐	☐	☐
3			☐	☐	☐	☐	☐	☐	☐	☐
4			☐	☐	☐	☐	☐	☐	☐	☐
5			☐	☐	☐	☐	☐	☐	☐	☐
6			☐	☐	☐	☐	☐	☐	☐	☐
7			☐	☐	☐	☐	☐	☐	☐	☐
8			☐	☐	☐	☐	☐	☐	☐	☐
9			☐	☐	☐	☐	☐	☐	☐	☐
10			☐	☐	☐	☐	☐	☐	☐	☐
	Total met /10		____ /10	____ /10	____ /10	____ /10	____ /10	____ /10	____ /10	____ /10

Findings and action plan

Gap found	Action agreed	Owner	Re-audit date

Audited by (signature)	Name (print)	Date

Sources Numbered as in the SOP and training guide, where full references are given: [1] Reandron 1000 Australian PI, Aspen, rev. Dec 2025 · [2] Reandron 1000 ARTG 213942 · [3] Reandron 1000 NZ data sheet, Dec 2025 · [4] SA Health ventrogluteal brochure · [5] SESLHD GL/076 v2.6, 2025 · [6] Pastuszak 2020 (POME safety analysis) · [7] Adam 2023 (POME review) · [8] ASCIA anaphylaxis guideline, July 2026 · [9] TGA AEMS adverse event reporting · [10] MHRA-approved administration guidance, 2024 · [11] Testosterone ADVZ 1000 Australian PI · [12] AusPATH Australian Standards of Care, 2026 (POME typically presents within 30 minutes; the PI gives no fixed observation time). Current package: https://gamsa.au/medicines/testosterone-undecanoate