

# BOOKGLOW MASTER BUILD DIRECTIVE

## Volumes I–VI Design-First Firestore Programme

You are modifying the existing Bookglow project.

This is an in-place design, UI, UX, layout and presentation retrofit. It is not a new application, backend migration or business-logic rewrite.

Before editing code, read the latest revised Bookglow blueprint package in full:

1. Bookglow Volume I — Platform Truth & Design-Retrofit Strategy
2. Bookglow Volume II — Experience Architecture & User Journeys
3. Bookglow Volume III — Visual Design & Merchant-Theming System
4. Bookglow Volume IV — Screen & Component Retrofit Specification
5. Bookglow Volume V — Interaction, Motion, State & Operational Behavior
6. Bookglow Volume VI — Existing-Code UI Retrofit & Logic Preservation
7. Revision Note — Design-First, Firestore-First, Logic Preserved

Use only the latest Design-First Firestore versions.

Ignore and do not use any older blueprint that mentions:

- Booking V2
- booking-v2
- /book-v2
- VITE\_ENABLE\_BOOKING\_V2
- completing or promoting V2
- a parallel customer-booking implementation
- Supabase migration inside Volumes I–VI
- Firebase removal during the current programme
- provider-neutral repositories
- backend cutover
- database abstraction

The current project and current live components are the only implementation targets.

## LOCKED ARCHITECTURE

Preserve the existing two-application structure:

- apps/merchant-portal
- apps/customer-site

Preserve the current customer booking routes:

- /book/:bookingPath
- /book/:bookingPath/auth

Do not create replacement routes, replacement pages, parallel folders or another booking implementation.

## CURRENT BACKEND

Firebase Authentication and Firestore remain the active runtime.

Do not:

- migrate anything to Supabase,
- activate dormant Supabase files,
- introduce a Supabase client,
- create repository abstractions,
- move Firestore queries,
- change Firestore collection paths,
- change document fields,
- rewrite Firebase Authentication,
- modify Firestore rules,
- remove Firebase,
- or prepare a partial backend cutover.

The future migration from Firestore to Supabase happens only after the entire design programme is finished and verified. That migration is outside this task.

## PROTECTED LOGIC

The user has confirmed that the existing logic is correct.

Treat the following as protected and non-editable unless the user opens a separate bug-fix task:

- Firebase authentication
- Firestore queries
- Firestore listeners
- Firestore writes
- collection paths
- document fields
- booking availability logic
- booking submission logic
- booking confirmation logic
- appointment creation and updates
- appointment cancellation and status transitions
- POS cart state
- POS totals
- discounts
- taxes
- payment methods
- transaction creation
- member points
- credits

- vouchers
- outstanding balances
- inventory and stock calculations
- services
- products
- packages
- staff schedules
- staff permissions
- commissions
- reports
- expenses
- finance calculations
- exports
- route paths
- redirect behavior
- role guards
- persisted local-storage keys
- environment-variable contracts
- Cloud Function identifiers
- external integration contracts

Do not “improve” , simplify or reorganise this logic.

When something appears questionable, report it without changing it.

## ALLOWED CHANGES

You may change:

- JSX presentation structure
- visual hierarchy
- responsive layout
- mobile composition
- desktop composition
- spacing
- typography
- colours through approved semantic tokens
- card and section structure
- navigation presentation
- forms presentation
- buttons presentation
- tables and mobile row presentation
- modal, drawer and sheet presentation
- accessibility labels and focus behavior
- loading-state presentation
- empty-state presentation
- error-state presentation
- saving-state presentation
- success-state presentation
- visible user-facing Bookglow copy

- pure formatting helpers
- presentational components receiving existing values and callbacks

You may extract presentational components only when they remain controlled by the existing page container.

## PRESENTATIONAL EXTRACTION RULE

Keep these inside their current page container:

- state variables
- reducers
- effects
- Firestore subscriptions
- service calls
- permissions
- calculations
- save handlers
- delete handlers
- submit handlers
- navigation handlers
- modal state ownership
- transaction state
- business validation

Presentational components may receive:

- values
- formatted display values
- booleans
- existing callback functions
- existing loading/error states
- existing permission results

Do not create duplicate stores, duplicate hooks or duplicate business state for visual components.

## BLUEPRINT RESPONSIBILITIES

Volume I defines:

- project boundaries,
- preserved capabilities,
- user types,
- and design-programme scope.

Volume II defines:

- user journeys,
- information hierarchy,
- navigation,

- dominant actions,
- mobile flow,
- and recovery paths.

Volume III defines:

- semantic tokens,
- typography,
- spacing,
- colour,
- shape,
- elevation,
- merchant theming,
- component styling,
- density,
- responsive behavior,
- and accessibility.

Volume IV defines:

- exact page composition,
- component responsibilities,
- mobile and desktop layouts,
- and screen acceptance criteria.

Volume V defines:

- loading,
- selection,
- validation,
- saving,
- success,
- errors,
- overlays,
- destructive actions,
- keyboard behavior,
- focus management,
- reduced motion,
- and operational feedback.

Volume VI defines:

- page implementation order,
- logic-preservation boundaries,
- safe component extraction,
- build verification,
- release separation,
- and rollback safety.

# REQUIRED PRE-CODING OUTPUT

Before changing each page, provide these two documents in the Claude response.

## A. Blueprint Compliance Matrix

| Volume     | Requirements applying to this page | Current gap | Planned UI implementation |
|------------|------------------------------------|-------------|---------------------------|
| Volume I   |                                    |             |                           |
| Volume II  |                                    |             |                           |
| Volume III |                                    |             |                           |
| Volume IV  |                                    |             |                           |
| Volume V   |                                    |             |                           |
| Volume VI  |                                    |             |                           |

## B. Existing Behavior Preservation Map

List:

- route,
- page entry component,
- imported child components,
- props,
- state variables,
- reducers,
- effects,
- Firestore listeners,
- Firestore queries and writes,
- service calls,
- permissions,
- calculations,
- click handlers,
- save handlers,
- delete handlers,
- submit handlers,
- modal and sheet handlers,
- redirect behavior,
- persisted keys,
- external integrations.

Mark every item that will remain untouched.

Do not begin implementation until these maps are complete.

# DESIGN RULES

- Use the approved Bookglow semantic design system.
- Use warm-neutral surfaces.
- Use Bookglow accent colours for primary actions and selected states.
- Do not recolour all text with accent colours.
- Use one clear dominant action per state.
- Avoid card-inside-card-inside-card layouts.
- Avoid oversized mobile headers.
- Mobile must recompose rather than shrink desktop screens.
- Use compact operational density.
- Keep touch targets usable.
- Use persistent form labels.
- Use at least 16 px input text on mobile.
- Selected, unavailable and error states must use more than colour.
- Avoid required horizontal scrolling in normal mobile workflows.
- Keep merchant identity visible on customer booking pages.
- Keep Bookglow system attribution secondary.
- Do not use random stock photography as a merchant or staff fallback.
- Use initials or governed neutral fallbacks.
- Respect reduced-motion preferences.
- Keep sticky actions above mobile safe areas and browser chrome.

# PAGE IMPLEMENTATION LOOP

For every page:

1. Read the entire page file.
2. Read every directly related component and service import.
3. Create the Blueprint Compliance Matrix.
4. Create the Existing Behavior Preservation Map.
5. Record the current build and type-check status.
6. Define the new page hierarchy.
7. Define presentational component boundaries.
8. Implement JSX, CSS and responsive composition only.
9. Keep all logic connected to its original owner.
10. Verify every existing field and action remains available.
11. Run build.
12. Run type checking.
13. Run existing tests.
14. Test at 360 px.
15. Test at 375 px.
16. Test at 768 px.
17. Test at 1280 px.
18. Verify keyboard navigation.
19. Verify focus visibility.
20. Verify loading, empty, error, saving and success states.
21. Verify there is no required horizontal scrolling.
22. Verify no V2 or Supabase work was introduced.

23. Stop after the requested page.

## REQUIRED FINAL REPORT

After each page, report:

- Blueprint requirements applied from Volumes I–VI
- Files inspected
- Files changed
- Components extracted
- Existing handlers preserved
- Existing services preserved
- Existing Firestore operations preserved
- Existing permissions preserved
- Mobile improvements
- Desktop improvements
- Accessibility improvements
- State improvements
- Build result
- Type-check result
- Test result
- Pre-existing issues
- Confirmation that no logic changed
- Confirmation that Firebase and Firestore remain unchanged
- Confirmation that Supabase was not introduced
- Confirmation that no V2 implementation was restored