

⚠️ **Currency:** All costs in US Dollar (\$) | Exchange Rate: **1 USD = ₹84.00** | Report Date: 12 January 2024

PATIENT INFORMATION

Name: Rahul Sharma
Patient ID: PT-2024-00123
DOB: 15 May 1990 | **Age:** 33 Yrs | **Gender:** Male
Blood Group: B+ | **Weight:** 72 kg
Phone: +91-9876543210
Address: 123 Test Street, Bandra, Mumbai

ALLERGY OVERVIEW

Total Allergies Recorded: 10
Life-Threatening: 2 (**Penicillin, Latex**)
Epipen Prescribed: Yes – Carry at all times
Last Allergy Test: 10 January 2024
Allergist: Dr. Kavita Nair (MD – Immunology)
Total Allergy Care Cost: **\$297.62**

CRITICAL ALLERGY ALERT – Must Read Before Any Treatment

- **Penicillin & All Beta-Lactam Antibiotics** – Anaphylaxis (Life-Threatening). Do NOT administer under any circumstances. Use Ceftriaxone or Azithromycin as alternative.
- **Latex / Natural Rubber** – Anaphylaxis (Life-Threatening). Use Latex-free gloves and equipment only. Alert OT team before any surgery.
- **Sulfonamides (Sulfa Drugs)** – Severe skin rash, Steven-Johnson Syndrome risk. Avoid all sulfa-based medications.
- **Aspirin (Acetylsalicylic Acid)** – Severe GI bleeding and bronchoconstriction. Use Ibuprofen or Paracetamol as alternative.

ALLERGY SUMMARY

10

Total Allergies

2

Life-Threatening

4

Severe

3

Moderate

1

Mild

DRUG ALLERGIES (USD \$)

#	Allergen / Drug	Type	Reaction	Severity	Onset	Alternative (\$)	Test Cost (\$)	Status
1	Penicillin (All Beta-Lactams)	Drug	Anaphylaxis, Urticaria, Angioedema	Life-Threatening	Within 15 min	Ceftriaxone – \$23.81	\$35.71	Active
2	Sulfonamides (Sulfa Drugs)	Drug	Severe Skin Rash, SJS Risk	Severe	24–72 hours	Nitrofurantoin – \$8.33	\$23.81	Active
3	Aspirin (Acetylsalicylic Acid)	Drug	GI Bleeding, Bronchoconstriction	Severe	30–60 min	Ibuprofen – \$14.29	\$17.86	Active
4	Codeine (Opioid)	Drug	Nausea, Vomiting, Itching	Moderate	1–2 hours	Tramadol – \$11.90	\$14.29	Active
5	Iodine Contrast Dye	Drug	Flushing, Mild Rash	Moderate	Immediate	Pre-medicate with Steroid	\$19.05	Managed

Drug Allergies: 5 | Total Test Cost: **\$110.71**

FOOD, ENVIRONMENTAL & CONTACT ALLERGIES (USD \$)

#	Allergen	Type	Reaction	Severity	Onset	Test Cost (\$)	Status
6	Latex / Natural Rubber	Contact	Anaphylaxis, Hives, Swelling	Life-Threatening	Immediate	\$35.71	Active
7	Shellfish (Shrimp, Crab, Lobster)	Food	Hives, Vomiting, Lip Swelling	Severe	15–30 min	\$23.81	Active
8	Peanuts	Food	Oral Itching, Throat Tightness	Severe	5–20 min	\$19.05	Active
9	Dust Mites	Environmental	Sneezing, Runny Nose, Watery Eyes	Moderate	Chronic	\$17.86	Managed
10	Pollen (Seasonal)	Environmental	Sneezing, Nasal Congestion	Mild	Seasonal	\$11.90	Managed

Non-Drug Allergies: 5 | Total Test Cost: \$108.33

💰 Allergy Care Cost (USD \$)		💊 Allergy Medications Prescribed	
Allergy Testing – Drug (5)	\$110.71	Epinephrine (Epipen) 0.3mg	\$17.86
Allergy Testing – Other (5)	\$108.33	Cetirizine 10mg (Daily)	\$4.76
Epipen (Auto-Injector x2)	\$35.71	Prednisolone 40mg (Pre-med)	\$5.95
Antihistamines (Cetirizine)	\$7.14	Loratadine 10mg (PRN)	\$3.57
Steroid (Pre-medication)	\$11.90	Montelukast 10mg (Dust/Pollen)	\$7.14
Allergist Consultation	\$23.81	Total Medication Cost	\$39.29
Total Allergy Cost	\$297.62		

 EMERGENCY ANAPHYLAXIS ACTION PLAN

 If Anaphylaxis Occurs – Follow These Steps Immediately

- 1 Inject **Epinephrine (Epipen) 0.3mg IM** into outer thigh immediately. Do not delay.
- 2 Call Emergency: **112 (Ambulance)** or Hospital Emergency: **+91-22-4567-8999**
- 3 Lay patient flat with legs elevated. If breathing difficulty — sit upright. Do NOT make them stand.
- 4 Give second Epipen after **5–15 minutes** if symptoms do not improve.
- 5 Administer **IV Hydrocortisone 200mg + Chlorpheniramine 10mg** at hospital.
- 6 Monitor for at least **4–6 hours** after reaction — risk of biphasic reaction.

 ALLERGIST'S CLINICAL NOTES

Dr. Kavita Nair – MD Immunology & Allergy:

Drug Allergies: Patient has confirmed IgE-mediated allergy to Penicillin (documented anaphylactic episode in 2019). All Beta-Lactam antibiotics are strictly contraindicated. Ceftriaxone was used safely in current admission after careful monitoring. Sulfa drug allergy confirmed via skin patch test — SJS risk noted. Aspirin intolerance confirmed — NSAID-Exacerbated Respiratory Disease (NERD) pattern observed. Ibuprofen tolerated well as alternative.

Food Allergies: Shellfish and peanut allergies confirmed via IgE RAST testing. Patient carries Epipen at all times. Family members have been trained in Epipen administration. Strict dietary avoidance advised — no shellfish, peanuts, or peanut oil products.

Contact Allergy: Latex allergy confirmed — all surgical procedures require latex-free environment. OT team, nursing staff, and pharmacy have been alerted. Latex-free gloves and equipment used throughout admission.

Environmental: Dust mite and pollen allergy managed with Cetirizine + Montelukast. HEPA air purifier recommended at home. Regular vacuuming with HEPA filter. Window filters during pollen season.

Next Review: Full allergy panel reassessment in 6 months — 12 July 2024.