

JavaScript Where To

[Back to JS page](#)

Table of Contents

- [JavaScript Where To](#)
 - [The script Tag](#)
 - [Example 1](#)
 - [JavaScript in Head or Body](#)
 - [Example 2](#)
 - [JavaScript in Body](#)
 - [Example 3](#)
 - [External JavaScript](#)
 - [Example 4](#)
 - [Document](#)
 - [Reference](#)

The script Tag

In HTML, JavaScript code is inserted between `<script>` and `</script>` tags.

```
<!DOCTYPE html>
<html>
<body>

<h2>Demo JavaScript in Body</h2>

<p id="demo">A paragraph</p>

<script>
document.getElementById("demo").innerHTML = "My First JavaScript";
</script>

</body>
</html>
```

Example 1

Result [View Example](#)

JavaScript in Head or Body

You can place any number of scripts in an HTML document.

Scripts can be placed in the `<body>` , or in the `<head>` section of an HTML page, or in both.

```
<!DOCTYPE html>
<html>
<head>
<script>
function myFunction() {
  document.getElementById("demo").innerHTML = "Paragraph changed.";
}
</script>
</head>
<body>

<h2>Demo JavaScript in Head</h2>
<p id="demo">A Paragraph</p>
<button type="button" onclick="myFunction()">Try it</button>

</body>
</html>
```

Example 2

Result [View Example](#)

JavaScript in Body

In this example, a JavaScript function is placed in the `<body>` section of an HTML page.

The function is invoked when a button is clicked.

```
<!DOCTYPE html>
<html>
<body>

<h2>Demo JavaScript in Body</h2>
<p id="demo">A Paragraph</p>
<button type="button" onclick="myFunction()">Try it</button>

<script>
function myFunction() {
    document.getElementById("demo").innerHTML = "Paragraph changed.";
}
</script>

</body>
</html>
```

Example 3

Result [View Example](#)

External JavaScript

Scripts can also be placed in external files.

External scripts are useful when the same code is used in many different web pages.

```
<!DOCTYPE html>
<html>
<body>

<h2>Demo External JavaScript</h2>
<p id="demo">A Paragraph</p>
<button type="button" onclick="myFunction()">Try it</button>

<script src="myScript.js"></script>

</body>
</html>
```

Example 4

Result [View Example](#)

Document

Document in project

You can [Download PDF](#) file.

Reference

- [W3Schools JavaScript Where To](#)