

JavaScript toString()

[Back to JS page](#)

Table of Contents

- [JavaScript toString\(\).](#)
 - [JavaScript Array toString\(\).](#)
 - [Example 1](#)
 - [JavaScript Date toString\(\).](#)
 - [Example 2](#)
 - [JavaScript Number toString\(\).](#)
 - [Example 3](#)
 - [Example 4](#)
 - [JavaScript Function toString\(\).](#)
 - [JavaScript Object toString\(\).](#)
 - [Example 5](#)
 - [Document](#)
 - [Reference](#)

The JavaScript `toString()` method converts a variable (or a value) to a string. It is a built-in method for many data types, including numbers, arrays, dates, and objects.

The method is useful for:

- Converting data to a readable format for display
- Ensuring type compatibility when a string is required
- Customizing objects other user interfaces
- Customizing objects for debugging

JavaScript Array toString()

When used on an array, `toString()` returns the array elements as a comma separated string.

```
<!DOCTYPE html>
<html>
<body>

<h2>JavaScript toString()</h2>
<p>From w3schools.com, Experiment by Teeratus_R</p>

<h4>Array toString()</h4>
<p id="demo"></p>

<script>
const fruits = ["Banana", "Orange", "Apple", "Mango"];

let myList = fruits.toString();

document.getElementById("demo").innerHTML = myList;
</script>

</body>
</html>
```

Example 1

Result [View Example](#)

JavaScript Date toString()

When used on a date, `toString()` returns a human-readable date and time string.

```
<!DOCTYPE html>
<html>
<body>

<h2>JavaScript toString()</h2>
<p>From w3schools.com, Experiment by Teeratus_R</p>

<h4>Date toString()</h4>
<p id="demo"></p>

<script>
const d = new Date();

let text = d.toString();

document.getElementById("demo").innerHTML = text;
</script>

</body>
</html>
```

Example 2

Result [View Example](#)

JavaScript Number toString()

When used on a number, `toString()` returns the number as a string.

```
<!DOCTYPE html>
<html>
<body>

<h2>JavaScript toString()</h2>
<p>From w3schools.com, Experiment by Teeratus_R</p>

<h4>Number toString()</h4>
<p id="demo"></p>

<script>
let x = 123;

let text = x.toString();

document.getElementById("demo").innerHTML = text;
</script>

</body>
</html>
```

Example 3

Result [View Example](#)

Convert a number to a string, using base 2 (binary):

```
<!DOCTYPE html>
<html>
<body>

<h2>JavaScript toString()</h2>
<p>From w3schools.com, Experiment by Teeratus_R</p>

<h4>Number toString() with Base 2</h4>
<p id="demo"></p>

<script>
let x = 123;

let text = x.toString(2);

document.getElementById("demo").innerHTML = text;
</script>

</body>
</html>
```

Example 4

Result [View Example](#)

JavaScript Function toString()

When used on a function, `toString()` returns the source code of the function as a string.

JavaScript Object toString()

When used on an object, `toString()` an object returns `"[object Object]"`. To provide a meaningful string representation, it can be overridden in the object definition:

```
<!DOCTYPE html>
<html>
<body>

<h2>JavaScript toString()</h2>
<p>From w3schools.com, Experiment by Teeratus_R</p>

<h4>Object toString()</h4>
<p id="demo"></p>

<script>
let person = {
  firstname: "John",
  lastname: "Doe",
}

let text = person.toString();

document.getElementById("demo").innerHTML = text;
</script>

</body>
</html>
```

Example 5

Result [View Example](#)

Document

Document in project

You can [Download PDF](#) file.

Reference

- [W3Schools JavaScript toString\(\)](#).