

JavaScript Errors

[Back to JS page](#)

Table of Contents

- [JavaScript Errors](#)
 - [How to Handle JavaScript Errors](#)
 - [Example 1](#)
 - [Reference Errors](#)
 - [Example 2](#)
 - [JavaScript Type Errors](#)
 - [Example 3](#)
 - [JavaScript Range Errors](#)
 - [Example 4](#)
 - [JavaScript URI Errors](#)
 - [Example 5](#)
 - [JavaScript Syntax Errors](#)
 - [Example 6](#)
 - [Document](#)
 - [Reference](#)

How to Handle JavaScript Errors

The `try` statement lets you test a block of code for errors. The `catch` statement lets you handle the error. The `throw` statement lets you create custom errors. The `finally` statement lets you execute code after try and catch, regardless of the result.

```
<!DOCTYPE html>
<html>
<body>

<h2>JavaScript Errors</h2>
<p>From w3schools.com, Experiment by Teeratus_R</p>

<h4>Try Catch</h4>
<p id="demo"></p>

<script>
let text = "";

try {
  adddler("Welcome guest!");
}
catch(err) {
  text += "Error: " + err.message + "<br><br>";
}
finally {
  text += "The 'finally' block always runs.";
}

document.getElementById("demo").innerHTML = text;
</script>

</body>
</html>
```

Example 1

Result [View Example](#)

Reference Errors

A `ReferenceError` is thrown if you use (reference) a variable that has not been declared.

```
<!DOCTYPE html>
<html>
<body>

<h2>JavaScript Errors</h2>
<p>From w3schools.com, Experiment by Teeratus_R</p>

<h4>Reference Error</h4>
<p id="demo"></p>

<script>
let text = "";

try {
  x = y + 1;    // y cannot be referenced (used)
}
catch(err) {
  text += "Error Name: " + err.name + "<br>";
  text += "Error Message: " + err.message;
}

document.getElementById("demo").innerHTML = text;
</script>

</body>
</html>
```

Example 2

Result [View Example](#)

JavaScript Type Errors

A `TypeError` is thrown if you use a value that is outside the range of expected types.

```
<!DOCTYPE html>
<html>
<body>

<h2>JavaScript Errors</h2>
<p>From w3schools.com, Experiment by Teeratus_R</p>

<h4>Type Error</h4>
<p id="demo"></p>

<script>
let text = "";
let num = 1;

try {
  num.toUpperCase();    // You cannot convert a number to upper case
}
catch(err) {
  text += "Error Name: " + err.name + "<br>";
  text += "Error Message: " + err.message;
}

document.getElementById("demo").innerHTML = text;
</script>

</body>
</html>
```

Example 3

Result [View Example](#)

JavaScript Range Errors

A `RangeError` is thrown if you use a number that is outside the range of legal values.

```
<!DOCTYPE html>
<html>
<body>

<h2>JavaScript Errors</h2>
<p>From w3schools.com, Experiment by Teeratus_R</p>

<h4>Range Error</h4>
<p id="demo"></p>

<script>
let text = "";
let num = 1;

try {
  num.toPrecision(500);  // A number cannot have 500 significant digits
}
catch(err) {
  text += "Error Name: " + err.name + "<br>";
  text += "Error Message: " + err.message;
}

document.getElementById("demo").innerHTML = text;
</script>

</body>
</html>
```

Example 4

Result [View Example](#)

JavaScript URI Errors

A `URIError` is thrown if you use illegal characters in a URI function.

```
<!DOCTYPE html>
<html>
<body>

<h2>JavaScript Errors</h2>
<p>From w3schools.com, Experiment by Teeratus_R</p>

<h4>URI Error</h4>
<p id="demo"></p>

<script>
let text = "";

try {
  decodeURI("%%%");    // You cannot URI decode percent signs
}
catch(err) {
  text += "Error Name: " + err.name + "<br>";
  text += "Error Message: " + err.message;
}

document.getElementById("demo").innerHTML = text;
</script>

</body>
</html>
```

Example 5

Result [View Example](#)

JavaScript Syntax Errors

A `SyntaxError` is thrown if you try to evaluate code with a syntax error. Note: Syntax errors are **not catchable** in the same scope — they are thrown when the code is parsed, before execution.

```
<!DOCTYPE html>
<html>
<body>

<h2>JavaScript Errors</h2>
<p>From w3schools.com, Experiment by Teeratus_R</p>

<h4>Syntax Error (with eval)</h4>
<p id="demo"></p>

<script>
let text = "";

try {
  eval("alert('Hello')");  // Missing ' will produce an error
}
catch(err) {
  text += "Error Name: " + err.name + "<br>";
  text += "Error Message: " + err.message;
}

document.getElementById("demo").innerHTML = text;
</script>

</body>
</html>
```

Example 6

Result [View Example](#)

Document

Document in project

You can [Download PDF](#) file.

Reference

- [W3Schools JavaScript Errors](#)